







ALGADEP® SINGLE-DOSE BOTTLES	p. 7
ALLERDEP® EYE DROPS	p. 7
ALLERDEP® ORAL SOLUTION	
ALLERDEP® NASAL SPRAY	
ANSIODEP® CAPSULES	р. 9
ANSIODEP® DROPS	
ANSIODEP® JUNIOR DROPS	p. 10
ANSIODEP® ORAL SOLUTION	
BETULDEP® SINGLE-DOSE BOTTLES	p. 11
BUTIDEP® CAPSULES	
BUTIDEP® CAPSULES	
CALDEP TABLETS	p. 12
CANDIDEP® INTIMATE CLEANSER	p. 13
CANDIDEP® VAGINAL DOUCHE SINGLE-DOSE BOTTLES	p. 13
CANDIDEP® VAGINAL SUPPOSITORIES	p. 14
CISTIDEP® C-MAX TABLETS	
CISTIDEP® D-MAX SACHETS	
CISTIDEP® JUNIOR ORAL SOLUTION	
COGNIDEP® SACHETS	
COLIDEP® JUNIOR DROPS	
COLLAGENDEP® BEAUTY COCKTAIL DRINKABLE STICKS	
COLLAGENDEP® CELL RECHARGE DRINK CAPS	p. 18
COLLAGENDEP® DREN STARTER KIT	p. 18
COLLAGENDEP® DREN RECHARGE DRINK CAPS	
COLLAGENDEP® INTENSE-FILLER	
COLL LOTUDED® COLLO ODELLA	p. 20
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS	p. 20
COLLAGENDEP® SUN TABLETS	p. 21
D-DEP 10000 CAPSULES	
D-DEP 5000 CAPSULES	
D-DEP 1000 CAPSULES	
DERMADEP® CLEANSER	
DERMADEP® TOP CREAM	
ENTERO MIRTO® SACHETS	
ENTERO MIRTO® LONG LIFE SINGLE-DOSE BOTTLES	
FERRODEP® CAPSULES	
FERRODEP® ORAL SOLUTION	
FRUTDEP® D3 JUNIOR DROPS	
FRUTDEP® IMMUNO LONG LIFE SINGLE-DOSE BOTTLES	

FRUTDEP® MIX DROPS	р. 26
FRUTDEP® VIRAL DROPS	
GASDEP® ACTIVE SACHETS	р. 27
GASDEP® CAPSULES GASTRODEP® JUNIOR LONG LIFE SINGLE-DOSE BOTTLES + DROPPER	
GASTRODEP® OROSOLUBLE STICKS	
GLICOPED® STICKS	
GLUCO 100 FORTE® CAPSULES	
GOLAPROP® CHEWABLE TABLETS	
GOLAPROP® THROAT SPRAY	
HAMADEP® SINGLE-DOSE BOTTLES	
INFLUPROP® NASAL SPRAY	
INFLUPROP® C OROSOLUBLE STICKS	
LACTODEP® CAPSULES	
LACTODEP® JUNIOR LONG LIFE SINGLE-DOSE BOTTLES	
LAXODEP® CAPSULES	
LAXODEP® ORAL SOLUTION	
LOWDEP® TABLETS	
MELACRON® TABLETS	
MELACRON® JUNIOR DROPS	p. 34
MELACRON® ORAL SPRAY	
MINERALDEP® SACHETS	
NAUSOLVIT® DROPS	
NAUSOLVIT® JUNIOR DROPS	
NECENIOL® PLUS SACHETS	
NECENIOL® PLUS TABLETS	
NETTARDEP® JUNIOR SINGLE-DOSE BOTTLES	
NITIDEP® TABLETS+SOFTGELS	p. 38
OSSIDREN® TABLETS	
OSTEOTEND® COMPLEX SACHETS	
POLIDEP® DRINKABLE STICKS	
PROSTADEP® CAPSULES	
PROSTADEP® PLUS CAPSULES	
PYRODEP® CHEWABLE TABLETS	
REUMADEP® CAPSULES	
REUMADEP® CREAM	
ROYALDEP® DRINKABLE STICKS	
THIVYBRON ORAL SOLUTION	
THIVYBRON JUNIOR ORAL SOLUTION	

TUSSODEP® AEROSOL	p. 43
UNCADEP® 600 SACHETS	p. 43
UNCADEP® FORTE LATTOFERRINA CAPSULES	p. 44
UNCADEP® IMMUNO CAPSULES	p. 44
UNCADEP® ORAL SOLUTION	p. 45
UNCADEP® SED DRINKABLE STICKS	p. 45
VESTANOL® CAPSULES	p. 46
VITADEP® TABLETS	p. 47
VITADEP® JUNIOR ORAL SOLUTION	p. 47
VITADEP® OSTEO STICKS	p. 47
ZETA ARTRO-CUR® TABLETS	p. 48
ZETA ARTRO-CUR® FLEX DRINKABLE STICKS	p. 48
ZETA COLEST® CAPSULES	p. 49
ZETA DREN® TABLETS	p. 49
ZETA TONIC® LONG LIFE SINGLE-DOSE BOTTLES	p. 50
ZETA VITAL® LONG LIFE SINGLE-DOSE BOTTLES	p. 50



- A I			ш	п.	•	n		n	\sim	•
Δ	ш	ш	ы	ĸ	GI	ш	ш	ш	G١	7
$\boldsymbol{\alpha}$	-1	_	ы		v	u	•	u	u	

ALLERDEP® EYE DROPS	р. 7
ALLERDEP® ORAL SOLUTION	р. 8
ALLERDEP® NASAL SPRAY	р. 8
INFLUPROP® NASAL SPRAY	р. 31
POLIDEP® DRINKABLE STICKS	n 30

ANDROLOGY, REPRODUCTIVE MEDICINE

PROSTADEP® CAPSULES	p.	40
PROSTADEP® PLUS CAPSULES	p.	40

CARDIOLOGY, CARDIO-VASCULAR REHABILITATION MEDICINE

ANSIODEP® CAPSULES	p. 9
ANSIODEP® DROPS	р. 9
ANSIODEP® ORAL SOLUTION	p. 10
FERRODEP® CAPSULES	p. 24
GASTRODEP® OROSOLUBLE STICKS	p. 28
MELACRON® TABLETS	p. 34
MELACRON® ORAL SPRAY	p. 35
MINERALDEP® SACHETS	p. 35
POLIDEP® DRINKABLE STICKS	p. 39
ZETA COLEST® CAPSULES	p. 49

DERMATOLOGY, ESTHETIC MEDICINE AND SURGERY

COLLAGENDEP® BEAUTY COCKTAIL DRINKABLE STICKS p. 17
COLLAGENDEP® CELL RECHARGE DRINK CAPS p. 18
COLLAGENDEP® DREN RECHARGE DRINK CAPS p. 19
COLLAGENDEP® INTENSE-FILLER p. 19
COLLAGENDEP® OSMO-CREAM p. 20
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS p. 20
COLLAGENDEP® SUN TABLETS p. 21
DERMADEP® CLEANSER p. 22
DERMADEP® TOP CREAM p. 23
HAMADEP® SINGLE-DOSE BOTTLES p. 30
NECENIOL® PLUS SACHETS p. 36
NECENIOL® PLUS TABLETS p. 37
POLIDEP® DRINKABLE STICKS p. 39
ZETA DREN® TABLETS p. 49

DIABETOLOGY, ENDOCRINOLOGY

BUTIDEP® CAPSULES	p. 11
BUTIDEP® CAPSULES	p. 12
CALDEPTABLETS	p. 12
D-DEP 10000 CAPSULES	p. 21
D-DEP 5000 CAPSULES	p. 22
D-DEP 1000 CAPSULES	p. 22
GLUCO 100 FORTE® CAPSULES	p. 29
NECENIOL® PLUS SACHETS	p. 37
NECENIOL® PLUS TABLETS	p. 37

DIETOLOGY

ALCADED® CINCLE DOCE DOTTLEC	_
	p. 7
BETULDEP® SINGLE-DOSE BOTTLES	p. 11
BUTIDEP® CAPSULES	p. 11
BUTIDEP® CAPSULES	p. 12
FERRODEP® CAPSULES	p. 24
FERRODEP® ORAL SOLUTION	
GASDEP® ACTIVE SACHETS	
GASDEP® CAPSULES	p. 27
GASTRODEP® OROSOLUBLE STICKS	p. 28
GLICOPED® STICKS	p. 29
GLUCO 100 FORTE® CAPSULES	p. 29
HAMADEP® SINGLE-DOSE BOTTLES	p. 30
LAXODEP® CAPSULES	
LAXODEP® ORAL SOLUTION	p. 33
LOWDEP® TABLETS	p. 33
OSSIDREN® TABLETS	
POLIDEP® DRINKABLE STICKS	p. 39
PYRODEP® CHEWABLE TABLETS	
ROYALDEP® DRINKABLE STICKS	p. 42
VITADEP® TABLETS	
ZETA COLEST® CAPSULES	
ZETA DREN® TABLETS	
ZETA TONIC® LONG LIFE SINGLE-DOSE BOTTLES	

GASTRO-ENTEROLOGY, PROCTOLOGY

ANSIUDEP® CAPSULES	p. 9
ANSIODEP® DROPS	
ANGIODER® OR H. COLUTION	p. 10
BUTIDEP® CAPSULES	p. 11
BUTIDEP® CAPSULES	p. 12
CALDEP TABLETS	p. 12
	p. 23
ENTERO MIRTO® LONG LIFE SINGLE-DOSE BO	DTTLES p. 23
FERRODEP® CAPSULES	p. 24
FERRODEP® ORAL SOLUTION	p. 24
GASDEP® ACTIVE SACHETS	p. 27
	p. 27
GASTRODEP® OROSOLUBLE STICKS	p. 28
LAXODEP® CAPSULES	p. 32
	p. 33
MINERALDEP® SACHETS	p. 35
NAUSOLVIT® DROPS	p. 35
NECENIOL® PLUS SACHETS	p. 36
NECENIOL® PLUS TABLETS	p. 37
POLIDEP® DRINKABLE STICKS	p. 39
PYRODEP® CHEWABLE TABLETS	p. 41
UNCADEP® SED DRINKABLE STICKS	p. 45

GENERAL SURGERY

OSSIDREN® TABLETS	р. 38
POLIDEP® DRINKABLE STICKS	р. 39
ROYALDEP® DRINKABLE STICKS	p. 42
VITADEP® TABLETS	p. 47
ZETA TONIC® LONG LIFE SINGLE-DOSE BOTTLES	n 50



GERIATRICS

ANSIODEP® CAPSULES	р. 9
ANSIODEP® DROPS	р. 9
ANSIODEP® ORAL SOLUTION	
COGNIDEP® SACHETS	р. 16
D-DEP 10000 CAPSULES	p. 21
D-DEP 5000 CAPSULES	p. 22
D-DEP 1000 CAPSULES	p. 22
FERRODEP® CAPSULES	p. 24
FERRODEP® ORAL SOLUTION	p. 24
LAXODEP® CAPSULES	p. 32
LAXODEP® ORAL SOLUTION	p. 33
MELACRON® TABLETS	p. 34
MELACRON® ORAL SPRAY	p. 35
MINERALDEP® SACHETS	p. 35
NECENIOL® PLUS SACHETS	
NECENIOL® PLUS TABLETS	
OSSIDREN® TABLETS	p. 38
ROYALDEP® DRINKABLE STICKS	p. 42
VITADEP® TABLETS	p. 47
ZETA TONIC® LONG LIFE SINGLE-DOSE BOTTLES	p. 50
ZETA VITAL® LONG LIFE SINGLE-DOSE BOTTLES	p. 50

GYNECOLOGY, SENOLOGY

CALDEP TABLETS	. p. 12
CANDIDEP® INTIMATE CLEANSER	. p. 13
CANDIDEP® VAGINAL DOUCHE SINGLE-DOSE BOTTLES	. р. 13
CANDIDEP® VAGINAL SUPPOSITORIES	. р. 14
CISTIDEP® C-MAX TABLETS	р. 14
CISTIDEP® D-MAX SACHETS	. р. 15
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS	. р. 20
D-DEP 10000 CAPSULES	. p. 21
D-DEP 5000 CAPSULES	. p. 22
D-DEP 1000 CAPSULES	. p. 22
FERRODEP® CAPSULES	. p. 24
FERRODEP® ORAL SOLUTION	. p. 24
NAUSOLVIT® DROPS	. р. 35
PYRODEP® CHEWABLE TABLETS	. p. 41

NEONATOLOGY

COLIDEP® JUNIOR DROPS	p. 17
FRUTDEP® D3 JUNIOR DROPS	p. 25
FRUTDEP® MIX DROPS	р. 26
LACTODEP® JUNIOR LONG LIFE SINGLE-DOSE BOTTLES	
MELACRON® JUNIOR DROPS	р. 34

ONCOLOGY

BUTIDEP® CAPSULES	p. 11
BUTIDEP® CAPSULES	p. 12
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS	p. 20
COLLAGENDEP® SUN TABLETS	p. 21
DERMADEP® TOP CREAM	p. 23
FERRODEP® CAPSULES	p. 24
NAUSOLVIT® DROPS	p. 35
NAUSOLVIT® JUNIOR DROPS	p. 36
NECENIOL® PLUS SACHETS	p. 36
NECENIOL® PLUS TABLETS	p. 37
POLIDEP® DRINKABLE STICKS	p. 39
ROYALDEP® DRINKABLE STICKS	n //2

ORTHOPEDICS, RHEUMATOLOGY, PHYSIATRY, PHYSIOTHERAPY, **TRAUMATOLOGY**

CALDEP TABLETS	p. 12
D-DEP 10000 CAPSULES	p. 21
D-DEP 5000 CAPSULES	- 00
D-DEP 1000 CAPSULES	p. 22
MINERALDEP® SACHETS	p. 35
NECENIOL® PLUS SACHETS	p. 36
NECENIOL® PLUS TABLETS	p. 37
OSTEOTEND® COMPLEX SACHETS	p. 39
POLIDEP® DRINKABLE STICKS	p. 39
REUMADEP® CAPSULES	p. 41
REUMADEP® CREAM	p. 41
VITADEP® TABLETS	p. 47
VITADEP® OSTEO STICKS	p. 47
ZETA ARTRO-CUR® TABLETS	p. 48
ZETA ARTRO-CUR® FLEX DRINKABLE STICKS	p. 48

OPHTHALMOLOGY

OTORHINO-LARYNGOLOGY		
ZETA TONIC® LONG LIFE SINGLE-DOSE BOTTLES	. р.	50
OSSIDREN® TABLETS	, р.	38
NITIDEP® TABLETS+SOFTGELS	, р.	38
ALLERDEP® EYE DROPS	. р.	7

ALLERDEP® EYE DROPS	p. 7
ALLERDEP® ORAL SOLUTION	
ALLERDEP® NASAL SPRAY	p. 8
GOLAPROP® CHEWABLE TABLETS	p. 30
GOLAPROP® THROAT SPRAY	p. 30
INFLUPROP® NASAL SPRAY	p. 31
THIVYBRON ORAL SOLUTION	p. 42
THIVYBRON JUNIOR ORAL SOLUTION	p. 42
TUSSODEP® AEROSOL	p. 43
UNCADEP® 600 SACHETS	p. 43
UNCADEP® FORTE LATTOFERRINA CAPSULES	p. 44
UNCADEP® IMMUNO CAPSULES	p. 44
UNCADEP® ORAL SOLUTION	p. 45
UNCADEP® SED DRINKABLE STICKS	p. 45
VESTANOL® CAPSULES	p. 46

PAIN THERAPY

MELACRON® TABLETS	p. 34
MELAGRON® ORAL ORRAN	p. 35
NECENIOL® PLUS SACHETS	p. 36
NECENIOL® PLUS TABLETS	n. 37



PEDIATRICS, **CHILD NEURO-PSYCHIATRY**

ALLERDEP® EYE DROPS	p. 7
ALLERDEP® ORAL SOLUTION	p. 8
ALLERDEP® NASAL SPRAY	p. 8
ANSIODEP® JUNIOR DROPS	p. 10
ANSIODEP® ORAL SOLUTION	p. 10
CISTIDEP® JUNIOR ORAL SOLUTION	p. 16
COLIDEP® JUNIOR DROPS	p. 17
DERMADEP® CLEANSER	
DERMADEP® TOP CREAM	p. 23
FERRODEP® ORAL SOLUTION	p. 24
FRUTDEP® D3 JUNIOR DROPS	
FRUTDEP® IMMUNO	0.5
LONG LIFE SINGLE-DOSE BOTTLES	
FRUTDEP® MIX DROPS	
FRUTDEP® VIRAL DROPS	p. 26
GLICOPED® STICKS	p. 29
GOLAPROP® THROAT SPRAY	p. 30
INFLUPROP® NASAL SPRAY	p. 31
LACTODEP® JUNIOR LONG LIFE SINGLE-DOSE BOTTLES	n 22
LAXODEP® ORAL SOLUTION	n 33
MELACRON® JUNIOR DROPS	n 3/
MELACRON® ORAL SPRAY	
NAUSOLVIT® JUNIOR DROPS	n 24
NETTARDEP® JUNIOR SINGLE-DOSE BOTTLES	p. 30
VITADEP® JUNIOR ORAL SOLUTION	
7FTA VITAL® LONG LIFE SINGLE-DOSE ROTTLES	n E0

PNEUMOLOGY

D-DEP 10000 CAPSULES	p. 21
D-DEP 5000 CAPSULES	p. 22
D-DEP 1000 CAPSULES	p. 22
INFLUPROP® C OROSOLUBLE STICKS	p. 31
TUSSODEP® AEROSOL	p. 43
UNCADEP® 600 SACHETS	p. 43
UNCADEP® FORTE LATTOFERRINA CAPSULES	p. 44
UNCADEP® IMMUNO CAPSULES	p. 44
UNCADEP® ORAL SOLUTION	p. 45
UNCADEP® SED DRINKABLE STICKS	p. 45

PSYCHIATRY, NEUROLOGY, **PSYCHO-GERIATRICS**

ANSIODEP® CAPSULES	. p.	9
ANSIODEP® DROPS	. p.	9
ANSIODEP® ORAL SOLUTION		
COGNIDEP® SACHETS	, p.	16
D-DEP 10000 CAPSULES	. p.	21
D-DEP 5000 CAPSULES	. p.	22
D-DEP 1000 CAPSULES	. p.	22
LOWDEP® TABLETS	. p.	33
MELACRON® TABLETS	, p.	34
MELACRON® ORAL SPRAY	. p.	35
NECENIOL® PLUS SACHETS	. p.	36
NECENIOL® PLUS TABLETS	. p.	37
ROYALDEP® DRINKABLE STICKS	. p.	42
VESTANOL® CAPSULES	. p.	46

SPORTS MEDICINE

D-DEP 10000 CAPSULES	p. 21
D-DEP 5000 CAPSULES	
D-DEP 1000 CAPSULES	0.0
MINERALDEP® SACHETS	р. 35
OSSIDREN® TABLETS	p. 38
OSTEOTEND® COMPLEX SACHETS	р. 39
POLIDEP® DRINKABLE STICKS	р. 39
REUMADEP® CREAM	/4
/ITADEP® TABLETS	p. 47
/ITADEP® OSTEO STICKS	p. 47
7FTA ARTRO-CUR® FLEX DRINKARLE STICKS	n /.0

UROLOGY, NEPHROLOGY

BETULDEP® SINGLE-DOSE BOTTLES	p. 1
CALDEP TABLETS	p. 1
CISTIDEP® C-MAX TABLETS	p. 1
CISTIDEP® D-MAX SACHETS	p. 1
COLLAGENDEP® PINK BEAUTY DRINKABLE STICKS	p. 2
FERRODEP® CAPSULES	p. 2
FERRODEP® ORAL SOLUTION	p. 2
PROSTADEP® CAPSULES	p. 4
PROSTADEP® PLUS CAPSULES	p. 4

VASCULAR MEDICINE, VASCULAR SURGERY, PHLEBOLOGY, **ANGIOLOGY**

COGNIDEP® SACHETS

NOTE

All such products are potentially prescribed by GPs.







ALGADEP® 20 SINGLE-DOSE BOTTLES



10 ml

Ministry of Health code no. 8817

INDICATIONS

Recommended to favour body weight balance, boost metabolism and maintain regular blood glucose levels.

BASED ON

Bean d.e., Cocoa d.e. 9% Theobromine, Wakame seaweed d.e. 10% Fucoxanthin, Kelp d.e. 0.45% lodine, Chromium picolinate

USE

Adults: 1 single-dose bottle a day, pure or diluted in 1 liter of water, to drink during the whole day.

PROPERTIES

- The mix of ingredients stimulates glucose and lipid metabolism and endorphin release, which results in a regulation of mood: this action is fundamental in a low-calorie or restrictive diet.
- **Kelp** has high **iodine** content that favours the thyroid hormones synthesis, essential to sustain metabolic activity.
- Wakame seaweed contains a high concentration of fucoxanthin, which is effective in reducing abdominal fat deposition; it also stimulates thermogenic activity.
- Cocoa, rich in theobromine, affects lipid metabolism, decreasing their synthesis and enhancing thermogenesis. It improves mood.
- Chromium Picolinate ensures the correct metabolism of glucose by enhancing the effects of insulin and facilitating its intracellular capture.
- Concentrated Bean protein is able to inhibit the alpha-amylase enzyme, responsible for the breakdown of carbohydrates into simple sugars that can be absorbed by the body, preventing their assimilation and considerably limiting the calories absorbed during meals.
- Excellent palatability: citrus flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: DIETOLOGY

ALLERDEP® EYE DROPS



å 10 single-dose vials | 0.5 ml CLASS II MD C € 0426



INDICATIONS

Recommended to relieve and contrast eye redness and dryness from external agents or excessive visual stress. It is also indicated for frequent and prolonged use and in association with contact lenses.

BASED ON

Sodium hyaluronate, Perilla d.e. 2.5% polyphenols

IISF

Children from 3Y and adults: 2-3 drops per eye, 2-3 times a day or according to medical advice.

In case of use in children under the age of 3, consult your ophthalmologist before administration.

PROPERTIES

- It is a highly biocompatible hypo-osmolal sterile solution (~280 m0sm/kg) that eases the restoration of the tear film. The low viscosity of the product improves eye comfort.
- It helps the removal of particles that create eye discomfort.
- It can be used with contact lenses: it makes it easier to fit them if instilled just before wearing them.
- In practical single-dose 0.5 ml vials, resealable.
- Duration after vial opening: 12 hours.
- Physiological pH.
- Also suitable for frequent and prolonged use, even for children.
- · Allergen and preservative free.

THERAPEUTIC AREAS: OPHTHALMOLOGY • ALLERGOLOGY • OTORHINO-LARYNGOLOGY • PEDIATRICS



ORAL SOLUTION



Ministry of Health code no. 15223



INDICATIONS

Recommended to prevent and treat allergic symptoms, attenuating immune hyperactivity.

BASED ON

- Dry extracts: Nettle, Liquorice deglycyrrhizinated <2% Glycyrrhizic acid, Mint 4% Essential oil
- Gemmoderivatives: Blackcurrant, Dog rose, Hornbeam, Ginkgo, Black alder

USE

Children 1Y-3Y: 2.5 ml, twice a day. Children 4Y-6Y: 5 ml, twice a day. Children 7Y-12Y: 7.5 ml, twice a day. Adults: 10 ml, 3 times a day.

Therapy cycles of at least 30 days are suggested.

PROPERTIES

- Gemmoderivatives and dry extract synergic activity reduces immune hyperactivity: it inhibits histamine production and release, counteracts inflammation in all mucosal diseases or sequelae, exerts an antispasmodic and decongestant action, prevents bronchoconstriction and edema induced by allergens and stimulates the healing of injured and irritated mucosa.
- Excellent palatability: sweet flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: ALLERGOLOGY • OTORHINO-LARYNGOLOGY • PEDIATRICS

ALLERDEP® NASAL SPRAY



CLASS II MD C € 1370

Recommended in the treatment of allergic rhinitis, non-allergic rhinitis with eosinophilia syndrome (NARES) and non-allergic eosinophilic-mast cells rhinitis (NARESMA).

BASED ON

INDICATIONS

- · Concentrated seawater
- · Dry extracts: Perilla
- Gemmoderivatives: Black alder, Blackcurrant, Dog rose
- Manganese gluconate
- · Tincture: Pot marigold

USE

Children from 2Y: 1 nebulization per nostril, 1-2 times a day. Adults: 1-2 nebulizations per nostril, 3 times a day.

PROPERTIES

- · Gemmoderivatives and dry extracts synergic activity guarantees an effective and rapid action: it significantly reduces nasal congestion without side effects and without creating addiction.
- It contains hypertonic seawater (~1.150 m0sm/L)*: the hydro-saline solution cleans the nasal passages and removes excess mucus, easing breathing difficulties. It reduces nasal symptoms more effectively than isotonic seawater.
- Its polysaccharide component ensures comfort and relief to the irritated nose: thanks to a barrier effect, the product moisturizes and protects the nasal mucosa.
- Excellent tolerability for mucous membranes: it does not irritate. Also ideal for prolonged therapies.
- Practical bottle with handy and non-invasive spout, able to create an adequate nebulization and reach deeply nasal
- Clinically tested: Macchi A., Bernardi, F. D., Peirolo, A., & Simoncini, D. (2016). Cellular Rhinitis: A Therapeutic Proposal. J Otolaryngol Rhinol, 2019.; Macchi A., et al., A randomized single-blind study to evaluate anti-inflammatory effectiveness of an Herbal nasal spray. The Rhinologist, 2018.
- · Allergen and propellant gas free.
- * 3% hypertonic solution ~ 1.026 m0sm/L

THERAPEUTIC AREAS: ALLERGOLOGY • OTORHINO-LARYNGOLOGY • PEDIATRICS









ANSIODEP® 30 CAPSULES



æ

Ministry of Health code no. 9660

INDICATIONS

Recommended in the treatment of anxiety disorders over time.

BASED ON

Magnesium, Crataegus Phytosome® - Hawthorn 3% Vitexin 2-rhamnoside, Passionflower d.e. 3.5% total Flavonoids such as Vitexin, California poppy d.e. 0.20% Protopine, Ashwagandha d.e. 2.5% Withanolides, L-Theanine

USE

Adults: 1-2 capsules a day.

PROPERTIES

- · Long-lasting effectiveness.
- Phytosome® is a patented delivery system that increases the bioavailability of the active ingredient, improving its effectiveness and duration of action.
- It promotes the balance of nervous functions and reduces neuronal overexcitation: it reduces psychosomatic manifestations such as palpitations and tachycardia, gastro-intestinal spasms, muscle tension and stiffness.
- Unlike benzodiazepines, it exerts anxiolytic action without affecting mental alertness and without causing addiction.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: PSYCHIATRY • NEUROLOGY • GERIATRICS • CARDIOLOGY • GASTRO-ENTEROLOGY

ANSIODEP® DROPS



20 ml Ministry of Health code no. 85122

INDICATIONS

Recommended to quickly manage sudden anxiety and panic attacks.

BASED ON

Passionflower hydroglyc. e., Lemon balm hydroglyc. e., L-Theanine, California poppy d.e. 0.20% Protopine, Valerian d.e. 0.8% Valerenic acids, Lemon balm d.e. 2% Rosmarinic acid, Crataegus Phytosome® - Hawthorn 3% Vitexin 2-rhamnoside, Hawthorn d.e. 3% total Flavonoids such as Vitexin

IISI

Adults: 0.5 ml, twice a day, directly in the mouth or diluted in a spoonful of water or other beverages (5 ml).

PROPERTIES

- Immediate action.
- It contains **Crataegus Phytosome®** (Hawthorn). **Phytosome®** is a patented delivery system that increases the bioavailability of the active ingredient, improving its effectiveness and duration of action.
- It promotes the balance of nervous functions and reduces neuronal overexcitation: it reduces psychosomatic manifestations such as palpitations and tachycardia, gastro-intestinal spasms, muscle tension and stiffness.
- Unlike benzodiazepines, it exerts anxiolytic action without affecting mental alertness and without causing addiction.
- Practical bottle with internal graduated dropper with ink-free beaded mark.
- · Excellent palatability: black cherry flavour.
- · Alcohol and colorant free.
- Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: PSYCHIATRY • NEUROLOGY • GERIATRICS • CARDIOLOGY • GASTRO-ENTEROLOGY



ANSIODEP® JUNIOR **DROPS**



Ministry of Health code no. 85123



INDICATIONS

Recommended to reduce the agitation states of the child associated with anxiety (even in acute), stress and psychosomatic symptoms.

BASED ON

Linden hydroglyceric e., Passionflower hydroglyceric e., Lemon balm hydroglyceric e., Linden d.e. 1% Flavonoids, Lemon balm d.e. 2% Rosmarinic acid, Passionflower d.e. 3.5% total Flavonoids as Vitexin

USE

Children from 6M: 1 ml (2 droppers), 2 times a day, directly in the mouth or diluted in beverages or food.

PROPERTIES

- Immediate action: it acts on several neurotransmitter systems, both centrally and peripherally, reducing anxiety states and associated psycho-somatic symptoms.
- It induces a state of progressive relaxation, without affecting mental alertness or causing addiction or daze.
- It reduces anxious reactivity, improving the behavioral and emotional response to stressful situations that generate gastrointestinal or cardiac somatizations.
- Practical bottle with internal graduated dropper with ink-free beaded mark.
- Excellent palatability: black cherry flavour (hypoallergenic aroma), children love its taste.
- · Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS • CHILD NEURO-PSYCHIATRY

$\mathsf{ANSIODEP}^{ ext{ iny B}}$

ORAL SOLUTION



Ministry of Health code no. 15233



Recommended in the treatment of anxiety disorders over time.

BASED ON

Linden d.e., Chamomile d.e. 3% Apigenin, California poppy d.e. 0.2% Protopine, Griffonia d.e. 10% 5-HTP

Children 1Y-3Y: 5 ml a day. Children 4Y-6Y: 7.5 ml a day. Children 7Y-12Y: 10 ml a day.

Adults: 20 ml a day.

To promote night's sleep, take it in the evening.

PROPERTIES

- · Long-lasting effectiveness.
- It promotes the balance of nervous functions and reduces neuronal overexcitation: it reduces psychosomatic manifestations such as palpitations and tachycardia, gastro-intestinal spasms, muscle tension and stiffness.
- It stimulates the physiological release of serotonin, which leads to a regulation of mood, exerting an important antidepressant action.
- Unlike benzodiazepines, it exerts its anxiolytic action without affecting mental alertness and without causing addiction.
- Excellent palatability: orange flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PSYCHIATRY • NEUROLOGY • GERIATRICS • CARDIOLOGY • GASTRO-ENTEROLOGY • PEDIATRICS









BETULDEP® 20 SINGLE-DOSE BOTTLES



10 ml

Ministry of Health code no. 12459

INDICATIONS

Recommended in case of oliguria and recurrent cystitis.

BASED ON

Black grapes SynerSHIELD™, Birch d.e. 2.5% Hyperoside, Meadowsweet d.e. 0.2% Salicylic acid, Juniper d.e., Bearberry d.e. 20% Arbutin

USE

Adults: 1 single-dose bottle a day, pure or diluted in 500 ml of water to drink during the day. Shake well before use.

PROPERTIES

- It promotes the drainage and excretion of body fluids and the correct functionality of the urinary tract. It acts as a uricosuric and also promotes the elimination of uropathogenic agents, contributing to the prevention and treatment of cystitis.
- It contains SynerSHIELD™ black grape extract, obtained through an extraction process that allows to obtain a "juice" of fresh fruits, where all the active ingredients, including the most sensitive ones, are present in their original form. It is rich in polyphenols, in particular proanthocyanidins (PACs), capable of binding to uropathogenic bacteria, such as Escherichia coli, reducing their ability to adhere to the bladder wall and facilitating their elimination in the urine.
- It contains Birch, Juniper and Bearberry which have a diuretic and purifying effect, stimulating the production of urine characterized by the increase in the excretion of water but not salts, reducing the accumulation of body fluids. Finally, they have a uricosuric action, counteracting the formation of kidney stones.
- Meadowsweet contains salicylic acid which exerts a strong antiinflammatory action, useful both in cases of acute and chronic inflammation of the urinary tract, also helping to reduce the pain associated with inflammation.
- · Excellent palatability: grape flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: UROLOGY- DIETOLOGY

BUTIDEP® 30+30 CAPSULES



B

FOOD FOR SPECIAL MEDICAL PURPOSES

INDICATIONS

Recommended for the dietetic management of subjects with inflammatory processes in the colon and for the recovery of correct mucous membrane function.

BASED ON

- White delayed-release DRcaps® capsule: Calcium butyrate
- **Blue capsule:** L-Tryptophan, L-Glutamine, Vitamin D

USE

Children from 8Y and adults: 1 WHITE CAPSULE + 1 BLUE CAPSULE in a single daily administration, right before meals or immediately after.

The exactly daily dose must be provided by the doctor.

PROPERTIES

- The mix of ingredients in therapeutic dosages allows to actively contrast colon inflammation, maintain the structural and functional integrity of the intestinal wall and rebalance homeostasis. Therefore, it is useful in the management of many inflammatory bowel conditions, including different forms of IBS and IBD.
- Butyric Acid is able to counteract any phenomenon of intestinal permeability by avoiding the resulting immune hypereactivity. In addition, it acts as an energetic substrate for the colonocyte, promoting a better functionality, and as a substrate for the growth of intestinal flora, quickly restoring a condition of eubiosis. It is carried, in the form of calcium butyrate, inside a special capsule, the delayed-release DRcaps®, which allows its release directly into the colon, to ensure maximum effectiveness. In addition, the DRcaps® effectively mask the characteristic odor of butyric acid, making the product pleasant.
- L-Tryptophan regulates the reactivity of mucosal immune cells, counteracting inflammatory phenomena; it also positively regulates mood, being useful in all forms of colon diseases caused by nervous disorders.
- **L-Glutamine** promotes the proliferation and survival of enterocytes, regulating their barrier function in the presence of injuries and infections.
- Vitamin D modulates the immune system at enteric level, contributing to create a favourable environment for the development of a correct intestinal microflora.
- · Allergen, colorant, preservative and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY • DIABETOLOGY • ONCOLOGY



BUTIDEP® 30 CAPSULES





INDICATIONS

Recommended for the dietetic management of subjects with inflammatory processes in the colon and for the recovery of correct mucous membrane function.

BASED ON

Calcium butyrate, Vitamin D

USE

Adults: 1-2 capsules, on a full stomach, or as advised by your doctor.

PROPERTIES

- The mix of ingredients in therapeutic dosages allows to actively contrast
 colon inflammation, maintain the structural and functional integrity of
 the intestinal wall and rebalance homeostasis. Therefore, it is useful in
 the management of many inflammatory bowel conditions, including
 different forms of IBS and IBD.
- Butyric Acid is able to counteract any phenomenon of intestinal permeability by avoiding the resulting immune hypereactivity. In addition, it acts as an energetic substrate for the colonocyte, promoting a better functionality, and as a substrate for the growth of intestinal flora, quickly restoring a condition of eubiosis. It is carried, in the form of calcium butyrate, inside a special capsule, DRcaps®, with delayed release, which has a direct effect on the colon, to ensure maximum effectiveness. In addition, DRcaps® effectively masks butyric acid odour, making the product pleasant.
- Vitamin D modulates the immune system at enteric level contributing to create a favourable environment for the development of a correct intestinal microflora.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIABETOLOGY • DIETOLOGY • GASTRO-ENTEROLOGY • ONCOLOGY

CALDEP 30 TABLETS



INDICATIONS

Recommended in case of prophylaxis with Vitamin D3 and calcium.

BASED ON

Calcium, Vitamin D3

USE

Children from 8Y and adults: 1-2 tablets a day, on a full stomach.


PROPERTIES

- Calcium improves bone health by preventing osteoporosis, which mainly affects elderly and post-menopausal women.
- Vitamin D is essential for bone health, the proper functioning of muscles and the immune system.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: ENDOCRINOLOGY • GASTRO-ENTEROLOGY • GYNECOLOGY • NEPHROLOGY • ORTHOPEDICS









CANDIDEP® INTIMATE CLEANSER



250 ml

INDICATIONS

Specific intimate cleanser for genital mucous membranes that provides daily protection. It ensures an effective balancing, soothing and refreshing action.

BASED ON

Aloe vera, Chlorhexidine 0.2%, Lactic acid

IISF

Adults: wash daily with 1-2 doses diluted in water or directly on the palm of the hand.

PROPERTIES

- 250 ml size.
- Daily use.
- Easy to rinse.
- · It gives a long-lasting freshness feeling.
- **Green formulation:** allergen, paraben, SLS, petrolate, silicone and fragrance free.

THERAPEUTIC AREAS: GYNECOLOGY

CANDIDED®

VAGINAL DOUCHE 5 SINGLE-DOSE BOTTLES



Å 140 ml
CLASS II MD C € 1370

INDICATIONS

Recommended for the symptomatic treatment of vulvovaginitis of any etiology, alterations in the vaginal environment following antibiotic therapy and/or hormonal imbalances.

BASED ON

α-Bisabolol, Chlorhexidine 0.2%, IMMUNOBLEND- mixture of tyndallized milk ferments (*Lactobacillus acidophilus* - SD5212, *Lactobacillus casei* - SD5213, *Lactobacillus plantarum* - SD5209, *Streptococcus termophilus* - SD5207), Lactic acid

USF

Adults: 1 vaginal douche a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

PROPERTIES

- Single-use non-sterile solution for intimate hygiene, based on tyndallized milk ferments plus soothing and antioxidant active ingredients.
- In practical bottles with extractable rotating and tilting nozzle, which avoids accidental shocks and uniformly dispenses the gynecological solution.
- Allergen free.

THERAPEUTIC AREAS: GYNECOLOGY



10 VAGINAL SUPPOSITORIES



@2q CLASS II MD C € 1370

INDICATIONS

Recommended for the symptomatic treatment of vulvovaginitis of any etiology, alterations in the vaginal environment following antibiotic therapy and/or hormonal imbalances.

BASED ON

Pot marigold liposoluble e., IMMUNOBLEND - mixture of tyndallized ferments (Lactobacillus casei SD5213, Lactobacillus acidophilus SD5212, Lactobacillus plantarum SD5209, Streptococcus Thermophilus SD5207), Sunfiber® - Guar gum, Vitamin E, Lactic acid, Vitamin A

USE

Adults: 1 vaginal suppository a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

PROPERTIES

- They contain tyndallized milk ferments plus prebiotics, soothing and antioxidant active ingredients.
- They dissolve completely without leaving residues and do not stain underwear.
- Allergen and preservative free.

THERAPEUTIC AREAS: GYNECOLOGY

CISTIDEP® C-MAX 20 TABLETS



Ministry of Health code no. 63630

INDICATIONS

Recommended for the prevention and treatment of recurrent and relapsing urinary tract infections. It is also useful in case of abacterial cystitis and asymptomatic bacteriuria. It is particularly recommended in young and sexually active women. It limits the use of antibiotic therapy.

BASED ON

Cranberry d.e. 15% Proanthocyanidins (of which PACs-A 89%), Bromelain, Propolis d.e. 12% total Polyphenols

USE

ACUTE CYSTITIS

- For the first 3 days: 1 tablet, 4 times a day.
- For the next 4 days: 1 tablet, 2 times a day.

RECURRENT CYSTITIS

- Women: 1 tablet a day, starting from ovulation until the last day of the menstrual cycle.
- Men: 1 tablet a day, for 10 days a month.

POST-COITAL CYSTITIS

- Day 1: 1 tablet, after sexual intercourse.
- Days 2 and 3: 1 tablet, 2 times a day.

Take it on a full stomach in case of gastropathies.

PROPERTIES

- It exerts a triple action: anti-adhesive, restorative and anti-inflammatory.
- · Based on branded and clinically tested ingredients, at therapeutic dosages.
- It contains the best **Cranberry** extract available on the market, with an unique polyphenolic profile, rich in **dimeric** and trimeric PACs-A (not less than 15% PACs, of which more than 89% of type A), responsible of the anti-adhesive effectiveness of Cranberry.
- It contains **brown Propolis** with high and standardized titration in Polyphenols (galangin, chrysin, pinocembrin, apigenin, pinobanksin, quercetin), extracted with the patented method named Multi Dynamic Extraction.
- It contains **Bromelain** with an high enzymatic activity (2,500 GDU / g; 5,000 FIP / g).
- · There is no resistance to treatment.
- Clear and functional therapeutic schemes.
- It can be used both alone and in association with antibiotic therapy, of which it enhances the effectiveness thanks to
- · Allergen, preservative, sweetener free. No added sugar.

THERAPEUTIC AREAS: UROLOGY • GYNECOLOGY







CISTIDEP® D-MAX 20 SACHETS





Ministry of Health code no. 37122



INDICATIONS

Recommended for the prevention and treatment of recurrent and relapsing urinary tract infections. It is also useful in case of abacterial cystitis and asymptomatic bacteriuria. It is particularly recommended in case of pregnancy, menopause and in patients with painful bladder syndrome / interstitial cystitis (IC). It limits the use of antibiotic therapy.

BASED ON

D-Mannose, Methylsulfonylmethane (MSM), Hyaluronic acid

USE

ACUTE CYSTITIS

- For the first 3 days, 4 sachets a day
 - 2 sachets dissolved in 500 ml of water, to drink in the morning.
 - 2 sachets dissolved in 500 ml of water, to drink during the afternoon.

or:

- 1 sachet dissolved in a glass of water, 4 times a day.
- For the next 4 days, 2 sachets a day
 - 2 sachets dissolved in 500 ml of water, to drink during the day.
 or:
 - 1 sachet dissolved in a glass of water, 2 times a day.

RECURRENT CYSTITIS

- Women: 1 sachet a day dissolved in a glass of water, starting from ovulation until the last day of the menstrual cycle.
- Men: 1 sachet a day dissolved in a glass of water, for 10 days a month.

POST-COITAL CYSTITIS

- Day 1
 - 1 sachet dissolved in a glass of water, after sexual intercourse.
- Day 2 and 3
 - 2 sachets dissolved in 500 ml of water, to drink during the day.
 - 1 sachet dissolved in a glass of water, 2 times a day.

In case of gastrointestinal discomfort or meteorism, it is recommended to take the product concurrently with meals.

PROPERTIES

- It exerts a triple action: anti-adhesive, restorative and anti-inflammatory.
- High dosage of D-Mannose: it inhibits competitively the adhesion of bacteria in the urothelium.
- **High dosage of MSM** for an anti-inflammatory action.
- It contains an optimal amount of Hyaluronic Acid that is not irritable for the urothelium, also in the long-term use.
- D-Mannose and Hyaluronic Acid contribute to repair the urothelial coating.
- MSM and Hyaluronic Acid reduce pain and inflammation.
- There is no resistance to treatment.
- Clear and functional therapeutic schemes.
- It can be used both alone and in association with antibiotic therapy.
- · Excellent palatability: lime flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: UROLOGY • NEPHROLOGY • GYNECOLOGY



CISTIDEP® ORAL SOLUTION





Ministry of Health code no. 63629



INDICATIONS

Recommended for the prevention and treatment of relapsing or recurrent urinary tract infections in children. Also useful in combination with antibioticprophylaxis and in case of uropathy-malformation. It limits the use of antibiotic therapy.

Inulin, CystiCran™40 (Cranberry) d.e. 40% Proanthocyanidins, Vitamin C, Pido-Zinc® Zinc

USE

Children from 1Y:

- Acute cystitis: 10 ml, 2 times a day, until the disappearance of symptoms.
- Recurrent cystitis: 10 ml a day, for 10 days per month.

PROPERTIES

- It exerts a triple action: anti-adhesive activity, it prevents the structural alteration of the urothelium and balances the intestinal bacterial flora.
- It contains CystiCran® 40, Cranberry extract with a high Proanthocyanidin titre which counteracts bacterial colonization and protects the glycosaminoglycans (GAGs) of the urothelial coating.
- It contains Pido-Zinc®, a highly bioavailable Zinc pidolate, which supports the immune system and limits the susceptibility to infections, including urinary ones.
- Inulin plays a prebiotic action both directly and indirectly, generating Fructo-oligosaccharides (FOS), and favorably influencing the innate and adaptive immune response in the intestine.
- **Vitamin C** improves the immune response and counteracts postinfectious outcomes.
- It is formulated according to LARN (Levels of Reference Intake of Nutrients and Energy for the Italian population).
- · There is no resistance to treatment.
- It can be used both alone and in combination with antibiotic therapies.
- Excellent palatability: black cherry flavour (hypoallergenic aroma), children love its taste.
- · Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PEDIATRICS • UROLOGY • NEPHROLOGY

COGNIDEP®



2.5 q

Ministry of Health code no. 113154

INDICATIONS

Recommended to promote cognitive functions and memory. It protects cells from oxidative stress.

BASED ON

Citicoline sodium, Red grape d.e., Superoxide dismutase

USE

Adults: 1 sachet a day dissolved in a glass of water (150 ml), preferably in the morning.

PROPERTIES

- The synergy of the ingredients promotes neuronal survival and modulation of synaptic transmission, counteracts the formation of neurotoxic protein aggregates, restores a physiological cerebral blood flow and counteracts vascular dementia forms.
- It contains **Red grape** extract with **antinflammatory properties and** able to modulate the neurotrophic signaling, that supports the functionality of the nervous system. A clinical study supports the beneficial effects on the performance of neurocognitive and neuropsychological functions in healthy adults. It also has positive side effects on anxiety, depression and psychophysical sensations.
- It contains **Superoxide dismutase**, an enzyme with a strong antioxidant action that breaks down the oxidative stress that forms in the brain in case of cognitive impairment.
- It contains a high dose of Citicoline per sachet (1 g of Citicoline **sodium/sachet**): it provides high amount of choline that helps preserve structural and functional integrity of the neuronal membrane and improves cholinergic transmission (through the synthesis of Acetylcholine), essential in maintaining primary cognitive activities.
- Excellent palatability: carrot, lemon and orange flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: NEUROLOGY • GERIATRICS • PSYCHO-GERIATRICS • PSYCHIATRY • VASCULAR MEDICINE









COLIDEP® JUNIOR DROPS



20 ml

Ministry of Health code no. 146689



INDICATIONS

Recommended to counteract the restlessness of the child caused by abdominal tension, even of a psycho-somatic nature.

BASED ON

Chamomile hydroglyceric e., Fennel hydroglyceric e., Lemon balm hydroglyceric e., Fennel d.e. 1% Essential oil, Lemon balm d.e. 2% Rosmarinic acid, Chamomile d.e. 0.3% Apigenin, Linden d.e. 1% Flavonoids

HCI

Infants: 0.5 ml (1 pipette) before each feed, directly in the mouth or diluted in drinks or food.

Children: up to 4 ml (8 pipettes) per day.

PROPERTIES

- It has a double and immediate relaxing action: it reduces the nervousness of the child and calms the intestinal spasms.
- It acts on various neurotransmitter systems favoring the reduction of agitation associated with psycho-somatizations that are reflected in the gastro-intestinal tract.
- It exerts a carminative and prokinetic action on the gastrointestinal smooth muscle which favors the removal of gas, reduces the violence of the spasms and the associated pain.
- · It does not affect mental alertness and is not addictive.
- Its extracts are selected to ensure effectiveness and safety of use, even for children.
- Practical bottle with internal graduated dropper with ink-free beaded mark.
- Excellent palatability: fennel flavour, children love its taste.
- · Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS • NEONATOLOGY

COLLAGENDEP® BEAUTY COCKTAIL

20 DRINKABLE STICKS



15 ml Ministry of Health code no. 114745

INDICATIONS

Long-lasting bio-revitalizing supplement that reduces visible wrinkles and improves skin elasticity, just after only 1 month-treatment.

BASED ON

Collagen peptides VERISOL® (HALAL certified), Vitamin C, Hyaluronic acid, Zinc, Resveratrol, Copper, Biotin

USE

Adults: 1 drinkable stick a day. The following treatment cycles are recommended: 40-day-intake / 30-day-interruption / 40-day-intake. Between one cycle and another, a 60-day break is recommended, for a total of at least 2 cycles per year. Each treatment duration and frequency depends on the health condition of the skin and wellbeing and beauty to achieve.

PROPERTIES

- Restructuring: VERISOL® hydrolyzed collagen peptides stimulate the natural production of collagen and revitalize the skin for a lasting and visible result of toned and compact skin.
- Antioxidant: Vitamin C, Resveratrol, Copper, Zinc and Biotin protect cells and dermal structural proteins from oxidative stress.
- Moisturizing: thanks to high molecular weight hyaluronic acid
- Recommended in association with Collagendep® Intense-filler cream, in integrated protocols for the treatment of aging of the face, neck and décolleté.
- Also ideal for consolidating and strengthening filler treatments, biorevitalizing treatments based on hyaluronic acid or mixtures of amino acids and vitamins and / or chemical and / or physical peels, radiofrequency, laser, pulsed light and fractional thermal energy, etc.
- Practical drinkable sticks.
- VERISOL® collagen peptides are BSE and TSE free and Kosher and Halal certified.
- Excellent palatability: pineapple flavour (hypoallergenic aroma).
- Allergen and colorant free.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY



COLLAGENDEP® CELL RECHARGE 12 DRINK CAPS





New flavours:

PEACH ORANGE

Ministry of Health code no. 138280

INDICATIONS

Total body treatment that reduces the typical appearance of orange peel skin and promotes the remodeling of the silhouette.

BASED ON

Collagen peptides VERISOL® (HALAL certified), SOD B Dimpless® — Superoxide dismutase

Adults: 1 drink cap a day. Unscrew the original black cap and pour 500 ml of water into the Erbozeta® Smart Bottle, up to the mark. Remove the foil from the drink cap and screw it on the Erbozeta® Smart Bottle. Press the top of the drink cap until the content is completely emptied into the bottle. Unscrew the drink cap and close the Erbozeta® Smart Bottle with its original cap, shake well to obtain a homogeneous solution and drink within 6 hours.

PROPERTIES

- Collagendep® Cell is based on VERISOL® hydrolyzed collagen peptides and SOD B - DIMPLESS®, a melon juice concentrate rich in Superoxide dismutase (SOD), 100% natural, obtained exclusively from the "Cantaloupe" variety of the fruit, grown only in the South of France.
- It counteracts the imperfections of cellulite by simultaneously working on the formation of the dermal matrix, on the subcutaneous fat deposits and on the fibrosis (hardening) of the connective tissue.
- **Lipolytic**: **SOD B DIMPLESS®** decreases the size of the fat cells of the hypodermis, responsible for the effect of the orange peel skin.
- Antifibrotic: SOD B DIMPLESS® acts on the fibrosis of the hypodermis, associated with the most advanced stages of the cellulite process.
- Remodeling: VERISOL® hydrolyzed collagen peptides restore the normal structure of the dermis by reducing the skin waviness typical of cellulite.
- VERISOL® collagen peptides are BSE and TSE free and Kosher and Halal
- Also recommended in association with aesthetic and medicalaesthetic draining and anti-cellulite treatments.
- Each drink cap provides 10 Kcal only.
- Excellent palatability: peach flavour (hypoallergenic aroma), orange flavour.
- No added sugar: also suitable in case of ketogenic diets.
- It contains natural colorants only: beet root red.
- Allergen and preservative free.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY

COLLAGENDEP® DREN STARTER KIT

1 ERBOZETA® SMART BOTTLE + 12 DRINK CAPS





Ministry of Health code no. 138281

INDICATIONS

Total body treatment that stimulates microcirculation and promotes the elimination of excess fluid, for a visible draining and toning effect.

BASED ON

Environmentally friendly materials and 100% recyclable PET

USE

Unscrew the original black cap and pour 500 ml of water into the Erbozeta® Smart Bottle, up to the level indicated. Remove the aluminum foil from the drink cap and screw into the Erbozeta® Smart Bottle. Press the upper part of the drink cap until its contents are completely emptied into the bottle. Unscrew the drink cap and close the Erbozeta® Smart Bottle with the original cap, shake well until a homogeneous solution is obtained and consume within 6 hours of preparation.

PROPERTIES

- Collagendep® Starter Kit is a practical package containing 1 Erbozeta® Smart Bottle and 12 Drink caps of Collagendep® Dren Recharge which with three simple steps (push, shake and drink) allow the practical start and execution of the Collagendep® Smart Cell Pro programs (of 60 days) or Collagendep® Smart Cell Pro Max (96 days).
- The Collagendep® Smart Cell protocols are designed to counteract cellulite blemishes through the use of Collagendep® Dren Recharge, with an anti-edema, lymphokinetic and vasotonic action, and Collagendep® Cell Recharge, with a lipolytic, anti-fibrotic and remodeling action.
- Erbozeta® Smart Bottle is an elegant bottle with a registered design, completely made in Italy, compatible only with the Drink caps of Collagendep® Dren Recharge and Collagendep® Cell Recharge, which contain a mixture, in powder form, of the respective ingredients to be diluted in water and drink directly from the Erbozeta® Smart Bottle.
- All the materials used preserve the functional properties and the excellent palatability of the ingredients.
- Erbozeta® Smart Bottle is environmentally friendly, reusable, and made of 100% recyclable PET.
- BPA free.
- · Hand washable.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY









COLLAGENDEP® DREN RECHARGE 12 DRINK CAPS





New flavours:

PINEAPPLE LEMON

Ministry of Health code no. 138281

INDICATIONS

Total body treatment that stimulates microcirculation and promotes the elimination of excess fluid, for a visible draining and toning effect.

BASED ON

Bromelain, Gotu kola, Sweet clover

USE

Adults: 1 drink cap a day. Unscrew the original black cap and pour 500 ml of water into the Erbozeta® Smart Bottle, up to the mark. Remove the foil from the drink cap and screw it on the Erbozeta® Smart Bottle. Press the top of the drink cap until the content is completely emptied into the bottle. Unscrew the drink cap and close the Erbozeta® Smart Bottle with its original cap, shake well to obtain a homogeneous solution and drink within 6 hours.

PROPERTIES

- Collagendep® Dren Recharge is based on Bromelain, Gotu kola and Sweet clover
- It promotes the functionality of the microcirculation, the elimination of excess fluids and restores cell trophism, normalizing the structure of the skin and subcutaneous tissue.
- Lymphokinetic: Sweet clover activates macrophages, promoting the reabsorption of the exudate typical of lymphedematous tissue.
- Anti-edema: Bromelain decreases the accumulation of liquids between hypodermic adipocytes, favoring their reabsorption via the lymphatic system and decongesting the adipose tissue.
- Vasotonic: Centella asiatica strengthens the wall of blood capillaries by reducing edema, improving microcirculation and increasing tissue oxygenation.
- It decongests the hypodermic tissue preparing it for the subsequent lipolytic, antifibrotic and restructuring treatment with Collagendep® Cell.
- Also recommended in association with aesthetic and medical-aesthetic draining and anti-cellulite treatments.
- Each drink cap provides only 5 Kcal.
- Excellent palatability: pineapple flavour (hypoallergenic aroma), lemon flavour
- Without added sugar: also recommended in case of ketogenic diets.
- It contains natural colorants only: vitamin B2 and chlorophyll.
- Allergen and preservative free.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY

COLLAGENDEP® INTENSE-FILLER

CREAM





INDICATIONS

Revitalizing treatment based on Hyaluronic acid for face, neck and décolleté, ideal for every season.

BASED ON

A blend of three molecular weight hyaluronic acid (high, medium and low), Shea Butter, Sea kale extract, Jojoba Oil, Biomimetic peptide.

USE

Adults: apply an adequate amount of cream on face, neck and décolleté in the morning and evening, after thorough cleansing. Gently massage with circular movements until completely absorbed. Also ideal as a make-up base.

PROPERTIES

- Face cream with a highly sensory texture and with a rich and nourishing skin feel, formulated with a pool of functional ingredients with a marked anti-aging, filling and moisturizing action.
- Toning: Tripeptide-2, Jojoba Oil and Shea Butter improve skin elasticity and reduce skin sagging.
- Filler: Sea kale extract, low and very low molecular weight hyaluronic acid stimulate the production of collagen and hyaluronic acid and protect the structure from degradation.
- Moisturizing: the hyaluronic acid blend guarantees multilevel hydration.
- It is ideal in combination with Collagendep® Beauty Cocktail and / or
 Collagendep® Sun, in integrated protocols for the treatment of aging of the
 face, neck and décolleté. The synergistic use stimulates the production of
 dermal collagen by increasing skin firmness and hydration, reducing the
 visibility of wrinkles and fine lines, redefining the contour of the face and
 giving a deep sensation of softness and comfort.
- Olfactory sensations: predominance of delicate and sweet notes, with fruity and floral scents, all lulled by a base of white musk and amber notes.
- · Dermatologically tested.
- Natural formulation (96% of natural origin ingredients).
- · Nickel tested.
- Paraben, petrolatum, propylene glycol, colorant, PEG, EDTA, BHA and BHT free.
- Manufactured in the company plant with UNI EN ISO 9001 and 22716 certified quality system.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY



COLLAGENDEP® OSMO-CREAM CREAM



200 ml

INDICATIONS

Remodeling and toning body treatment based on pure Rock salt, with a particular and unique skin feel.

BASED ON

Rock salt, Caffeine, Carnitine, Jojoba and Sweet almond oils, Shea butter

USE

Adults: apply an adequate amount of cream to the affected area of the body in the morning and evening. Massage with circular movements until completely absorbed.

PROPERTIES

- Remodeling and toning body cream that exploits the natural osmotic action of Rock salt, rich in trace elements but low in iodine, to effectively eliminate excess fluids and deeply convey selected functional ingredients with a smoothing, emollient and recompacting action on the skin tissue.
- Toning: Jojoba Oil, Sweet Almond Oil and Shea Butter improve the elasticity and firmness of the skin.
- **Draining**: the high concentration of **Rock salt** is able to reduce the excess of fluids in the tissues and to reactivate the mechanisms of subcutaneous fat disposal.
- Remodeling: Carnitine and Caffeine help reduce subcutaneous fat deposits and promote tissue oxygenation.
- It is ideal in association with the Collagendep® SMART CELL anti-cellulite program, to stimulate the production of dermal collagen by increasing skin firmness and hydration, and can be effectively conveyed into the dermis during treatments with radiofrequency and / or mesotherapy.
- Olfactory sensations: The aromatic top notes of pine and rosemary are combined with the floral, fruity and amber base notes of vanilla and sandalwood.
- · Dermatologically tested.
- **Natural formulation** (90% of natural origin ingredients).
- lodine and Nickel tested.
- Paraben, petrolatum, propylene glycol, colorant, PEG, EDTA, BHA and BHT free.
- Manufactured in the company plant with UNI EN ISO 9001 and 22716 certified quality system.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY

COLLAGENDEP® PINK BEAUTY

20 DRINKABLE STICKS



Ministry of Health code no. 158464

INDICATIONS

Recommended in the prevention and treatment of vulvovaginal atrophy also in association with pharmacological and/or physical therapies. It counteracts the thinning and loss of elasticity of the genitourinary tissues and the associated urogynecological and sexual disorders.

BASED ON

Astrion™ (Astragalus and Centella), HyaSource® Vita Mini (very low molecular weight hyaluronic acid), VERISOL® collagen peptides, Ribocare® (nucleotide blend).

Adults: 1 drinkable stick a day, at any time of the day, for 4 months. It is recommended to repeat the protocol after 4 months, for a total of two treatment cycles per year.


PROPERTIES

- Mix of patented ingredients that offer a functional systemic treatment for the **recovery of vulvo-vaginal eutrophism**, carrying out an effective restructuring, elasticising and moisturizing action on the vaginal mucosa and urethral epithelium.
- It stimulates the endogenous production of collagen and extracellular matrix by supporting the trophism and structure of the genitourinary
- Ideal for all women and particularly indicated during menopause (both natural and pharmacologically and/or surgically induced), during anti-estrogenic therapies or following vaginal birth.
- Excellent palatability: pineapple flavour.
- Gluten and colorant free.
- It contains lactose.

THERAPEUTIC AREAS: ESTHETIC MEDICINE • DERMATOLOGY • GYNECOLOGY • UROLOGY • ONCOLOGY









COLLAGENDEP® SUN

20 TABLETS



Ministry of Health code no. 115772

INDICATIONS

Summer beauty routine against photoaging for an effective photoimmunoprotective, anti-wrinkle and anti-dark spots action.

BASED ON

Collagen peptides VERISOL® (HALAL certified), Polypodium leucotomos d.e., Silymarin Phytosome®

USE

Adults:

- Summer beauty routine: 1 tablet a day, to be swallowed with water.
- · In case of direct sun exposure:
 - 1 tablet for darker skin phototype (4, 5 and 6).
 - 2 tablets, in a single administration, for lighter skin phototype (1,2 and 3).
 - 2 tablets, in a single administration, in case of intense exposure (central hours of the day, 11.00-16.00).
 - 2 tablets, even in a single administration, in case of exposure at high altitude (above 1500 m) or near the equator.

PROPERTIES

- Photoimmunoprotective: Polypodium leucotomos prevents both the acute (erythema) and chronic (photoaging, photoimmunosuppression) effects of photodamage.
- Antioxidant: Silymarin Fitosoma® counteracts the chrono process and photoaging, enhancing the antioxidant defense system of the skin.
- Antiaging: VERISOL® hydrolyzed collagen peptides stimulate the production of collagen, counteracting its loss due to the action of UV rays
- It represents the summer version of Collagendep® Beauty Cocktail in
 which the quantitative ratio between collagen peptides and
 antioxidants has been reversed in favor of the latter to prevent and
 repair the oxidative damage mediated by solar radiation responsible
 for the skin photoaging process.
- Recommended, in the summer season, in association with Collagendep® Intense-filler cream, in integrated protocols for the treatment of aging of the face, neck and décolleté.
- Also ideal during the winter season as a photoprotector for oral use to protect the skin after medical and cosmetic surgery treatments and prevent the formation of dark spots.
- VERISOL® collagen peptides are BSE and TSE free and Kosher and Halal certified.
- Preservative and sweetener free.
- · Gluten free.
- · Naturally lactose free.
- It contains soy lecithin.

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY • ONCOLOGY

D-DEP 10000 30 CAPSULES





INDICATIONS

Recommended in case of prophylaxis with Vitamin D3.

BASED ON

Vitamin D3 - 10,000 IU

USE

Adults: 1 capsule, on a full stomach, each 7 days, or as advised by your doctor.

PROPERTIES

- **Vitamin D** is essential for bone health, proper functioning of muscles and the immune system.
- · Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GERIATRICS • GYNECOLOGY • ORTHOPEDICS • PNEUMOLOGY • SPORTS MEDICINE



D-DEP 5000 30 CAPSULES



BASED ON Vitamin D3 - 5000 IU

INDICATIONS

USE

Adults: 1 capsule, on a full stomach, each 3 days, or as advised by your doctor.

Recommended in case of prophylaxis with Vitamin D3.

PROPERTIES

- Vitamin D is essential for bone health, for the proper functioning of muscles and the immune system.
- Allergen, preservative and sweetener free. No added sugar.

B

THERAPEUTIC AREAS: GERIATRICS • GYNECOLOGY • ORTHOPEDICS • PNEUMOLOGY • SPORTS MEDICINE

D-DEP 1000 30 CAPSULES



BASED ON

INDICATIONS

Vitamin D3 - 1000 IU

USE

Adults: 1 capsule a day, or as advised by your doctor.

Recommended in case of prophylaxis with Vitamin D3.

PROPERTIES

- Vitamin D is essential for bone health, for the proper functioning of muscles and the immune system.
- Allergen, preservative and sweetener free. No added sugar.

B

THERAPEUTIC AREAS: GERIATRICS • GYNECOLOGY • ORTHOPEDICS • PNEUMOLOGY • SPORTS MEDICINE

DERMADEP® CLEANSER





INDICATIONS

Delicate cleanser formulated for sensitive and atopic skin of babies, children and adults. Ideal for the hygiene of face, body and scalp.

BASED ON

Oat, Liquorice, Aloe vera, Evening primrose oil

Children from OM and adults:

- For the shower: massage gently until a soft foam is obtained, rinse thoroughly and dry gently without rubbing.
- · For the bath: pour the product while filling the tub. Rinse thoroughly, dry gently without rubbing.

PROPERTIES

- Soapless, slightly foaming.
- With vegetable glycerine.
- pH 6.7.
- · Dermatologically tested on sensitive skin.
- Ophthalmologically tested (no tears).
- Green formulation: it does not contain PEGs, copolymers, parabens, thiazolinones, EDTA, SLS and SLES, petrolatums, silicones, colorants. Allergen-free fragrance.
- Nickel tested (<1ppm).
- Suitable for the whole family, even for newborn skin.

THERAPEUTIC AREAS: DERMATOLOGY • PEDIATRICS









DERMADEP® TOP CREAM





INDICATIONS

Moisturizing, emollient, protective and soothing emulsion. Specially formulated for sensitive and atopic skin of babies, children and adults.

BASED ON

18-β-Glycyrrhetic acid, Oat, Oils of: Jojoba, Pot marigold, Sweet almonds and Sesame; Phytosfingosine, Skin Save® (innovative blend of extracts of Caper, Prickly pear, Olive), Urea 3%

USE

Children from OM and adults: apply a thin layer of cream locally, several times a day. Massage gently to favour absorption.

PROPERTIES

- It contains Skin Save®, innovative blend of Caper, Prickly Pear and Olive extracts. A clinical comparative study conducted on women undergoing radiotherapy treatment for breast cancer supports its beneficial effects.
- Moisturizing, restoring, soothing and antipruriginous action.
- · Fluid emulsion, easy to spread.
- Moisturizing effectiveness proven by TEWL test and corneometry.
- Dermatologically tested on sensitive and atopic skin.
- Green formulation: it does not contain PEGs, copolymers, parabens, thiazolinones, EDTA, SLS and SLES, petrolatums, silicones, colorants. Allergen-free fragrance.
- Nickel tested (<1ppm).
- Suitable for the whole family, even for newborn skin.

THERAPEUTIC AREAS: DERMATOLOGY • PEDIATRICS • ONCOLOGY

ENTERO MIRTO® 10 SACHETS





Ministry of Health code no. 15074

INDICATIONS

Recommended to rebalance and strengthen the intestinal bacterial flora and contrast abdominal discomfort, irritable bowel syndrome and vaginal and urinary infections.

BASED ON

- · Red poppy d.e.
- Prebiotics: Inulin, Fructo-oligosaccharides (FOS)
- Probiotics: Bifidobacterium lactis BI-04, Lactobacillus bulgaricus - Lb-87, Lactobacillus reuteri - Lr-92, Lactobacillus rhamnosus GG

IISE

Adults: 1-2 sachets a day, away from meals, dissolved in a glass of water (100 ml).

PROPERTIES

- The synergic activity of probiotics and prebiotics increases the tropism for intestinal cells.
- Multispecies and multistrains probiotics, gastric pH and bile salts resistant: 10 billion CFUs/sachet.
- Packaging designed to ensure the vitality of probiotics.
- · It does not need to be stored at low temperatures.
- · Excellent palatability: pineapple flavour.
- Allergen, colorant, preservative and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY

ENTERO MIRTO®

10 LONG LIFE SINGLE-DOSE BOTTLES





Ministry of Health code no. 59401



INDICATIONS

Recommended to rebalance and strengthen the intestinal bacterial flora and contrast stress dysbiosis, irregularities in the bowel and skin manifestations (dermatitis).

BASED ON

- Prebiotics: FIBERAID™ AG Arabinogalactan from Larch bark
- Probiotics: Lactobacillus reuteri -DSM 26866

USE

Children from 2Y: 1 single-dose bottle a day, away from meals.

Adults: 1-2 single-dose bottles a day, away from meals.

PROPERTIES

- The synergic activity of probiotics and prebiotics increases the tropism for intestinal cells.
- Multispecies and multistrains probiotics, gastric pH and bile salts resistant: 7 billion CFUs/LONG LIFE single-dose bottle.
- The aqueous solution facilitates the transmission of the probiotic.
- The aqueous solution provides the body with the already active probiotic: once dispersed in water, the metabolic reactions of the microorganism start and this also favours speed of action inside the organism (useful in case of diarrhea).
- Practical LONG LIFE single-dose bottle ensures product quality and stability: the probiotics are separated from the aqueous solution to preserve their viability and functionality and are reconstituted in aqueous solution only before use.
- It does not need to be stored at low temperatures.
- · Excellent palatability: mango flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PEDIATRICS



FERRODEP® 30 CAPSULES





Ministry of Health code no. 15737



INDICATIONS

Recommended for all sideropenic conditions.

BASED ON

SunActive® Fe - Microencapsulated ferric pyrophosphate, Vitamin C

USE

Adults: 1 capsule a day, at any time of the day.

PROPERTIES

- Ideal formulation to counteract iron deficiencies, even chronic ones.
- It contains SunActive®Iron, Microencapsulated ferric pyrophosphate, highly bioavailable and digestible; it does not cause irritation, sense of heaviness and leaves no unpleasant aftertaste. Clinical studies support its high bioavailability and efficacy. TAIYO GmbH internal data.
- · High patient compliance.
- · Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • GERIATRICS • GYNECOLOGY • ONCOLOGY • CARDIOLOGY • NEPHROLOGY • DIETOLOGY

FERRODEP® ORAL SOLUTION



🔓 150 ml

Ministry of Health code no. 28265



INDICATIONS

Recommended for all sideropenic conditions.

BASED ON

SunActive® Fe - Microencapsulated ferric pyrophosphate, Pido- Zinc® Zinc pidolate, Copper gluconate, Vitamin C, Vitamin B2, Vitamin B6, Folic acid, Vitamin B12

USE

Children 1Y-6Y: 5 ml a day. **Children 7Y-12Y:** 10 ml a day. **Adults:** 10 ml, twice a day.

It can be taken at any time of the day.

PROPERTIES

- Ideal formulation to counteract iron deficiencies, even chronic ones, which can significantly interfere with the psychomotor development of the child.
- It contains SunActive®Iron, Microencapsulated ferric pyrophosphate, highly bioavailable and digestible: it does not cause irritation, sense of heaviness and leaves no unpleasant aftertaste. Clinical studies support its high bioavailability and efficacy. TAIYO GmbH internal data.
- **Group B vitamins** help maintain a correct functionality of the immune system.
- **Vitamin C** and **Copper** improve the transport of iron and promote the maturation of all blood cells.
- It contains **Pido-Zinc**®, highly bioavailable Zinc pidolate.
- It is formulated according to LARN (Reference Intake Levels of Nutrients and Energy for the Italian population).
- · High patient compliance.
- · Excellent palatability: orange flavour.
- · Colorant free.
- · Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: PEDIATRICS • GERIATRICS • GYNECOLOGY • GASTRO-ENTEROLOGY • DIETOLOGY • UROLOGY • NEPHROLOGY









FRUTDEP® D3 JUNIOR

DROPS



Ministry of Health code no. 88963



INDICATIONS

Recommended in case of prophylaxis with Vitamin D3 and DHA, from the first days of a child's life.

BASED ON

Algal DHA, Vitamin D3 - 400 IU

Children from OM: 0.5 ml a day (1 dropper), directly in the mouth or diluted in beverages or food, on a full stomach.

PROPERTIES

- Vitamin D is essential for bone health, correct muscle and immune development of the child.
- **DHA** contributes to the maintenance of normal brain and eye functions.
- It contains DHA extracted from Schizochytrium sp. seaweed, which exclusively feeds on organic and vegetable substances and is extremely rich in marine Omega-3 fatty acids.
- Designed for all children up to 2 years of age, at least.
- Also suitable for premature newborns, from the first days of
- It can be diluted in a little water or other beverages (not hot ones).
- Practical bottle with internal graduated dropper with ink-free beaded
- Excellent palatability: black cherry flavour (hypoallergenic aroma), children love its taste.
- · Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: NEONATOLOGY • PEDIATRICS

FRUTDEP®

20 LONG LIFE **SINGLE-DOSE BOTTLES**



10 ml

Ministry of Health code no. 12627



INDICATIONS

Recommended to strengthen the immune system against viral and bacterial infections.

BASED ON

Concentrated fruit juices, Beta-glucan, Vitamin C, Lactoferrin, Resveratrol, Beta carotene, Folic acid, Group B vitamins, Vitamin D3

Children from 1Y: 1 single-dose bottle a day. Adults: 2 single-dose bottles a day.

Take preferably in the morning, on a full stomach. In case of recurrent susceptibility to infections, it is recommended to take the product in repeated cycles. Therapy cycles of at least 3 months, to repeat throughout the year, are suggested.

PROPERTIES

- It offers a broad-spectrum immunity protection: rich in immunomodulating active ingredients and water-soluble vitamins.
- Designed for children from 1 year of age, especially those most sensitive to recurrent respiratory infections.
- Also suitable for adults and elderly people.
- Practical LONG LIFE single-dose bottles that ensure quality and
- Excellent palatability: black cherry flavour (hypoallergenic aroma), children love its taste.
- Colorant and sweetener free.
- Gluten free.
- Naturally lactose free.
- · It contains lactoferrin, a milk derivative.

THERAPEUTIC AREAS: PEDIATRICS



FRUTDEP® MIX **DROPS**



Ministry of Health code no. 94576



INDICATIONS

Recommended in case of restricted or selective diets or with concomitant therapies that interfere with the absorption or metabolism of nutrients.

BASED ON

Folic acid, Group B vitamins, Vitamin A, Vitamin C, Vitamin D3, Vitamin E, Vitamin H, Vitamin K1

Children OM-12M: 0.5 ml (1 dropper) a day. Children 13M-3Y: 1 ml (2 dropper) a day. Children 4Y-6Y: 1.5 ml (3 dropper) a day. Children 7Y-10Y: 2 ml (4 dropper) a day.

Take preferably in the morning, directly in the mouth or diluted in beverages or food, on a full stomach.

PROPERTIES

- · Multivitaminic designed for all children up to 10 years of age, formulated according to LARN (Nutrient and Energy Intake Reference Values for the Italian population).
- It can be diluted in a little water or other beverages (not hot ones).
- · Practical bottle with internal graduated dropper with ink-free beaded mark.
- · Excellent palatability: peach flavour (hypoallergenic aroma), children love its taste.
- Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS • NEONATOLOGY

FRUTDEP® VIRAL **DROPS**



Ministry of Health code no. 95347



INDICATIONS

Recommended for common cold prevention and treatment. It favours natural defenses of the body and correct functionality of the upper respiratory tract.

BASED ON

Propolis hydroglic. e., Dog rose d.e. 70% Vitamin C, Echinacea d.e. 4 % Echinacosides and 20% Polysaccharides, Hedge mustard d.e., Gumweed d.e., Thyme d.e., Eucalyptus d.e.

USE

Children 6M-1Y:

Prevention: 1 ml (2 droppers) a day. **Treatment:** 1 ml (2 droppers), twice a day.

Take directly in the mouth or diluted in beverages or food.

Prevention:

In case of susceptibility to recurrent infections, it is recommended to take the product cyclically. Treatment cycles of at least 3 months are recommended, to be repeated throughout the year.

Treatment:

Start the administration at the onset of symptoms and continue the treatment until the symptoms disappear.

PROPERTIES

- · Phytotherapeutic product rich in selected plant extracts, designed for all children from 6 months to 1 year of age, to counteract symptoms related to recurrent infections of the upper respiratory tract.
- It can be diluted in a little water or other beverages (not hot ones).
- Practical bottle with internal graduated dropper with ink-free beaded mark.
- Excellent palatability: wild berries flavour (hypoallergenic aroma), children love its taste.
- · Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS









GASDEP® ACTIVE 6+12 SACHETS





Ministry of Health code no. 90241



INDICATIONS

Recommended in case of digestive difficulties, swelling and abdominal tension. Particularly indicated in subjects with food intolerances. Also useful in preparation for abdominal ultrasound.

BASED ON

- Blue sachet: Bifidobacterium lactis BI-04, Lactobacillus acidophilus La-14
- Red sachet: Fennel d.e. 1% Essential oil, Enzi-mix® (Amilases, Proteases, Glucoamylases, Lipases, Cellulases, Lactases, Pectinases), Beta-galactosidase, Mint d.e. 4% Essential oil, Ginger d.e. 5% Gingerols, Fennel Essential oil, Star anise Essential oil, Alpha-galactosidase

USE

Adults: 1 blue sachet in the morning, on an empty stomach, dissolved in a glass of water (200 ml); 2 red sachets a day dissolved in a glass of water (200 ml), 30 minutes before lunch and dinner.

PROPERTIES

- 2 treatments in 1 single product, in double sachets. It promotes
 digestion, especially the one of lactose and complex carbohydrates,
 and restores the balance of intestinal bacterial flora: it reduces the
 typical symptoms of food intolerances (halitosis, constipation,
 diarrhea and alternated bowel functions).
- It contains Enzi-mix®: patented enzymes blend that allows a better digestion of proteins, fats and carbohydrates, improving their absorption at intestinal level.
- The red sachet contains a mix of plant extracts and enzymes
 (α-galactosidase, β-galactosidase and Enzi-mix®) that
 regulates digestive processes by performing a multiple carminative,
 digestive, antifermentative and antispasmodic action, giving relief
 to the entire digestive tract and improving its functionality.
- The blue sachet contains multispecies/monostrain (5 billion CFUs/sachet) specifically selected probiotics, for their synergic action in rebalancing the intestinal flora, removing the gases produced by bacterial fermentation and reducing bowel inflammation.
- Also useful in preparation for abdominal ultrasound: its ability to remove gases and reduce abdominal swelling and tension allows a better ultrasound investigation.
- Excellent palatability. Red sachet: anise and fennel flavour; blue sachet: berry flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY

GASDEP® 45 CAPSULES



æ

Ministry of Health code no. 36099



INDICATIONS

Recommended in case of digestive difficulties, swelling and abdominal tension. Also useful in preparation for abdominal ultrasound.

BASED ON

- Dry extracts: Fennel d.e. 1% Essential oil, Green anise d.e., Mint d.e. 4% Essential oil, Caraway d.e., Ginger d.e. 1% Gingerols
- Essential oils: Fennel, Star anise
- Enzymes: Enzi-mix® (Amylases, Cellulases, Glucomylases, Lactases, Lipases, Pectinases, Proteases)
- **Probiotics:** *Lactobacillus Acidophilus* SD5212

USE

Adults: 1 capsule, 3 times a day, before the main meals.

PROPERTIES

- Useful to promote digestion, especially the one of lactose and complex carbohydrates, and restore the balance of intestinal bacterial flora.
- It contains Enzi-mix®: patented enzymes blend that allows a better digestion of proteins, fats and carbohydrates, improving their absorption at intestinal level.
- The combination of plant extracts, Enzi-mix® and monospecies/monostrain probiotics (4.5 billion CFUs/ capsule) regulates the digestive processes by performing a multiple carminative, digestive, antifermentative and antispasmodic action, giving relief to the entire digestive tract and improving its functionality.
- It is also useful in preparation for abdominal ultrasound: its ability to eliminate gases and reduce abdominal swelling and tension allows a better ultrasound examination.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY



GASTRODEP®

20 LONG LIFE **SINGLE-DOSE BOTTLES** + DROPPER







INDICATIONS

Recommended for the treatment of pediatric gastric reflux and related symptoms.

BASED ON

Altea, Hyaluronic acid, Type II collagen, Chondroitin sulphate, Mallow, Banana juice

USE

Children from 1Y: 1 single-dose bottle, 10 minutes after meals and before bedtime.

Reflux in the newborn: 2 pipettes after each feed. Use the dropper to take the amount to be taken and close the vial by screwing it back onto the bottle. The entire contents of the vial can be consumed within 24 hours of opening.

PROPERTIES

- It is a mix of functional ingredients ideal for counteracting the symptoms associated to gastro-hexophageal reflux, restoring and preserving the integrity of the gastro-esophageal mucosa.
- It is an innovative formulation with high mucoadhesiveness validated by laboratory tests: it guarantees a greater permanence of the active ingredients on the mucosa, better and prolonged therapeutic efficacy.
- The polysaccharide component of **Altea and Mallow** forms a layer on the mucosa that protects it from the aggressiveness of gastric juices.
- **Banana juice** neutralizes the acid that can accidentally cross the barrier, protecting the mucosa.
- Hyaluronic acid, chondroitin sulfate and type II **collagen** strengthen the pre-epithelial barrier, counteracting the de-epithelialization of the laryngeal-pharyngeal mucosa.
- · Excellent palatability: white peach flavour (hypoallergenic aroma), children love its taste.
- Allergen, colorant and sweetener free.
- Practical bottle with internal graduated dropper with ink-free beaded mark.

THERAPEUTIC AREAS: PEDIATRICS

GASTRODEP® 30 OROSOLUBLE STICKS



Ministry of Health code no. 76101

INDICATIONS

Recommended for the treatment of symptoms associated with GERD (Gastro-Esophageal Reflux Disease), gastritis and ulcers.

BASED ON

Mucosave® (biophenols from Olive leaves, polysaccharides from Opuntia) 15% total Polysaccharides, Sodium alginate, Mallow d.e. 30% Polysaccharides, Altea d.e. 30% Polysaccharides, Calcium carbonate, Potassium bicarbonate, Saffron d.e. 5% Crocin

IISF

Adults: 1 orosoluble stick after the two main meals and 1 in the evening before bedtime, or as advised by your doctor.

PROPERTIES

- It exerts a mucoprotective and and antireflux activity.
- It contains **Mucosave**®: a patented mixture of polysaccharides derived from Opuntia and biophenols from Olive leaves, which favours the protection of the gastric and esophageal mucosa, counteracts the typical symptoms of GERD (Gastro Esophageal Reflux Disease) and helps the healing of the injured mucosa.
- It contains **Saffron extract** which modulates esophageal sensitivity. It is also useful to regulate mood and prevent somatizations.
- It can also be taken for long time and in repeatable cycles.
- It does not cause addiction.
- · It gives immediate relief.
- Maximum effectiveness.
- Practical fast absorption orosoluble sticks.
- Excellent palatability: liquorice and mint flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • CARDIOLOGY • DIETOLOGY









>> **NEW GLICOPED®** 30 STICKS



Ministry of Health code no. 168425



INDICATIONS

Recommended for the management of childhood overweight and obesity.

BASED ON

Reducose® (White mulberry)

Children from 6Y to 12Y: 1 stick, dissolved in 150 ml of water, during the richest carbohydrate meal of the day (preferably during breakfast or lunch).

Children from 12Y: 1 stick, dissolved in 150 ml of water, during main meals, up to 3 times a day.

PROPERTIES

- Based on **Reducose**®, an aqueous white mulberry extract titrated, patented and standardized to contain 5% of 1-Deoxynojirimycin (DNJ), a quantity about 5 times higher than the other extracts of white mulberry present on market.
- It promotes the reduction of carbohydrate absorption by reversibly inhibiting the enzymes responsible for carbohydrate digestion.
- It reduces the post-prandial glycemic and insulinemic peak.
- It promotes weight control and increased long-term sense of satiety.
- It works immediately: from the moment food arrives in the intestine, for 90 minutes, until it is excreted through the kidneys.
- Total gastro-intestinal tolerability.
- It improves health outcomes when combined with a controlled
- Efficacy and safety documented by 11 peer reviewed clinical studies.
- Excellent compliance for the patient.
- Allergen and preservative free. No added sugar.
- **Excellent palatability:** cocoa flavour, hypoallergenic aroma, children like it.

THERAPEUTIC AREAS: DIETOLOGY • DIABETOLOGY • PEDIATRICS

GLUCO 100

30 CAPSULES



B

Ministry of Health code no. 57852





INDICATIONS

Recommended in association with low-calorie diets aimed at weight control, to help achieve a sense of satiety.

BASED ON

Glucomannan 100

USE

Children from 8 Y and adults: 2 capsules, at least 1 hour before main meals, with 1 or 2 glasses of water. In order for the product to reach the stomach it must be taken with plenty of water.

PROPERTIES

- Based on **Glucomannan 100**, a highly purified super-molecular powder of the highest quality with high viscosity power.
- It generates a viscous gel, expanding by 200 times its original weight, which at the gastric level exerts pressure on the walls, activating the baroreceptors responsible for transmitting the sense of satiety to the brain, with a consequent reduction in appetite.
- It has excellent oil absorbent properties that favour the sequestration of fats in the gut, reducing their absorption.
- Being a fiber, it acts as a **prebiotic in the intestine**, improving the quality of the bacterial flora of the colon.
- Several clinical trials demonstrate its effectiveness in the treatment of obesity in adults, children and pregnant women.
- The high degree of purity quarantees its safety of use.
- It promotes a weight loss already after 8 weeks, with a consequent improvement in cholesterol and triglyceride levels as early as 4 weeks of
- · Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIETOLOGY • DIABETOLOGY



GOLAPROP® 24 CHEWABLE TABLETS





Ministry of Health code no. 45788



INDICATIONS

Recommended in all inflammatory states of the oropharyngeal tract accompanied by localized pain.

BASED ON

Wildflower honey, Vitamin C, Propolis d.e. 12% Galangin, Hedge mustard d.e., Thyme d.e. 0.5% Essential oil, Grindelia d.e., Sodium hyaluronate, Mountain pine Essential oil

USE

Children from 8Y and adults: 1 chewable tablet, 3 times a day, preferably away from meals.

PROPERTIES

- The synergic activity of the ingredients guarantees a complete action on the oro-pharyngeal mucosa; it relieves inflammation counteracting burning, difficulty in swallowing, hoarseness, aphonia and the progression of different oral diseases.
- It is formulated in chewable tablets: a rapid-release pharmaceutical form that guarantees fast and optimal absorption of the active ingredients and high compliance even for patients with difficulty in swallowing.
- · It contains wildflower honey of EU origin.
- · Excellent palatability: mixed fruit flavour.
- · Allergen, colorant and preservative free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY

THROAT SPRAY



CLASS II MD C € 0426



INDICATIONS

Recommended in all inflammatory states of the oropharyngeal tract accompanied by localized pain. Also indicated in case of pharyngitis and stomatitis.

BASED ON

Propolis, Echinacea, Thyme, Acerola, Liquorice, Bilberry, Sodium hyaluronate

Children 1Y-5Y: 2 nebulizations directly into the mouth, 3 times a day.

Children from 6Y and adults: 4 nebulizations directly in the mouth, 3 times a day.

Or as advised by your doctor, up to a maximum of 6 times a day.

PROPERTIES

- Innovative formulation with high adhesiveness validated by laboratory tests: greater permanence of the active ingredients on the mucosa, with better and prolonged therapeutic efficacy.
- · It relieves inflammation counteracting burning, difficulty in swallowing and the progression of different oral diseases.
- · It provides rapid action and lasting relief.
- Enriched with **Sodium hyaluronate** for an effective soothing action.
- Practical directional spout that guarantees a precise application.
- · Excellent palatability: mixed fruit flavour.
- Allergen, colorant and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS

HAMADEP®

20 SINGLE-DOSE BOTTLES





Ministry of Health code no. 10069

INDICATIONS

Recommended in case of swollen, heavy legs and capillary fragility.

Chestnut gemmoderivative, Orthosiphon d.e. 0.1% Sinensetin, Witch hazel d.e. 10% Tannins, Vitamin C

Adults: 1 single-dose bottle in the morning, on an empty stomach, dissolved in a glass of water (200 ml).

PROPERTIES

- Draining and purifying, with particular tropism for the blood microcirculation and lymphatic vessels: it increases resistance and capillary elasticity, attenuating the typical symptoms of venous insufficiency.
- The **Chestnut gemmoderivative** acts on the lymphatic vessels, promoting a deep drainage, reducing the phenomena of lymphatic congestion and engorgement of the lower limbs.
- Witch hazel has a phleboprotective action.
- Anthocyanidins have an important antioxidant, vasoprotective and anti-edemigenous action.
- **Orthosiphon** increases diuresis, with a good uricosuric action. It boosts excretion of sodium, potassium and chlorine.
- Excellent palatability: sweet flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: DIETOLOGY • ESTHETIC MEDICINE AND SURGERY









INFLUPROP®

NASAL SPRAY



∆ 30 ml

CLASS II MD C € 1370



INDICATIONS

Recommended in case of rhinitis, sinusitis or rhinosinusitis for the treatment of cold symptoms, especially in case of stuffy nose, rhinorrhoea and recurrent sneezing.

BASED ON

Concentrated seawater, Sodium hyaluronate, Echinacea, Pot marigold, Copper gluconate

USE

Children from 1Y: 1 nebulization per nostril, 3 times a day. **Adults:** 1-2 nebulizations per nostril, 3 times a day.

PROPERTIES

- It exerts anti-inflammatory, antiseptic and decongestant action on the nasal mucous membranes.
- It contains hypertonic seawater (~800 m0sm/L): the hydro-saline solution cleans the nasal passages and removes excess mucus, easing breathing difficulties. It reduces nasal symptoms more effectively than isotonic seawater.
- Enriched with Sodium hyaluronate for an effective soothing action.
- Excellent tolerability for mucous membranes: it does not irritate. Also ideal for prolonged therapies.
- Practical bottle with handy and non-invasive spout, able to create an adequate nebulization to reach deeply the nasal cavities.
- · Alcohol, allergen and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS • ALLERGOLOGY

INFLUPROP® C

20 OROSOLUBLE STICKS



W

Ministry of Health code no. 80643

INDICATIONS

Recommended for common cold prevention and treatment. It favours the natural defenses of the body and correct functionality of the upper respiratory tract.

BASED ON

Vitamin C, Acerola d.e. 50% Vitamin C, Echinacea d.e. 4% Echinacoside and 20% Polysaccharides

USE

Adults: 1 orosoluble stick a day.

PROPERTIES

- It performs a shock action in all states of particular debilitation of the body and supports the immune defenses as a prevention or in case of ongoing infections.
- It contains 500 mg of Vitamin C/stick.
- Echinacea contains echinacoside and polysaccharides, that inhibit bacterial proliferation in host tissues, activate and strengthen the immune system by increasing the body's resistance against viral and bacterial infections.
- · Practical fast absorption orosoluble sticks.
- Excellent palatability: orange flavour.
- · Allergen, colorant and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY

LACTODEP® 30 CAPSULES



æ

Ministry of Health code no. 4861



INDICATIONS

Recommended to rebalance the intestinal bacterial flora, in case of gastro-intestinal disorders and antibiotic therapy.

BASED ON

- **Probiotics:** Bifidobacterium Lactis BI-04, Lactobacillus bulgaricus Lb-87, Lactobacillus rhamnosus GG
- Group B vitamins

USI

Adults: 1 capsule, twice a day, away from meals.

PROPERTIES

- The combination of **Probiotics** and **Group B vitamins**, with their energizing and immunomodulating activity, guarantees a greater tonic-adaptogenic effectiveness.
- Multispecies-multistrains probiotics resistant to gastric pH and bile salts: 3.5 billion CFUs/capsule.
- Vegetable origin capsules coating to ensure greater stability of probiotics (less AW - Water Activity).
- It does not need to be stored at low temperatures.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY • ALLERGOLOGY



LACTODEP®

8 LONG LIFE SINGLE-DOSE BOTTLES





Ministry of Health code no. 70780



INDICATIONS

Indicated to rebalance and strengthen the intestinal bacterial flora of children and counteract antibiotic therapy dysbiosis, bowel irregularities and skin manifestations (dermatitis). With practical dropper included in the package.

BASED ON

Probiotics: BRR KIDS 500®: mixture of *Bifidobacterium lactis* -SD5219, Lactobacillus rhamnosus -SD5217, Lactobacillus reuteri -DSM26866

Children from OM: 1 single-dose bottle a day.

It is recommended to administer the product with the dropper contained in the package and to take the entire content within 8 hours after opening (1 dropper = 0.55 billion CFUs). For prevention, we recommend treatment cycles of 10 days, interrupted by 1 week stop, to be repeated several times during the year.

PROPERTIES

- Multispecies-multistrain probiotics resistant to gastric pH and bile salts: 5 billion CFUs/LONG LIFE single-dose bottle.
- The aqueous solution facilitates the transmission of the probiotic.
- The aqueous solution provides the body with the already active probiotic: once dispersed in water, the metabolic reactions of the microorganism start, favouring speed of action inside the organism (useful in case of diarrhea).
- Practical **LONG LIFE single-dose bottles** ensure quality and stability: probiotics are separated from the aqueous solution to preserve their vitality and functionality and later reconstituted in aqueous solution, only before use.
- It does not need to be stored at low temperatures.
- Excellent palatability: apricot flavour, children love its taste.
- Allergen and colorant free.

THERAPEUTIC AREAS: NEONATOLOGY • PEDIATRICS • PEDIATRIC GASTRO-ENTEROLOGY

LAXODEP® 30 CAPSULES





Ministry of Health code no. 9659

INDICATIONS

Recommended in case of constipation, to promote the regular intestinal transit.

BASED ON

Senna d.e. 7% Sennosides, Frangula d.e. 8% Glucofrangulin, Fennel d.e. 1% Essential oil, Mallow d.e. 30% Polysaccharides, Glycine, Vitamin B12

Adults: 2 capsules a day, preferably in the evening before bedtime.

PROPERTIES

- The complete synergic action of the ingredients allows to accelerate intestinal transit, softening stools and relieving abdominal discomfort: laxative efficacy, emollient and soothing action and antispasmodic activity on the gastrointestinal muscles.
- Excellent dosage for a great effectiveness without causing irritation to the gut.
- Allergen, colorant, preservative and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • GERIATRICS • DIETOLOGY









LAXODEP® ORAL SOLUTION



🗓 150 ml

Ministry of Health code no. 15234



INDICATIONS

Recommended in case of constipation, to promote the regular intestinal transit.

BASED ON

Prune juice, Manna ash powder, Lemon balm d.e. 2% Rosmarinic acid, Mallow d.e. 30% Polysaccharides, Chamomile d.e. 0.3% Apigenin, Sweet orange Essential oil, Fennel Essential oil

IISF

Children 1Y-3Y: 5 ml a day. **Children 4Y-6Y:** 7.5 ml a day. **Children 7Y-12Y:** 10 ml a day.

Adults: 20 ml a day.

Take preferably in the evening before dinner or in the morning on an empty stomach.

PROPERTIES

- The complete synergic action of the ingredients allows to accelerate the intestinal transit, softening stools and relieving abdominal discomfort: laxative efficacy, emollient and soothing action and antispasmodic activity on the gastrointestinal muscles.
- Ideal dosage for maximum effectiveness without causing irritation to the gut.
- · Excellent palatability: sweet flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • DIETOLOGY • GERIATRICS • PEDIATRICS

LOWDEP® 30 TABLETS



Ministry of Health code no. 32323

INDICATIONS

Recommended for the treatment of depressive and anxious-depressive syndromes, particularly in case of emotional instability, seasonal changes, stress and trauma, iatrogenic origin.

BASED ON

L-Tryptophan, Passionflower d.e. 3.5% Vitexin, Hawthorn d.e. 3% Vitexin, Valerian d.e. 0.8% Valerenic acids, Scutell'up® - Scutellaria d.e. 85% Baicalin, Saffron d.e. 5% Crocin, Vitamin B6

USE

Adults: 1 tablet a day.

PROPERTIES

- It boosts serotonin while regulating cortisol (which affects anxiety and depression and is a resistance factor to antidepressants).
- It promotes the synthesis, release and presence of serotonin in the synaptic cleft, thanks respectively to L-Tryptophan + Vitamin B6 (precursor + enzymatic cofactor), Vitexin from Passion Flower and Hawthorn (desensitizer of the autoreceptor 5-HT1A limiting the release of serotonin) and Saffron (inhibitor of synaptic reuptake).
- It normalizes the production and release of cortisol, thanks to Scutell'up®, Scutellaria extract particularly rich in Baicalin that acts directly on the hypothalamic-pituitary-adrenal axis.
- It favors a state of relaxation without negatively impacting on the depressive state, thanks to low-dosage Valerian.
- Both suitable as a monotherapy and as an adjunct to pharmacological treatment in difficult or unresponsive patients.
- · Allergen, preservative, sweetener free. No added sugar.

THERAPEUTIC AREAS: PSYCHIATRY • DIETOLOGY



MELACRON® 30 TABLETS



Ministry of Health code no. 47552

INDICATIONS

Recommended to promote sleep in a physiological way, favouring a regenerating sleep without nocturnal awakenings. It helps to relieve the symptoms of jet lag.

BASED ON

L-Tryptophan, Glycine, Vitamin B3, Vitamin B6, Melatonin MINIACTIVES® Retard (Melatonin)

IISF

Adults: 1 tablet a day, just before bedtime.

PROPERTIES

- Controlled-release and highly available Melatonin, in association with Glycine, L-Tryptophan, Vitamin B3 and Vitamin B6: they actively work to synchronize and promote the maintenance of circadian rhythm, quickly induce the falling asleep phase and increase the total sleep time. They reduce movements during sleep, activity and position changes as well as muscle tone during the REM phase.
- It contains Melatonin MINIACTIVES® Retard, which uses MINIACTIVES® technology to ensure a constant and gradual release of melatonin over time. Its absorption is not affected by changes in pH, gastro-intestinal motility, presence of food, promoting greater bioavailability.
- L-Tryptophan, Serotonin and Melatonin precursor, improves mood and counteracts anxiety, reducing latency when falling asleep, night awakenings and promoting a restful sleep.
- **Glycine** promotes deeper sleep during the earliest phase.
- Vitamin B3 supports the conversion of tryptophan into 5-HTP (5-hydroxytryptophan) and, therefore, into Serotonin, essential for a peaceful and restorative sleep.
- **Vitamin B6** is involved in the synthesis of the main neurotransmitters (serotonin and GABA) that regulate sleep.
- In vitro tests show the constant and gradual release of Melatonin at
- It does not affect the state of vigilance and guarantees a restful sleep.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • GERIATRICS • PAIN THERAPY • CARDIOLOGY

MELACRON® JUNIOR **DROPS**



INDICATIONS

Recommended in case of sleep disorders in neurotypical and neurodivergent children but also as an adjuvant for the treatment of pain and for the preparation of neuroradiology diagnostic procedures.

BASED ON

Melatonin, L-Glycine, L-Tryptophan

USE

Children from OM: 0.5 ml a day (1 dropper), directly in the mouth or diluted in beverages or food.

PROPERTIES

- Melatonin, Glycine and Tryptophan favor the physiological chronobiological rhythm of the organism and improve daytime cognitive and behavioral performance associated with better sleep, especially in neurodivergent children.
- They actively work in the treatment of **pain**, a symptom of various conditions such as irritable bowel syndrome (IBS), post-operative pain and different types of migraines and headaches, especially chronic.
- Also useful in preparation for pediatric **neuroradiology** diagnostic procedures (EEG, ABR, MRI): it limits the use of sedatives, optimizing the execution of the diagnostic procedure.
- It does not affect mental alertness and is not addictive.
- Practical vial with internal dropper: graduated pipette with raised notch, ink free.
- Excellent palatability: rasberry flavour (hypoallergenic aroma), children love its taste.
- · Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PEDIATRICS • CHILD NEUROPSYCHIATRY









MELACRON®

ORAL SPRAY







Ministry of Health code no. 127033

INDICATIONS

Recommended to promote sleep in a physiological way, favouring a regenerating sleep without nocturnal awakenings. It is also useful to relieve the symptoms of jet lag and in case of pavor nocturnus in children.

BASED ON

Melatonin

USE

Children from 0M: 1 nebulization a day (0.5 mg Melatonin), preferably under the tongue, in the evening just before bedtime.

Adults: 2 nebulizations (1 mg Melatonin), preferably under the tongue, in the evening just before bedtime or when needed.

PROPERTIES

- Fast absorption and high bioavailable Melatonin: it
 actively works to synchronize and promote the maintenance of
 circadian rhythmicity, quickly induce the falling asleep phase
 and increase the total sleep time. It reduces movements during
 sleep, activity and position changes as well as muscle tone
 during the REM phase.
- The sublingual administration of Melatonin allows to quickly reach the target tissues and perform its different functions, by-passing the first hepatic passage.
- It does not affect the state of vigilance and gives a restful sleep.
- The practical bottle, with directional dispenser, facilitates sublingual intake, nebulizing the right amount of product.
- Excellent palatability: fresh mint flavour.
- Alcohol, allergen and colorant free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY • PEDIATRICS • CHILD NEURO-PSYCHIATRY • GERIATRICS • PAIN THERAPY • CARDIOLOGY

MINERALDEP®

20 SACHETS



4.16 g

Ministry of Health code no. 89114

INDICATIONS

Recommended in case of tiredness and fatigue due to a state of mild dehydration, as in cases of excessive recurrent sweating, vomiting or diarrhea, increased diuresis and reduced fluid intake.

BASED ON

Magnesium citrate, Potassium citrate, Ribocare® – nucleotide blend, SuperOx-D – Superoxide dismutase

USE

Adults: 1 sachet a day, dissolved in a glass of water (150 ml).

PROPERTIES

- Magnesium citrate and Potassium citrate are sources of magnesium and potassium with high bioavailability and they exert an effective remineralizing action.
- SuperOx-D, superoxide dismutase concentrate from carrot, exerts a powerful antioxidant and detoxyfing action.
- Ribocare®, nucleotide blend (AMP, CMP, GMP, IMP, UMP), revitalizes and invigorates the body, specially the skeletal muscles, cardiovascular system, intestine and immune system.
- The product is functional to the supplementation of a diet with increased fluid intake.
- Excellent palatability: lime flavour.
- Allergen and preservative free.
- No added sugar: ideal in case of a ketogenic diet.

THERAPEUTIC AREAS: SPORTS MEDICINE • CARDIOLOGY • GERIATRICS • GASTRO-ENTEROLOGY • ORTOPEDICS

NAUSOLVIT® DROPS



○ 50 ml

Ministry of Health code no. 36101



INDICATIONS

Recommended in case of nausea and vomiting.

BASED ON

Ginger d.e. 1% Gingerols

USE

Adults: 25 drops, 3 times a day, directly in the mouth or dissolved in a spoonful of water (5 ml).

PROPERTIES

- · Immediate action.
- Total gastric tolerability: ideal for prolonged therapies.
- Practical bottle with internal graduated dropper with ink-free beaded mark.
- Clinically tested during pregnancy: Costantino D., Guardaldi C. and A. Skrebkova. *Use of a ginger-based product* in the therapy of hyperemesis gravidarum. Phytogyn Vol. I n.2.
- Excellent palatability: ginger flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • GYNECOLOGY • ONCOLOGY



NAUSOLVIT® JUNIOR DROPS



Ministry of Health code no. 49346



INDICATIONS

Recommended in case of nausea and vomiting due to infections, chemotherapy or motion sickness.

BASED ON

Ginger SynerSHIELD™

USE

Children 6M:

- In case of acute gastro-enteritis: 0.5 ml (1 dropper), as needed, up to 6 times a day.
- In case of motion sickness: 1.5 ml (3 droppers) before departure. Repeat the intake if necessary.
- In case of chemotherapy: 0.5 ml (1 dropper), up to 6 times a day. Take for 7 days, from 3 days before to 3 days after the chemotherapy session.

Take directly in the mouth or diluted in beverages or food.

PROPERTIES

- The active ingredients of Ginger are extracted with SynerSHIELD™ technology that guarantees a high bioavailability of the active ingredients, stabilizes and preserves the phytonutrients of the fresh plant and supplies fructooligosaccharides which provide the extract with great nutraceutical properties, including prebiotic and bifidogenic effects, useful to rebalance the gastro-intestinal transit.
- Immediate action.
- **Total gastric tolerability:** ideal for prolonged therapies.
- Practical bottle with internal dropper: graduated dropper with ink-free beaded mark.
- Excellent palatability: ginger flavour, children love its taste.
- Alcohol, allergen and colorant free. No added sugar.

THERAPEUTIC AREAS: PEDIATRICS • ONCOLOGY

NECENIOL® PLUS 20 SACHETS



Ministry of Health code no. 83950

INDICATIONS

Recommended as an adjuvant in the treatment of peripheral neuropathies of different origins.

BASED ON

Acetyl-L-Carnitine, controlled-release alpha-Lipoic acid (MATRIS®), Coenzyme Q10

USE

Adults: 1 sachet a day, dissolved in a glass of water (200 ml). Stir for about 1 minute until a homogeneous suspension is obtained.

PROPERTIES

- It exerts a neurotrophic and antioxidant action.
- Patented ingredients in therapeutic dosages.
- It contains controlled-release Alpha-Lipoic acid MATRIS® - Multiform Administration Timed Release Ingredient System. MATRIS® Technology provides the coating of alpha-Lipoic acid particles with innovative polymeric membranes, ensuring a Fast/Retard controlled release of the active ingredient for up to 8 hours from the intake, exceeding the pharmacokinetic limits of alpha-Lipoic acid.
- The selected ingredients actively work to reduce oxidative stress and inflammation, to counteract metabolic damage, to promote nerve conduction and reduce sensory and motor disorders.
- Therapeutic adherence assured.
- Excellent palatability: peach flavour.
- Allergen and preservative free.

THERAPEUTIC AREAS: NEUROLOGY • ORTHOPEDICS • PHYSIATRY • DIABETOLOGY • GERIATRICS • ONCOLOGY • DERMATOLOGY **GASTRO-ENTEROLOGY • PAIN THERAPY**









NECENIOL® PLUS



Ministry of Health code no. 127222

INDICATIONS

Recommended as an adjuvant in the treatment of peripheral neuropathies of different origins.

BASED ON

Acetyl-L-Carnitine, controlled-release alpha-Lipoic acid (MATRIS®), Coenzyme Q10

USE

Adults: 1 or 2 tablets a day.

PROPERTIES

- It exerts a neurotrophic and antioxidant action.
- · Patented ingredients in therapeutic dosages.
- It contains MATRIS® Multiform Administration Timed Release Ingredient System. MATRIS® Technology provides the coating of alpha-Lipoic acid particles with innovative polymeric membranes, ensuring a Fast/Retard controlled release of the active ingredient for up to 8 hours from the intake, exceeding the pharmacokinetic limits of alpha-Lipoic acid.
- The selected ingredients actively work to reduce oxidative stress and inflammation, to counteract metabolic damage, to promote nerve conduction and reduce sensory and motor disorders.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • ORTHOPEDICS • PHYSIATRY • DIABETOLOGY • GERIATRICS • ONCOLOGY • DERMATOLOGY GASTRO-ENTEROLOGY • PAIN THERAPY

NETTARDEP® JUNIOR

10 SINGLE-DOSE BOTTLES



15 ml

Ministry of Health code no. 99852



INDICATIONS

Ideal for debilitated children without appetite during changes of season, convalescence, in case of anemia and mental/physical tiredness.

BASED ON

Acacia honey, freeze-dried Royal jelly 4% 10-hydroxyecenoic acid, Entolase® - Entomophilous pollen, Vitamin C

IISF

Children 1Y-3Y: half a single-dose bottle a day (up to the mark on the bottle).

Children 4Y: 1 single- dose bottle a day.

Take preferably in the morning, on an empty stomach, before breakfast. It can be taken pure or diluted in water (the content of 1 bottle in 100 ml of water). Once opened, store at room temperature and use within 24 hours. Take the product for at least 30 days, at regular intervals (2 or 3 times a year).

PROPERTIES

- Triple action: tonic, restorative and immunostimulant, it provides a fast release physical and mental energy.
- It contains Entolase®: a completely non-alcoholic entomophilous pollen, exclusively extracted with water.
- It contains organic and freeze-dried Royal jelly, qualitatively equivalent to fresh Royal jelly but with the advantage of having a longer storage time and a lower risk of microbiological contamination. 500 mg of freeze-dried Royal jelly correspond to 1.5 g of fresh royal jelly (ratio 1:3).
- It contains Acacia honey of EU origin.
- It is sweetened with organic agave juice, without alcohol, allergens, colorants and sweeteners.
- Excellent palatability: vanilla flavour, children love its taste.

THERAPEUTIC AREAS: PEDIATRICS



NITIDEP® 20 TABLETS + 20 SOFTGELS



A+00

Ministry of Health code no. 120749

INDICATIONS

Recommended for the prevention and treatment of retinopathies, in particular in cases of post-surgical stress, uveitis and retinitis, diabetic retinopathy, age-related macular degeneration, glaucoma.

BASED ON

Softgel: Blue Fish Oil tit. 48.4% DHA

Tablet: Palmitoylethanolamide, α-Lipoic acid, Coenzyme Q10, African marigold d.e. 20% Lutein and 2.5% Zeaxanthin, Coleus d.e. 10% Forskolin, African marigold d.e. 10% Zeaxanthin

USE

Adults: 1 tablet + 1 softgel a day, in a single administration, before the main meal with a little water.

PROPERTIES

- It is a neurotrophic product specifically formulated for acute and chronic retinopathies, in order to act beyond the treatment of symptoms and to synergize with drugs and surgery.
- Firstly, it favours an effective retinal trophism counteracting the underlying neuroinflammation, that is the greater obstacle to oral restorative therapies (PEA + α-Lipoic acid).
- Then, it strenghtens the retina acting on 3 levels: more energy (coenzyme Q10), more structural elements (DHA, Lutein and Zeaxanthin), more stimulation of reparative processes (Forskolin).
- Double blister to preserve the stability of the active ingredients.
- Blue Fish Oil subjected to a technologically advanced process of purification from oxidants, contaminants and pollutants.
- Excellent palatability: no fish aftertaste, excellent compliance for the patient.
- Preservative and sweetener free. No added sugar.
- · Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: OPHTHALMOLOGY

OSSIDREN® 30 TABLETS



Ministry of Health code no. 57161



INDICATIONS

Recommended in case of tiredness and fatigue, sport activities, stress and unbalanced diets.

BASED ON

Calcium, Vitamin C, Coenzyme Q10, Group B Vitamins, Vitamin E, Pido-Zinc® Zinc pidolate, L-Glutathione, Tagete d.e. 20% Lutein, Silicon, Vitamin A, Folic acid, Vitamin K1, Selenium, Vitamin D3

USE

Adults: 1 tablet a day, preferably in the morning, on a full stomach.

PROPERTIES

- Multivitamin and multimineral blend with a strong antioxidant action.
- **Coenzyme Q10, Glutathione, Vitamin C and E** provide an important defenses against free radicals.
- Group B vitamins play a crucial role in the cellular energy metabolism: they are important for the transformation of carbohydrates into glucose and for the metabolism of lipids and proteins.
- The synergistic action of Lutein, Vitamin A, B2 and Zinc helps the eye wellbeing and the normal functioning of sight.
- The mix of Calcium, Silicon, Vitamin C, D3 and K1 keeps bones healthy and strengthens tendons and joints.
- It contains **Pido-Zinc**®, highly bioavailable Zinc pidolate.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIETOLOGY • SPORTS MEDICINE • GERIATRICS • GENERAL SURGERY • OPHTHALMOLOGY









OSTEOTEND® COMPLEX 20 SACHETS







Ministry of Health code no. 31028

INDICATIONS

Recommended in case of acute and chronic tendinopathy, in pre- and post-surgical care. It is a valuable rehabilitation support.

BASED ON

TENDOFORTE®, OptiMSM®, Arginine alpha-ketoglutarate, Vitamin C, Bromelain, SuperOx-D

USE

Adults: 1 sachet a day, dissolved in a glass of water (150 ml), away from meals.

PROPERTIES

- Complete formula that allows fast intervention on tendinopathies and states of muscle-tendon overuse (functional overload): it supports trophism and tendon structure, counteracts inflammation, reabsorbs edema and promotes proper tendon metabolism.
- · Patented ingredients supported by clinical studies.
- It contains TENDOFORTE®: highly purified bioactive collagen
 peptides with high tendon tropism that stimulate collagen
 metabolism and the synthesis of new extracellular matrix, and
 strengthen ligaments and tendons, improving their functionality.
- It contains OptiMSM®: Methylsulfonylmethane in its purest form.
 GRAS raw material (Generally Recognized as Safe). It reduces oxidative stress and pain in the muscle-tendon system, associated with physical training. It is Informed-Sport certified: a further quarantee of the raw material to support sports supplementation.
- It contains SuperOx-D: Superoxide dismutase useful to effectively counteract oxidative stress.
- Arginine alpha-ketoglutarate is a direct precursor of nitric oxide, which promotes the healing of the injured tendon.
- **Bromelain** has an important anti-edema action.
- **Vitamin C** contributes to the synthesis of new collagen and exerts an antioxidant action.
- Suitable for short therapeutic cycles.
- Excellent palatability: orange and lemon flavour.
- Allergen and preservative free.

THERAPEUTIC AREAS: ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY• TRAUMATOLOGY • SPORTS MEDICINE

POLIDEP® 20 DRINKABLE STICKS



10 ml

Ministry of Health code no. 1779

INDICATIONS

Recommended for detoxification and purification of the body in case of a controlled diet, metabolic accumulation, load or pharmacological wash out, change of season, skin diseases.

BASED ON

- Blend of SynerSHIELD ™ plant extracts: Artichoke, Dandelion, Burdock, Rosemary, Milk thistle, Kola, Fennel, Green Tea, Ginger, Carrot, Chicory, Cumin, Liquorice, Gentian
- Hydroglyceric extract: Juniper

USE

Adults: 1 drinkable stick a day, pure or diluted in 500 ml of water to drink during the day.

PROPERTIES

- It exerts an effective purifying action: it actively works on all the emunctory organs (liver, kidneys, gut and skin), improving their functionality.
- The active ingredients are extracted with SynerSHIELD™
 technology which guarantees a high bioavailability of the active
 ingredients, stabilizes and preserves the phytonutrients of the fresh
 plant and provides fructooligosaccharides, which give the extract
 interesting nutraceutical properties, including prebiotic and
 bifidogenic effects.
- · Practical drinkable sticks.
- · Excellent palatability: orange flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: DIETOLOGY • DERMATOLOGY • ONCOLOGY • ALLERGOLOGY • GASTRO-ENTEROLOGY • CARDIOLOGY • GENERAL SURGERY ORTOPEDICS • SPORTS MEDICINE



PROSTADEP® 30 CAPSULES





Ministry of Health code no. 971

INDICATIONS

Recommended in case of benign prostatic hypertrophy and prostatitis of various etiology.

BASED ON

Saw palmetto d.e. 45% Fatty acids, Orthosiphon d.e. 0.1% Sinensetin, Selenium L-Methionine

USE

Adults: 1 capsule a day. Therapy cycles of at least 3 months are suggested, interrupted by a 14-day break.

PROPERTIES

- It does not alter PSA values.
- It does not alter the systemic hormonal picture, does not cause erectile dysfunction, decrease in libido or other sexual issues.
- · It is well tolerated.
- The presence of **Orthosiphon** promotes an increase in diuresis and a decrease in the rate of bacterial infections and urinary tract
- · Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: UROLOGY • ANDROLOGY

PROSTADEP® PLUS

20 CAPSULES



S

Ministry of Health code no. 37124

INDICATIONS

Recommended in case of benign prostatic hypertrophy (BPH).

BASED ON

SABAMAX® 600: SABALSELECT® microencapsulated Serenoa oil and natural lycopene with high prostatic tropism.

USE

Adults: 1 capsule a day. Therapy cycles of at least 3 months are suggested, interrupted by a 14-day break.

PROPERTIES

- Therapeutic dosages: concentrated Serenoa (Saw palmetto) dry extract (407 mg of fatty acids/capsule) and Lycopene of natural origin (4 mg/capsule).
- It contains Serenoa SABALSELECT® oil, obtained by extraction with supercritical carbon dioxide, a particularly efficient and effective method. The oil obtained is mixed with lycopene of natural origin and microencapsulated (SABAMAX 600® microcaps) to protect it from degradation and to allow a better bioavailability, reducing gastric
- The patented **SABALSELECT**® extract guarantees the presence of active ingredients with high degree of purification, repeatable phytochemical characteristics and minimum quantities of residual
- SABAMAX 600[®] Microcaps technology offers greater stability and a higher active ingredient content than any other active ingredient protection technique.
- Natural Lycopene is extracted from fresh tomatoes or processing waste from the tomato industry. The extraction is not selective and, in addition to lycopene, it brings to solution consistent amounts of other lipophilic substances present in the tomato that act synergistically with lycopene, enhancing the antioxidant activity of the extract. In addition, they lead to the formation of smaller and less regular crystals than those of synthetic lycopene, improving its bioavailability.
- It does not alter the PSA values.
- It does not alter the systemic hormonal picture, does not cause erectile dysfunction, a decrease in libido or other sexual issues.
- Well tolerated.
- Clinically tested: Cai, T., Tiscione, D., Gallelli, L., Verze, P., Palmieri, A., Mirone, V., ... & Malossini, G. (2016). Serenoa repens associated with selenium and lycopene extract and bromelain and methylsulfonylmethane extract are able to improve the efficacy of levofloxacin in chronic bacterial prostatitis patients. Italian Archives of Urology and Andrology, 88(3), 177-182.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: UROLOGY • ANDROLOGY









PYRODEP® 24 CHEWABLE TABLETS





Ministry of Health code no. 76102



INDICATIONS

Recommended in all cases of gastric hyperacidity and related disorders: digestive difficulties, meteorism, gastritis.

BASED ON

Calcium carbonate, Magnesium, Liquorice d.e. deglycyrrhizinated <2% Glycyrrhizic acid, Fennel d.e 1% Essential oil, Mallow d.e. 30% Polysaccharides, Chamomile d.e. 0.3% Apigenin

USE

Adults: 1 tablet a day, to be chewed or dissolved in the mouth, 20-60 minutes after the main meals and/or when needed.

PROPERTIES

- Exerting anti-acid and soothing activity, it neutralizes gastric
 hyperacidity and promotes mucus secretion, preventing the damaging
 action of hyperacidity and allowing any damaged tissues to heal more
 quickly; it exerts an anti-inflammatory action on the mucosa and
 promotes gastric motility, optimizing digestive processes.
- Practical chewable tablets. Chewing or slow dissolution is functional to the release of the active ingredients directly inside the mouth: this allows them to perform their function from the most proximal portions of the esophagus to the gastric mucosa.
- The presence of deglycyrrhizinated liquorice allows its use during pregnancy.
- Its excellent palatability favours a more pleasant chewing. Jelly flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • DIETOLOGY • GYNECOLOGY

REUMADEP® 30 CAPSULES



æ

Ministry of Health code no. 5548

INDICATIONS

Recommended in case of trauma, contusions, sprains and osteoarticular system disorders such as arthritic and rheumatic forms.

BASED ON

Boswellia d.e. 65% Boswellic acids, Feverfew d.e. 0.5% Parthenolides, Devil's claw d.e. 2.5% Harpagosides, Ash d.e. 2% Chlorogenic acid, Cat's claw d.e. 3% Oxindole Alkaloids, Proline, Manganese, Vitamin D3

USE

Adults: 1 capsule, twice a day, after the main meals.

PROPERTIES

- Useful to reduce chronic and low-grade inflammation and to relieve pain in all rheumatic pathological conditions, improving the quality of life
- It eases the elimination of toxic catabolites, contributes to structural integrity of cartilage, improves bone density and muscle strength.
- Immediate and complete efficacy, without side effects.
- Total gastric tolerability: ideal for prolonged therapies.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: RHEUMATOLOGY • TRAUMATOLOGY • ORTHOPEDICS • PHYSIATRY

REUMADEP® CREAM



☐ 50 ml

INDICATIONS

Topical cream recommended to reduce pain and inflammation in case of acute and chronic traumas and affections of the osteoarticular apparatus.

BASED ON

Arnica glyceric e., Ashwagandha d.e., Myrrh fluid e., essentials oils: Ginger, Rosemary, Cloves, Mint

IICI

Adults: apply locally several times a day.

PROPERTIES

- Useful to reduce chronic and low-grade inflammation and to relieve pain in all rheumatic pathological conditions.
- The fast absorption formula allows to facilitate the massage by speeding up the penetration of the active ingredients.
- Its local action specifically reduces stress and soothes inflamed areas giving immediate relief.
- Effective for pain of both traumatic and non-traumatic origin.
- Non-greasy and non-sticky. No burning sensation.
- · Dermatologically tested.
- Green formulation: it does not contain colorants, parabens, petrolatum, silicones and fragrances.

THERAPEUTIC AREAS: RHEUMATOLOGY • TRAUMATOLOGY • ORTHOPEDICS • PHYSIATRY • SPORTS MEDICINE



20 DRINKABLE STICKS





Ministry of Health code no. 116143

INDICATIONS

Recommended in case of chronic and pathological asthenia, in presence of food deficiencies, in convalescence and in postsurgical recovery. Moreover, it is able to promote the normal defenses of the organism.

BASED ON

Fermented papaya, Royal jelly, Acacia honey, Siberian ginseng d.e. 0.8% Eleutherosides and 10% Saponosides

USE

Adults: 1 drinkable stick a day.

PROPERTIES

- · Pro-energetic with immediate action and high nutritional and energetic power, useful in case of severe asthenia and organic
- Triple action: tonic, restorative and immunostimulant, it provides fast release physical and mental energy.
- · High doses of active ingredients.
- Antioxidants enriched formula.
- It contains Acacia honey of EU origin.
- Practical drinkable sticks.
- Excellent palatability: orange flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: GERIATRICS • ONCOLOGY • DIETOLOGY • NEUROLOGY • PSYCHIATRY • GENERAL SURGERY

THIVYBRON

ORAL SOLUTION



INDICATIONS

Recommended for common colds and disorders of the upper respiratory tract treatment. Effective against wet and/or dry cough.

BASED ON

Wildflower honey, Thyme d.e. 0.5% Essential oil, Ivy d.e. 10% Hederacoside C

USE

Adults: 10 ml, twice a day.

PROPERTIES

- Formulated to protect and moisturize the mucous membrane of the respiratory tract.
- It calms wet and dry cough, without altering the physiological and therapeutic expectorant activity.
- It prevents any form of infectious outbreak.
- Immediate relief.
- It contains Wildflower honey of EU and NON-EU origin.
- · Allergen, colorant and sweetener free.

☐ 150 ml

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY

THIVYBRON JUNIOR **ORAL SOLUTION**

120 ml



INDICATIONS

Recommended for common colds and disorders of the upper respiratory tract treatment. Effective against wet and/or dry cough.

BASED ON

Wildflower honey, Ivy d.e. 10% Hederacoside C, Thyme d.e. 0.5% Essential oil

Children 2Y-3Y: 2.5 ml, twice a day. Children 4Y-6Y: 5 ml, twice a day. Children 7Y-12Y: 7.5 ml, twice a day.

PROPERTIES

- Formulated to protect and moisturize the mucous membrane of the respiratory tract.
- It calms wet and dry cough, without altering the physiological and therapeutic expectorant activity.
- It prevents any form of infectious outbreak.
- Immediate relief.
- It contains Wildflower honey of EU and NON-EU origin
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS









>> NEW TUSSODEP® AEROSOL



 $\mathring{\Box}$ 10 single-dose vials | 3 ml CLASS II MD \mathbf{C} \mathbf{E} 0425

INDICATIONS

Recommended for the decongestion, purification and protection of both upper and lower respiratory tracts.

BASED ON

Lemon balm, Perilla and Thyme extracts, Hyaluronic acid, Hypertonic solution 2%

USE

Adults: 1 vial, 1-3 times a day, not diluted.

PROPERTIES

- 2% hypertonic solution with decongestant and fluidifying action; hyaluronic acid sodium salt 800 kDa with anti-inflammatory and protective action; Lemon balm, Perilla and Thyme extracts with antioxidant and antimicrobial action.
- Sterile, preservative-free, ready-to-use vials, both with piston and ultrasonic nebulizers, compatible with nasal douche devices such as Rinowash.
- · Allergen and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

UNCADEP® 600 20 SACHETS



6.5 g Ministry of Health code no. 60124

INDICATIONS

Recommended in all cases of catarrhal disease of the upper and lower respiratory tract and otorhinolaryngological system. Particularly indicated in case of COPD (Chronic Obstructive Pulmonary Disease) and acute otitis media.

BASED ON

N-Acetylcysteine, Bromelain, Vitamin C

USE

Adults: 1-2 sachets a day, away from meals, dissolved in a glass of water (200 ml).

PROPERTIES

- It exerts effective mucolytic and anti-inflammatory action, dissolving phlegm and clearing the respiratory tract.
- The presence of NAC promotes increased mucociliary clearance and expectoration, fluidifying the mucus.
- Bromelain has an important anti-inflammatory and anti-edema action.
- In association with antibiotic therapy, it boosts its effectiveness.
- Vitamin C provide an important defense against free radicals.
- Excellent palatability: orange flavour.
- Allergen and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY



UNCADEP® LATTOFERRINA 20 CAPSULES



B

Ministry of Health code no. 15236

INDICATIONS

Recommended to counteract every kind of viral, bacterial and fungal infections.

It counteracts over-infections, tissue damage, fibrotic phenomena and exacerbations.

BASED ON

Lactoferrin, Resveratrol, Zinc

Adults: 1 capsule a day, preferably away from meals.

PROPERTIES

- Complete formula for a shock action with a wide range immune protection: it exerts immunoregulatory, anti-inflammatory and antioxidant activity.
- It counteracts ongoing infections and prevents flare-ups (overinfection, bronchitis, pneumonia).
- It prevents the degeneration of respiratory diseases into acute respiratory distress syndrome (ARDS).
- It reduces inflammation levels by limiting respiratory tract tissue injury, preventing fibrotic phenomena.
- Lactoferrin supports the immune system, exerts anti-bacterial and anti-viral action, and regulates iron absorption and metabolism, by removing it from the bacteria that use it as a growth substrate.
- **Zinc** is a physiological modulator of the immune system: it assists its functioning by supporting different aspects of both innate and adaptive immunity.
- **Resveratrol** inhibits the production of free radicals in response to infections of pathogens and plays a fundamental anti-viral action.
- Preservative, sweetener and colorant free. No added sugar.
- Gluten free.
- Naturally lactose free.
- It contains Lactoferrin, a milk derivative.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PNEUMOLOGY

UNCADEP® IMMUNO

30 CAPSULES



B

Ministry of Health code no. 103802

INDICATIONS

Recommended to strengthen the immune system against viral, bacterial and fungal infections.

BASED ON

Yestimun® Beta-glucans, Quercetin, Vitamin D3, Pido-Zinc® Zinc pidolate

Adults: 1 capsule a day, just before meals, for at least 1 month.

In case of recurrent susceptibility to infections, it is recommended to take the product in repeated cycles.

PROPERTIES

- It offers broad-spectrum immune protection: rich in immunomodulating active ingredients.
- Branded and clinically tested ingredients in therapeutic dose.
- Yestimun® Beta-glucans, is anti-inflammatory and immunomodulating prebiotic. Branded, highly pure ingredient, Novel Food approved, GRAS Raw Material (Generally Recognized as Safe). Clinically proven efficacy: it satisfies a randomized, placebo-controlled, double-blind randomized trial that shows its ability to reduce: number, average duration and symptoms of the common cold. It also stimulates both innate and adaptive immune response.
- **Quercetin** promotes the prevention or reduction of the severity of tissue damage. It counteracts the inflammatory response by acting at several levels of the arachidonic acid cascade. It strengthens the immune system by enhancing the cytolytic activity of natural killer cells (NK); it stimulates the chemotaxis of neutrophils towards the pathogen/phlogogen; it promotes the proliferation of lymphocytes. It counteracts viral infection on multiple levels.
- It contains **Pido-Zinc**®, high bioavailable Zinc pidolate.
- **Vitamin D3** and **Zinc** are physiological modulators of the immune system: they coordinate its proper functioning by supporting different aspects of both innate and adaptive immunity.
- Gluten free.
- Naturally lactose free.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PNEUMOLOGY









UNCADEP® ORAL SOLUTION



150 ml

Ministry of Health code no. 15238



INDICATIONS

Recommended for common colds and disorders of the upper respiratory tract prevention and treatment. Effective against wet and/or dry cough.

BASED ON

Honey, Cat's claw d.e. 3% Oxindole alkaloids, Propolis hydro-alc. e., Marshmallow d.e., Iceland moss d.e., Thyme aq. e., Chestnut glycerine macerate, Echinacea hydroglyceric e., Thyme d.e. 0.5% Essential oil, Sundew d.e., Resveratrol

USE

Children 1Y-3Y: 5 ml, twice a day. **Children 4Y-6Y:** 7.5 ml, twice a day. **Children 7Y-12Y:** 10 ml, twice a day. **Adults:** 20 ml, twice a day.

PROPERTIES

- In case of retro-nasal cough: promotes the hydration of the mucus and promotes its elimination without altering the physiological expectorant action of the cough.
- In case of pharyngeal rubbing cough: it forms a protective film in the pharyngeal level, reducing coughing. It contains Wildflower honey of EU origin.
- Excellent palatability: herbal flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS

UNCADEP® SED

20 DRINKABLE STICKS



₩....

INDICATIONS

Recommended in the treatment of dry cough and sore throat of various origins, such as respiratory infections, surgical interventions, occupational exposure, cigarette smoke, pathologies and predisposing drugs.

BASED ON

Honey, Red poppy, Ivy, Iceland moss, Plantain, Sundew, deglycyrrhizinated Liquorice, Propolis, Mountain pine

USE

Adults: 1 or 2 drinkable sticks a day.

PROPERTIES

- Natural antitussive with both a peripheral and central effect for a complete treatment of the pathology.
- At the peripheral level / respiratory wall, it prevents and counteracts
 infections (Honey, Propolis and Mountain pine essential oil), forms a
 protective and moisturizing film (polysaccharides from lvy, Iceland
 moss and Plantain), it reduces inflammation (Liquorice extract) and
 inhibits spasms (Sundew extract).
- At the central level /nervous system, it directly moderates the activation
 of the cough nerve center located in the brainstem (Red poppy
 extract).
- The product is also recommended for the treatment of ACE inhibitor-induced cough, and it is therefore compatible with hypertension and antihypertensives, as it contains a deglycyrrhizinated Liquorice extract and other active ingredients that do not influence blood pressure.
- 20 drinkable sticks 15 ml: total volume of product above the market average.
- Excellent palatability: balsamic flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • OTORHINO-LARYNGOLOGY • PNEUMOLOGY



VESTANOL® 30 CAPSULES



B

Ministry of Health code no. 92199

INDICATIONS

Recommended for the treatment of tinnitus and dizziness. It promotes microvascular efficiency and counteracts damage caused by free radicals.

BASED ON

Ginkgoselect® Phytosome® d.e. 24% Ginkgoflavonglucosides and 6% Ginkgoterpenes, Hawthorn d.e. 3% total Flavonoids as Vitexin, Ginger d.e. 1% Gingerols, Orthosiphon d.e. 0.1% Sinensetin, Pido-Zinc® - Zinc pidolate, Resveratrol, Vitamin B3, Copper gluconate, Vitamin B2, Vitamin B6

USE

Adults: 1 capsule a day, preferably in the evening before bedtime.

PROPERTIES

- The complete formula counteracts vascular and oxidative damage to the vestibular system. It also reduces feelings of nausea, anxiety, tachycardia and related sleep disorders.
- It contains Ginkgoselect Phytosome: blend of
 Ginkgoflavonglucosides and Ginkgoterpenes useful to counteract
 circulatory deficits, that can affect the hearing system, reducing hum,
 tinnitus and dizziness. Phytosome: is a patented delivery system
 that increases bioavailability of the active ingredient, improving its
 effectiveness and duration of action.
- It contains **Pido-Zinc**®, highly bioavailable Zinc pidolate.
- Orthosiphon exerts a double activity: anti-inflammatory and diuretic, useful in case of lymphatic and/or perilymphatic hydrops.
- **Ginger** has an antiemetic action.
- Hawthorn performs an anxiolytic, chronotropic and negative batmotropic action; it is useful to reduce anxiety, tachycardia and promote night rest.
- **Copper** and **B group vitamins** have an important antioxidant action and modulate the cochlear synaptic function (glutamate recovery).
- Resveratrol inhibits the production of free radicals, in particular along the auditory pathway, exerting simultaneously an antioxidant and anti-inflammatory activity.
- Preservative and sweetener free. No added sugar.
- · Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • NEUROLOGY





INDICATIONS

Recommended in case of physical and/or mental tiredness, stress, sport activities and in all cases of deficiency or unbalanced diet.

BASED ON

Group B vitamins, Vitamin C, Vitamin D, Vitamin E, Manganese, Copper, Selenium, Zinc, L-theanine

USE

Adults: 1 tablet a day, preferably in the morning.


PROPERTIES

- Group B vitamins play crucial role in the cellular energy metabolism: they are important for the transformation of carbohydrates into glucose and for the metabolism of lipids and proteins.
- **Vitamins B1**, **B6** and **B12** contribute to the normal functioning of the nervous system.
- Vitamins C and D, as well as copper, selenium and zinc, contribute to the normal functioning of the immune system and, together with vitamin E, help protect cells from oxidative stress.
- Vitamins C and D3 keep bones healthy and strengthens tendons and joints.
- Allergen, preservative and sweetener free.

THERAPEUTIC AREAS: DIETOLOGY • GENERAL SURGERY • GERIATRICS • ORTHOPEDICS • SPORTS MEDICINE • GASTRO-ENTEROLOGY









VITADEP® JUNIOR ORAL SOLUTION



___ 150 ml

INDICATIONS

Recommended in case of restricted or selective diets or with concomitant therapies that interfere with the absorption or metabolism of nutrients.

BASED ON

Vitamin C, Group B Vitamins, Vitamin E, Vitamin K1, Vitamin A, Folic acid, Vitamin D3, Vitamin H

USE

Children 1Y-3Y: 5 ml a day, away from meals. **Children 4Y-10Y:** 10 ml a day, away from meals.

PROPERTIES

- Multivitaminic designed for all children from 1 to 10 years of age.
- · Excellent palatability
- · Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS

>> NEW VITADEP® OSTEO 30 STICKS



380

INDICATIONS

Recommended for the prevention and treatment of bone fragility, especially in cases of osteopenia, osteoporosis, fractures and osteomalacia.

BASED ON

Calcium, lysine, vitamin D3 (cholecalciferol), vitamin K2 (menaquinone-7)

IISE

Adults: 1 stick a day, preferably on a full stomach.

PROPERTIES

- New bone revitalizer: the most complete, efficient and safe calcium supplementation.
- Calcium is in the form of organic salt, especially lactate with malic acid, in order to increase its intestinal absorption and so its bioavailability.
- Remineralizes and strengthens the bone structure thanks to the synergy between lysine, vitamin D3 and vitamin K2, which optimizes the effectiveness of calcium: in fact, vitamin D3 improves its intestinal absorption, lysine reduces its renal excretion in order to favor its assimilation, vitamin K2 promotes its fixation in the bones.
- Lysine prevents vascular calcification, a possible side effect due
 to prolonged therapy with calcium-based supplements or drugs, in
 favor of a high product safety. Then, it helps to prevent other
 possible disorders linked to calcium supplementation such as
 gastrointestinal ones.
- Excellent palatability: orange flavour.
- · Allergen, colorant and preservative free.
- Gluten free. Naturally lactose free.

THERAPEUTIC AREAS: ORTHOPEDICS • RHEUMATOLOGY • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE



ZETA ARTRO-CUR®



Ministry of Health code no. 127846

INDICATIONS

Recommended for the treatment of degenerative chondropathy and in association with visco-supplementation.

BASED ON

Glucosamine sulfate, Chondroitin sulfate, Boswellia Phytosome® (Casperome®), Sodium hyaluronate (94% of Hyaluronic acid), Silicon

Adults: 1 tablet a day.

PROPERTIES

- The mix of ingredients shows complete cartilaginous trophism, high effectiveness in controlling symptoms and power to contrast joint
- It contains Casperome® Boswellia Phytosome®: patented delivery system that makes boswellic acids about 4 times more bioavailable than dry extract not complexed with Phytosome®. Casperome® leads to a clinically and statistically significant reduction of joint pain, functional limitation and edema. A comparative pharmacokinetics study between Casperome® and a boswellic acids extract, conducted in humans, showed that Casperome® exhibits a significantly higher bioavailability than the dry extract and $1\frac{1}{2}$ -2 hours faster absorption.
- Chondroitin sulphate stimulates the synthesis of hyaluronate, type II collagen and proteoglycans and inhibits the erosive action of osteoclasts.
- **Glucosamine sulfate** reduces the catabolic effects of pro-inflammatory cytokines, counteracts metallo-proteinases synthesis and reduces stiffness and joint pain.
- Sodium hyaluronate lubricates the joint capsules and cushions mechanical shocks, exerting an anti-inflammatory action.
- **Silicon** helps maintain normal bone mineral density.
- Preservative and sweetener free. No added sugar.
- · Gluten free.
- · Naturally lactose free

THERAPEUTIC AREAS: ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY

ZETA ARTRO-CUR®

20 DRINKABLE STICKS



INDICATIONS

Recommended for the treatment of post-traumatic arthritis, in particular caused by sports injuries, highly fatiguing work, rehabilitation, pre and postsurgical care.

BASED ON

FORTIGEL® (bovine collagen peptides), Vitamin C, Sodium hyaluronate (94% of Hyaluronic acid), Manganese gluconate, Copper gluconate

Adults: 1 drinkable stick a day.

PROPERTIES

- The mix of ingredients supports the function of whole musculo -skeletal system with particular attention to the cartilage structure, reducing pain and improving joint function. It promotes an important reduction in the use of additional therapies.
- It contains **FORTIGEL**®: an innovative and patented blend based on bioactive collagen peptides, with rapid intestinal absorption, able to stimulate the regeneration of cartilage structures. Efficacy clinically tested on athletes: FORTIGEL® reduces joint pain and improves functionality. Clinical trials show that FORTIGEL® promotes a significant increase in cartilage anabolism.
- Sodium hyaluronate lubricates the joint capsules and cushions mechanical shocks and exerts anti-inflammatory action.
- **Vitamin C, Manganese** and **Copper** contribute to the synthesis of new collagen, useful for the correct functioning of bones and cartilage, perform energetic metabolic activities and actively combat oxidative stress.
- Clinically tested: Ripani, U., Manzarbeitia-Arroba, P., Guijarro-Leo, S., Urrutia-Graña, J., & De Masi-De Luca, A. (2019). Vitamin C May Help to Reduce the Knee's Arthritic Symptoms. Outcomes Assessment of Nutriceutical Therapy. Medical Archives, 73(3), 173. Significant improvement in pain (vas-Visual Analogue Scale) and function (sf12-Short Form 12 Health Survey) in patients with gonarthrosis.
- Practical drinkable sticks.
- Excellent palatability: mint flavour.
- Allergen and colorant free.

THERAPEUTIC AREAS: ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE









>> Updated and clinically tested formula

ZETA COLEST® 30 CAPSULES



B

Ministry of Health code no. 28264

INDICATIONS

Recommended for the management of hypercholesterolemia in primary prevention patients, also with altered triglycerides.

BASED ON

Red Yeast Rice d.e. 3% total Monacolins, Berberis d.e. 85% Berberine, Milk thistle d.e. 80% Silymarin, Guggul d.e. 2.5% Guggulsterones

USE

Adults: 1 capsule a day, preferably in the evening.

PROPERTIES

- Therapeutic dosages. Complete and effective formula that follows the indications of the new European Regulation on health and safety of products indicated for cholesterol control.
- Monacolins from Red Yeast Rice reduce the production of cholesterol in the body through the inhibition of the HMG-CoA reductase.
- Berberine from Berberis synergizes and amplifies the effects of Monacolins: it increases the expression of the LDL receptor favoring a greater hepatic reuptake of LDLs. It also reduces tryglicerides.
- Silymarin from Milk thistle promotes the intestinal absorption of berberine and increases the transformation of cholesterol into bile acids. Furthermore, it is able to exert a great antioxidant and anti-fibrotic action.
- Guggulsterones from Guggul slow down the entero-hepatic recirculation of bile acids, stimulating their hepatic synthesis starting from cholesterol. Bile acids produced to compensate for those not recycled are physiologically expelled with the feces, without side effects.
- · Citrinin free.
- · Preservative and sweetener free.
- Gluten free. Naturally lactose free.

THERAPEUTIC AREAS: CARDIOLOGY • DIETOLOGY • HEPATOLOGY

ZETA DREN® 60 TABLETS



Ministry of Health code no. 36102

INDICATIONS

Recommended in case of water retention and slow metabolism.

BASED ON

Green tea d.e. 40% Polyphenols and 3% Caffeine, Alpha-Lipoic acid, Citrus bioflavonoids 35% Hesperedin, Milk thistle d.e. 2% Silymarin, Cherry d.e., Vitamin C, Corn d.e., Dandelion d.e. 2% Inulin, Gotu kola d.e. 10% Asiaticoside, Bilberry d.e. 1% Anthocyanins

USI

Adults: 1 tablet, twice a day, or 2 tablets in one administration, preferably in the morning.

PROPERTIES

- The synergistic action of the ingredients makes this product particularly effective for weight loss, draining and purifying.
- Alpha-Lipoic acid exerts a hypoglycemic and lipolytic action that synergizes with the thermogenic action of Green Tea, promoting the slimming action.
- Bioflavonoids and Anthocyanidins strengthen and protect the walls of blood capillaries by reducing edema, improving microcirculation and increasing tissue oxygenation.
- Cherry and corn stimulate diuresis by counteracting water retention and exerting an effective detoxifying action.
- Milk thistle and dandelion have a purifying and detoxifying action on the liver, protecting the liver from the harmful action of toxins.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIETOLOGY • ESTHETIC MEDICINE



ZETA TONIC®

20 LONG LIFE SINGLE-DOSE BOTTLES



10 ml Ministry of Health code no. 41919

INDICATIONS

Recommended in all conditions of weakened immune system, nutritional deficiencies, seasonal asthenia, intensive study and convalescence.

BASED ON

Acacia honey, Rose root fluid e., Bilberry, Schisandra d.e. 1% Schisandrin, Ashwagandha d.e. 2.5% Withanolides, Pomegranate juice, Vitamin C, Phosphatidylserine, L-Theanine, Vitamin B6, Folic acid, Vitamin B12

USE

Adults: 1 single-dose bottle a day, preferably in the morning.

PROPERTIES

- Triple action: tonic, restorative and immunostimulant, it provides a fast release physical and mental energy.
- · Adaptogens and antioxidants enriched formula.
- It contains acacia honey of EU origin.
- Practical LONG LIFE single-dose bottles to ensure quality and stability.
- Excellent palatability: red fruits and cola flavour.
- · Colorant free.
- Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: GERIATRICS • DIETOLOGY • GENERAL SURGERY • OPHTHALMOLOGY

ZETA VITAL® 20 LONG LIFE

20 LONG LIFE SINGLE-DOSE BOTTLES



10 ml Ministry of Health code no. 41920



INDICATIONS

Recommended to strengthen the immune system against viral and bacterial infections.

BASED ON

Concentrated fruit juices, Vitamin C, Lactoferrin, Pido-Zinc® Zinc pidolate, Group B Vitamins, Beta-carotene

IISE

Children from 1Y: 1 single-dose bottle a day.

Adults: 2 single-dose bottles a day.

Take it preferably in the morning.

In case of recurrent susceptibility to infections, it is recommended to take the product in repeated cycles.

Therapy cycles of at least 3 months, to repeat throughout the year, are suggested.

PROPERTIES


- It offers a broad-spectrum immunity protection: rich in immunomodulating active ingredients and water-soluble vitamins.
- Designed for children from 1 year of age, especially those most sensitive to recurrent respiratory infections.
- · Also suitable for adults and elderly people.
- Practical LONG LIFE single-dose bottles that ensure quality and stability.
- It contains **Pido-Zinc**®, highly bioavailable Zinc pidolate.
- · Excellent palatability: mixed fruit flavour.
- Colorant and sweetener free.
- Gluten free.
- Naturally lactose free.
- It contains lactoferrin, a milk derivative.

THERAPEUTIC AREAS: PEDIATRICS















DISMICHEL® CREAM	p. 5
GINFAST® IR TABLETS	p. 5
GINFAST® PLUS SACHETS	
GINFAST® PRL CHEWABLE TABLETS	p. 6
LOGUSFER® CAPSULES	p. 7
LOGUSFLOR® SACHETS	
LOGUSGYN® INTIMATE CLEANSER	p. 8
LOGUSGYN® VAGINAL DOUCHE	p. 8
LOGUSGYN® VAGINAL SUPPOSITORIES	p. 8
LOGUSMAG® STICKS	p. 9
NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES	
NIKEDEP® PLUS SACHETS	p. 9
OPALEN TOP® CREAM	
PAUDEP® TOTAL CAPSULES	p. 10
PELVIPEA® CAPSULES	
PREDOLGYN® TABLETS	p. 1′
SALIVIT® SACHETS	
SALIVIT® 9MESI TABLETS+SOFTGELS	p. 12
SALIVIT® IMMUNO CAPSULES	p. 13
SALIVIT® MG OROSOLUBLE STICKS	p. 13
SALIVIT® PERLATTE TABLETS	p. 14
VENDEP® CAPSULES	
VENDEP® EMULGEL	p. 15
VENDEP® PRO STICKS	n 1!



ANDROLOGY, REPRODUCTIVE MEDICI	NE	GASTRO-ENTEROLOGY, PROCTOLOGY	
PELVIPEA® CAPSULES	p. 11	LOGUSFER® CAPSULES	p. 7
	·	LOGUSMAG® STICKS	
CARRIOLOGY		SALIVIT® MG OROSOLUBLE STICKS	
CARDIOLOGY, CARDIO-VASCULAR REHABILITATION	I MEDICINE	VENDEP® PRO STICKS	
CARDIO-VASCOLAR REHADILITATION	IMEDICINE		
LOGUSFER® CAPSULES	p. 7	GENERAL SURGERY	
LOGUSMAG® STICKS			
SALIVIT® SACHETS	p. 12	DISMICHEL® CREAM	p. 5
SALIVIT® MG OROSOLUBLE STICKS	p. 13	LOGUSFER® CAPSULES	
VENDEP® CAPSULES	p. 14	NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES	p. 9
VENDEP® EMULGEL			
VENDEP® PRO STICKS	p. 15	GERIATRICS	
		LOGUSFER® CAPSULES	p. 7
DEDMATOLOGY		LOGUSMAG® STICKS	
DERMATOLOGY, ESTHETIC MEDICINE AND SURGERY		NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES	
ESTITETIC MEDICINE AND SOROEKT		SALIVIT® SACHETS	
DISMICHEL® CREAM	p. 5	SALIVIT® MG OROSOLUBLE STICKS	
GINFAST® IR TABLETS	p. 5		
GINFAST® PLUS SACHETS	p. 6	GYNECOLOGY, SENOLOGY	
OPALEN TOP® CREAM	p. 10		
VENDEP® CAPSULES	p. 14	GINFAST® IR TABLETS	
VENDEP® EMULGEL		GINFAST® PLUS SACHETS	
VENDEP® PRO STICKS	p. 15	GINFAST® PRL CHEWABLE TABLETS	
		LOGUSFER® CAPSULES	p. 7
DIABETOLOGY, ENDOCRINOLOGY		LOGUSFLOR® SACHETS	
		LOGUSGYN® INTIMATE CLEANSER	p. 8
GINFAST® IR TABLETS		LOGUSGYN® VAGINAL DOUCHE SINGLE-DOSE BOTTLES	p. 8
GINFAST® PLUS SACHETS		LOGUSGYN® VAGINAL SUPPOSITORIES	p. 8
GINFAST® PRL CHEWABLE TABLETS		LOGUSMAG® STICKS	р. 9
LOGUSMAG® STICKS	,	OPALEN TOP® CREAM	
SALIVIT® MG OROSOLUBLE STICKS	p. 13	PAUDEP® TOTAL CAPSULES	p. 10
		PELVIPEA® CAPSULES	p. 11
DIETOLOGY		PREDOLGYN® TABLETS	p. 11
CINICACT® ID TADI CTC	-	SALIVIT® 9MESI TABLETS+SOFTGELS	p. 12
GINFAST® IR TABLETS	•	SALIVIT® IMMUNO CAPSULES	p. 13
LOGUSFER® CAPSULES	·	SALIVIT® MG OROSOLUBLE STICKS	p. 13
SALIVIT® SACHETS	p. 12	SALIVIT® PERLATTE TABLETS	p. 14





N.I		ALA:	FOI	00	W
N	нυ	NA'		ш	V
1.	LU	ил	IUL	.UU	

SALIVIT® 9MESI TABLETS+SOFTGELS	p. 12
SALIVIT® PERLATTE TABLETS	p. 14
ONCOLOGY	
LOGUSFER® CAPSULES	p. 7
PAUDEP® TOTAL CAPSULES	p. 10
PELVIPEA® CAPSULES	
ORTHOPEDICS, RHEUMATOLOGY, PHY PHYSIOTHERAPY, TRAUMATOLOGY	/SIATRY,
LOGUSMAG® STICKS	p. 9
PAUDEP® TOTAL CAPSULES	p. 11
SALIVIT® MG OROSOLUBLE STICKS	p. 13
PEDIATRICS	
GINFAST® IR TABLETS	p. 5
SALIVIT® 9MESI TABLETS+SOFTGELS	p. 12
SALIVIT® IMMUNO CAPSULES	
SALIVIT® PERLATTE TABLETS	
NEUROLOGY, CHILD NEURO-PSYCHIA PSYCHIATRY, PSYCHO-GERIATRICS	TRY,

SPORTS MEDICINE

LOGUSMAG® STICKS	p. 9
NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES	p. 9
NIKEDEP® PLUS SACHETS	p. 9
SALIVIT® SACHETS	p. 12
SALIVIT® MG OROSOLUBLE STICKS	
UROLOGY, NEPHROLOGY	
LOGUSFER® CAPSULES	p. 7
LOGUSFLOR® SACHETS	p. 7
PELVIPEA® CAPSULES	p.11
VASCULAR MEDICINE, VASCULAR SUR PHLEBOLOGY, ANGIOLOGY	GERY,
DISMICHEL® CREAM	p. 5
VENDEP® CAPSULES	p. 14
VENDEP® EMULGEL	p. 15
VENDEP® PRO STICKS	. 15

• NOTE

GINFAST® PRL CHEWABLE TABLETS

NETTARDEP® LONG LIFE SINGLE-DOSE BOTTLES

LOGUSMAG® STICKS

All such products are potentially prescribed by GPs.

.p. 6

р. 9



DISMICHEL®



🖺 50 ml

CLASS II MD C € 1370

INDICATIONS

Intensive local treatment formulated to relieve and prevent hemosiderinic dyschromia and melanin hyperpigmentations.

BASED ON

a.RBS⁴ Complex®: liposomal Apo-Lactoferrin, Arbutin, Dissolvine®, Kojic acid

USE

Adults: apply locally several times a day.

PROPERTIES

- It contains a.RBS⁴ Complex[®], which combines chelating action of liposomal Apo-Lactoferrin and Dissolvine[®] with depigmenting action of Arbutin and Kojic Acid.
- It contains liposomal Apo-Lactoferrin: Lactoferrin is included inside a liposome to ensure its trans-dermal absorption and to protect the active ingredient from oxidative degradation.
- It contains Dissolvine®: a glutamic acid derivative with chelating properties. It acts in synergy with liposomal Apo-Lactoferrin, amplifying its sequestering effect on iron.
- Rapid absorption. Not greasy.
- Allergen, colorant, paraben, petrolatum, fragrance and silicon free.
- · Nickel tested.
- · Clinically tested:

clinical observational study (Hyperpigmentation treatment: comparison between laser therapy and a topical product) presented at the **24**th **Dermatology World Congress** (Milan, 2019).

THERAPEUTIC AREAS: DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY • VASCULAR MEDICINE
VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY • GENERAL SURGERY

GINFAST® IR 30 TABLETS



Ministry of Health code no. 110730

3

INDICATIONS

Recommended for maternal metabolic control in insulinresistant pregnancy and in menopause.

BASED ON

D-chiro-inositol,Melatonin,Folate from Quatrefolic® [(6S)-5-Methyltetrahydrofolic acid, glucosamine salt]

USE

Adults: 1 tablet a day, preferably in the evening before bedtime.

PROPERTIES

- It improves tissue sensitivity to the action of insulin, reducing compensatory hyperinsulinemia and the levels of homocysteinemia.
- 500 mg D-chiro-inositol/tablet.
- It contains Folate from Quatrefolic®: a biologically active form of Folic acid (5-MTHF) that does not need to be metabolized to perform its action, does not mask Vitamin B12 deficiency and is completely soluble in water.
- Allergen, colorant, preservative and sweetener free.

THERAPEUTIC AREAS: GYNECOLOGY • DIABETOLOGY • ENDOCRINOLOGY • DERMATOLOGY • DIETOLOGY • CARDIOLOGY • PEDIATRICS



GINFAST® PLUS 20 SACHETS



Ministry of Health code no. 84191



INDICATIONS

Recommended to restore ovulation, improve oocyte quality and metabolic profile in women with PCOS.

BASED ON

Myo-inositol, Melatonin, Folate from Quatrefolic® [(6S)-5-Methyltetrahydrofolic acid, glucosamine salt]

USE

Adults: 1 sachet a day, dissolved in a glass of water (150 ml), preferably in the evening before bedtime.

PROPERTIES

- It restores ovulation, improves oocytes quality and counteracts insulin-resistance.
- In case of MAP procedures, it decreases side effects associated with ovarian hyperstimulation.
- 4 g of Myo-inositol/sachet.
- It contains Folate from Quatrefolic®: a biologically active form of Folic acid (5-MTHF) that does not need to be metabolized to perform its action, does not mask Vitamin B12 deficiency and is completely soluble in water.
- Excellent palatability: lemon flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: GYNECOLOGY • ENDOCRINOLOGY • DERMATOLOGY

GINFAST® PRL **30 CHEWABLE TABLETS**



Ministry of Health code no.111604

INDICATIONS

Recommended for the treatment of migraine associated with premenstrual syndrome.

BASED ON

Chaste tree d.e.

USE

Adults: 1 tablet a day.

The tablet can be chewed or swallowed with a little water, preferably in the evening before bedtime.

PROPERTIES

- It contains a high concentration (20 mg) of the most concentrated Chaste tree extract on the market (D/E=10:1): dose-dependent efficacy.
- It ensures a significant reduction in basal prolactin levels (a result comparable to that obtained in patients treated with bromocriptine).
- It also guarantees a reduction of prolactin levels in the luteal phase.
- It inhibits prolactin secretion in the dynamic metoclopramide test (DMT) and in the TRH stimulation test.
- 18 clinical trials, for a total of about 8,336 patients treated with Chaste tree, support its efficacy in the treatment of hyperprolactinemia.
- It is formulated in chewable tablets: a rapid-release pharmaceutical form that guarantees fast and optimal absorption of the active ingredient and high compliance even for patients with difficulty in swallowing.
- Excellent palatability: orange flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: ENDOCRINOLOGY • GYNECOLOGY • PSYCHIATRY









LOGUSFER® 20 CAPSULES





Ministry of Health code no. 63892



INDICATIONS

Recommended for all sideropenic conditions.

BASED ON

SunActive® Fe — Microencapsulated ferric pyrophosphate, Lactoferrin, Folate as Quatrefolic® [(6S)-5 Methyltetrahydrofolic acid, glucosamine salt]

USE

Adults: 1 capsule a day, at any time of the day.

PROPERTIES

- Ideal formulation to counteract iron deficiencies, even chronic ones.
- Pit contains **SunActive®Iron**, Microencapsulated ferric pyrophosphate, highly bioavailable and digestible: it does not cause irritation, sense of heaviness and leaves no unpleasant aftertaste. Clinical studies supporting high bioavailability and efficacy. *TAIYO GmbH* internal data.
- It contains Folate from Quatrefolic®: a biologically active form of Folic acid (5-MTHF) that does not need to be metabolized to perform its action, does not mask Vitamin B12 deficiency and is completely soluble in water.
- High patient compliance.
- Preservative and sweetener free. No added sugar.
- Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • GERIATRICS • GYNECOLOGY • ONCOLOGY • CARDIOLOGY • NEPHROLOGY • GENERAL SURGERY • DIETOLOGY

LOGUSFLOR® 10 SACHETS





Ministry of Health code no. 70207



INDICATIONS

Recommended for the symptomatic treatment of vulvovaginitis of any etiology, alterations in the vaginal environment following antibiotic therapy and/or hormonal imbalances.

BASED ON

- Beta-glucan
- Probiotics: IMMUNOBLEND Active® (Lactobacillus acidophilus SD5212, Lactobacillus casei SD5213, Lactobacillus plantarum
- SD5209, Streptococcus termophilus SD5207)

USE

Adults: 1 sachet a day, away from meals, dissolved in a glass of water (150 ml).

PROPERTIES

- Based on IMMUNOBLEND Active®, a patented blend of multistrains and multispecies probiotics (12 billion CFUs/ sachet), and Beta-glucan, an anti-inflammatory and immunomodulating prebiotic.
- It reduces the inflammation of the mucous membrane, modulates the immune response and strengthens the immune system by preventing infections of the uro-genital tract
- It restores bacterial flora compromised by infections and/or antibiotic therapy.
- Packaging designed to ensure the viability of probiotics.
- It does not need to be stored at low temperatures.
- Excellent palatability: peach flavour.
- · Allergen, colorant and preservative free.

THERAPEUTIC AREAS: GYNECOLOGY • UROLOGY



LOGUSGYN®

INTIMATE CLEANSER



INDICATIONS

Intimate cleanser specific for the genital mucous membranes that soothes and maintains the pH slightly acidic, protecting intimate well-being, even during the menstrual cycle.

BASED ON

Aloe vera, Lactic acid

USE

Adults: wash daily with 1 dose diluted with water directly on the palm of the hand. Rinse thoroughly.

PROPERTIES

- 250 ml size.
- · Daily use.
- · Easy to rinse.
- It contains menthol and eucalyptus, which give an immediate sensation of freshness.
- It doesn't contains parabens, petrolatum, silicones, dyes, SLS, PEG, copolymers, thiazolinones, EDTA and SLES.
- · Fragrance without allergens.
- Nickel tested (<1 ppm).
- pH of the solution: 4.
- · Dermatologically tested.

THERAPEUTIC AREAS: GYNECOLOGY

LOGUSGYN®

VAGINAL DOUCHE 5 SINGLE-USE BOTTLES



CLASS II MD C € 1370



INDICATIONS

Recommended as adjuvant for the treatment of symptoms associated with vulvo-vaginitis of any origin, including HPV (Human Papilloma Virus).

BASED ON

IMMUNOBLEND - mixture of tyndallized milk ferments (Lactobacillus acidophilus - SD5212, Lactobacillus casei - SD5213, Lactobacillus plantarum - SD5209, Streptococcus termophilus -SD5207), Lactic acid, Chlorhexidine 0.2%, α-Bisabolol

USE

Adults: 1 vaginal douche a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

PROPERTIES

- · Based on tyndallized lactic ferments, prebiotics and other functional ingredients with soothing and antioxidant
- Single-use non-sterile solution for intimate hygiene.
- In convenient single-use bottles with a practical removable, rotating and tilting cannula, which avoids accidental trauma and uniformly dispenses the gynecological solution.
- Formulated with: chlorhexidine 0.2%.
- It does not contain parabens and allergens.
- pH of the solution: 4.3.
- Clinically tested: Forleo, F., Pelosi, F. M., Bianco, L., & Petrella, V. (2024). Efficacy and safety of vaginal formulations with tyndallized ferments in subjects with nonspecific vulvovaginitis: A randomized study in Italy. Journal of Obstetrics and Gynaecology Research.
- · Excellent compliance for the patient.

THERAPEUTIC AREAS: GYNECOLOGY

LOGUSGYN®

10 VAGINAL SUPPOSITORIES



20 2 q

CLASS II MD C € 1370



INDICATIONS

Recommended as adjuvant for the treatment of symptoms associated with vulvo-vaginitis of any origin, including HPV (Human Papilloma Virus).

BASED ON

Pot marigold, IMMUNOBLEND - mixture of tyndallized milk ferments (Lactobacillus acidophilus - SD5212, Lactobacillus casei - SD5213, Lactobacillus plantarum - SD5209, Streptococcus termophilus - SD5207), Sunfiber® - partially hydrolyzed Guar gum, Vitamin E, Lactic acid, Vitamin A

Adults: 1 vaginal suppository a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

PROPERTIES

- Based on **tyndallized lactic ferments**, prebiotics and other functional ingredients with a soothing and antioxidant
- · They dissolve completely without leaving residues and do not stain underwear.
- Clinically tested: Forleo, F., Pelosi, F. M., Bianco, L., & Petrella, V. (2024). Efficacy and safety of vaginal formulations with tyndallized ferments in subjects with nonspecific vulvovaginitis: A randomized study in Italy. Journal of Obstetrics and Gynaecology Research.
- Formulated with: Vitamin A and E.
- It does not contains parabens and allergens.
- **Excellent compliance for the patient.**

THERAPEUTIC AREAS: GYNECOLOGY









LOGUSMAG®

30 STICKS



1.8 g

Ministry of Health code no. 89202



INDICATIONS

Recommended in case of tiredness and fatigue, for the normal functioning of the nervous system, to support energy metabolism and muscle function.

BASED ON

Inulin, Magnesium: citrate, marine (carbonate, chloride, hydroxide, oxide, sulfate), pidolate

USE

Adults: 1-2 sticks a day, dissolved directly in the mouth or in a glass of water (150 ml).

PROPERTIES

- Balanced mix of organic and inorganic **magnesium** salts.
- Inulin, besides performing a prebiotic action, improves the intestinal absorption and bioavailability of magnesium.
- · Practical fast absorption sticks.
- It offers an ideal integration in the gynecological field that supports women in case of: menstrual cycle disorders such as PMS, oligomenorrhea and dysmenorrhea, catamenial migraine, pregnancy, gestational diabetes, preeclampsia, breastfeeding; menopause, metabolic syndrome, osteoporosis; and in conditions of hypomagnesia, such as fibromyalgia and prazole (PPIs) use.
- · Excellent palatability: lemon flavour.
- Allergen and preservative free.

THERAPEUTIC AREAS: GYNECOLOGY • SPORTS MEDICINE • CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • DIABETOLOGY • ENDOCRINOLOGY • GERIATRICS • NEUROLOGY • PSYCHIATRY • ORTHOPEDICS • GASTRO-ENTEROLOGY

NETTARDEP®

20 LONG LIFE SINGLE-DOSE BOTTLES



10 ml

Ministry of Health code no. 41918

INDICATIONS

Recommended in all conditions of weakened immune system, nutritional deficiencies, seasonal asthenia, intensive study and convalescence.

BASED ON

Acacia honey, Rose root fluid e., Bilberry fruit juice concentrate, Schisandra d.e. 1% Schisandrin, Ashwagandha d.e. 2.5% Withanolides, Acetyl-L-Carnitine, Royal Jelly, Pomegranate fruit juice concentrate, Vitamin C, Phosphatidylserine, L-Theanine, Vitamin B6, Folic acid, Vitamin B12

USE

Adults: 1 single-dose bottle a day, preferably in the morning.

PROPERTIES

- Triple action: tonic, restorative and immunostimulant, it provides a fast release physical and mental energy.
- · Adaptogens and antioxidants enriched formula.
- · It contains Acacia honey of EU origin.
- Practical LONG LIFE single-dose bottles that ensure quality and stability.
- Excellent palatability: cola flavour.
- Colorant free.
- · Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: GENERAL SURGERY • GERIATRICS • NEUROLOGY • PSYCHIATRY • SPORTS MEDICINE

NIKEDEP® PLUS 20 SACHETS



10.78 g

Ministry of Health code no. 36769

INDICATIONS

Recommended to increase energy, improve physical endurance and delay the feeling of fatigue.

BASED ON

Creatine, L-Arginine, Carnitine, Beta-Alanine, Taurine, Guarana d.e. 8% Caffeine, Coenzyme Q10, Vitamin C, Pido-Zinc® Zinc pidolate, Selenium, L-Methionine

USI

Adults: 1 sachet a day, dissolved in a glass of water (200 ml), preferably in the morning.

PROPERTIES

- Pro-energetic and ergogenic based on phytoextracts, amino acids, vitamins and minerals.
- It provides rapid release energy, promoting an increase in physical and mental performance and antioxidant protection.
- It contains a high amount of Creatine (3 g/sachet) and Arginine (2 g/sachet).
- It contains Pido-Zinc®, a highly bioavailable Zinc pidolate.
- · Excellent palatability: orange flavour.
- Allergen and preservative free.

THERAPEUTIC AREAS: SPORTS MEDICINE



OPALEN TOP® **CREAM**







INDICATIONS

Sebum-regulating and restructuring dermocosmetic of skin barrier. It supports and completes the pharmacological treatment of acne. It is useful in the prevention of scars and dark spots. With UVA, UVB/SPF30 filters and IR protection system.

BASED ON

Hyaluronic acid, Phytosphingosine, Saniskin®, Sebocea®, Zincidone®

IISF

Adolescents and adults:

- Apply a thin layer of cream on clean and dry skin, avoiding the eye area. Massage gently to favour absorption.
- · It can be used without the need for interruptions, even during the summer season.
- · If used as a specific sunscreen: apply a sufficient amount of cream before sun exposure and re-apply frequently to maintain protection, especially after sweating or getting wet.

PROPERTIES

- · Soothing and mattifying cream with an excellent texture, composed of a mix of patented ingredients and functional active ingredients that integrate and improve anti-acne drug therapies.
- It contains **Sebocea**®, a patented aqueous extract of algae that performs a sebum-regulating action and a strong antioxidant action.
- It contains **Saniskin**®, a patented formula consisting of two molecules of plant origin biotechnologically converted to enhance their antibacterial and restructuring action of the hydrolipidic cutaneous film. It is 20 times more effective on C. acnes than benzoyl peroxide at the doses commonly used in the anti-acne products.
- It contains **Phytosphingosine** that exerts an anti-inflammatory and antibacterial action. It is also able to restore the skin barrier.
- It contains **Zincidone**®, a patented ingredient that stimulates the production of new collagen during remodeling tissues, that is useful to restore the integrity of the injured epidermal layer and the functionality of the skin barrier.
- It contains **Hyaluronic acid** produced with a biotechnological method and approved by ECOCERT as an organic and natural cosmetic.
- Light skin feeling thanks to a biomimetic emulsifier made of liquid crystals based on fatty acids from olive oil.
- It contains the latest generation of chemical sunscreens: it can be used as a specific sunscreen during sun exposure.
- Excellent make-up base.
- Delicate hypoallergenic fragrance.
- Rapid absorption. Not greasy.
- Paraben, petrolatum, silicone, colorant, SLS, PEG, BHA and BHT free. Hypoallergenic fragrance. Nickel tested.
- · Dermatologically tested.

THERAPEUTIC AREAS: DERMATOLOGY • GYNECOLOGY

PAUDEP® 30 CAPSULES





B

Ministry of Health code no. 105644

INDICATIONS

Recommended for the treatment of menopausal symptoms.

Griffonia d.e. 20% 5-HTP, Hawthorn d.e. 3% total Flavonoids as Vitexin, Bifidobacterium lactis B420 - SD6685, Bugbane d.e. 2.5% triterpeneglycosides, Vitamin K2, Vitamin D3, Melatonin

Adults: 1 capsule a day, on a full stomach, preferably in the evening before bedtime.

PROPERTIES

- It is a complete product: it acts on all the typical symptoms of menopause (neurovegetative, psychological, metabolic ones).
- It contains Vitamin K2 in association with Vitamin D3, for the prevention of osteoporosis and atherosclerotic processes.
- It reduces visceral fat accumulation: a clinical trial on body weight control by Bifidobacterium lactis (B420) SD6685 (10 billion CFUs/capsule) was conducted.
- Ideal amount of Bugbane extract.
- It is safe, effective, tolerable: it does not alter the plasma hormone profile and the endometrial thickness, it does not increase the risk of venous thrombo-embolism and does not exert estrogenic effects on the mammary gland and uterus.
- As opposed to competitors, the posology is 1 capsule a day only.
- Allergen, colorant, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GYNECOLOGY • ORTHOPEDICS (OSTEOPOROSIS PRAXIS)









PELVIPEA® 40 CAPSULES





Ministry of Health code no. 156676

INDICATIONS

Recommended for multimodal treatment against inflammatory and dysfunctional pelvic pain. Patented formulation.

BASED ON

Pelvipea® - Micronized Palmitoylethanolamide, Hempseed oil* (*Cannabis sativa* L.), Pycnogenol® (Maritime Pine Bark Dry Extract)

USE

- Attack therapy: up to 3 capsules a day, on a full stomach.
- Maintenance therapy: 1 capsule a day, on a full stomach.
- * The hempseed oil contained in Pelvipeo® is safe and certified. The Decree of the Ministry of Health of 4 November 2019 establishes that food supplements containing derivatives of Cannabis sativa L. (seeds, flour obtained from seeds, oil obtained from seeds) must fall within the content limit of 2 mg/kg of THC (as concentration resulting from the sum of the concentrations of the substance Δ9-THC and its inactive acid precursor Δ9-THCA-A).

PROPERTIES

- Patented formulation.
- It enhances the physiological mechanisms of pain control through four main modalities: it blocks the action of proinflammatory and pro-nociceptive agents at the level of the peripheral nervous system; it blocks the propagation of the action potential; it inhibits nociceptive signaling towards the brain and perception of pain in the central nervous system.
- Synergistic efficacy demonstrated in vitro on a cellular model of inflammation: it acts on both **nociceptive pain** (synergistic anti-inflammatory effect of the three ingredients demonstrated on a cellular model THP-1 + T24 urothelial cells) and **neuropathic** pain.
- Evidence based: Cells 2023, 12(4), 616; https://doi.org/10.3390/ cells12040616
- It synergizes with other analgesic therapies without particular interactions.
- It is not habit-forming and does not cause psychotropic effects (THC free).
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: URO-GINECOLOGY • URO-ANDROLOGY

PREDOLGYN® 20 TABLETS





Ministry of Health code no. 63911

INDICATIONS

Recommended for the treatment of hypermenorrhea and dysmenorrhea.

BASED ON

Meriva® Curcuminoids phospholipids d.e. 18-22% Curcuminoids, Magnesium, Maritime pine d.e. 95% Proanthocyanidins, Shepherd's purse d.e.

USE

Adults:

- **Hypermenorrhea:** 2 tablets a day, in a single administration, only during the days of menstrual flow.
- **Dysmenorrhea:** 1 tablet a day. Take 2 tablets a day, in a single administration, when symptoms appear.

Do not take this product if you are trying to get pregnant.

PROPERTIES

- · Anti-inflammatory, pain reliever and antihemorrhagic.
- It contains a high-dosage of MERIVA® Curcuminoids

 phospholipids that offers a bioavailability of about 29 times higher
 than the uncompleted dry extract of turmeric. The Phytosome®
 technology is a patented delivery system that increases the
 bioavailability of the active ingredient, improving its effectiveness
 and duration of action. More than 25 clinical studies (peerreviewed and Pubmed indexed) were performed with MERIVA® in
 different inflammatory pathological conditions.
- The synergy between Turmeric and Maritime pine promotes an anti-inflammatory action.
- Shepherd's purse has a vasoconstrictive and haemostatic action: particularly effective to fight and treat menometrorrhagia and metrorrhagia phenomena.
- Magnesium leads to a reduction in emotional instability and muscular tension, promotes an increase in the tolerance for pain and regulates mood.
- Preservative and sweetener free. No added sugar.
- · Gluten free.
- Naturally lactose free.

THERAPEUTIC AREAS: GYNECOLOGY



20 SACHETS



4.16 g Ministry of Health code no. 139045

INDICATIONS

Recommended in case of tiredness and exhaustion, excessive sweating, prolonged efforts, sports activities, stress and dietary imbalances. Also ideal for restoring cellular homeostasis in post-infectious states.

RASED ON

Magnesium citrate, Potassium citrate, Ribocare® (nucleotide blend), SuperOx-D (superoxide dismutase).

IISF

Children from 11Y and adults: 1 sachet a day, dissolved in a glass of water (150 ml)

PROPERTIES

- It is an antioxidant and multimineral supplement that helps preserve cellular integrity and functionality.
- It contains highly bioavailable organic salts of **Magnesium** and Potassium.
- It contains **SuperOx-D**, 100% natural superoxide dismutase with high enzymatic activity, useful to counteract oxidative
- It contains Ribocare®, a nucleotide blend (AMP, CMP, GMP. IMP, UMP), useful for cellular health and to improve immune response. Ribocare® speeds up the body's recovery time from physical exertion and preserves the intestinal morphology and function.
- · Excellent palatability: lime flavour.
- No added sugar: ideal in case of ketogenic diets.
- · Allergen, aspartame, acesulfame K, preservative and saccharin free.

THERAPEUTIC AREAS: CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • DIETOLOGY • GERIATRICS • SPORTS MEDICINE

SALIVIT® 9MESI

30 TABLETS + 30 SOFTGELS



B+00

Ministry of Health code no. 114447

INDICATIONS

Recommended to ensure a correct intake of micronutrients to mum and baby before and during pregnancy, until the end of breastfeeding.

BASED ON

- **Softgel**: DHA from Goldenomega® fish oil
- Tablet: SunActive® Fe microencapsulated iron pyrophosphate, Vitamin C, Pido-Zinc® Zinc pidolate, Vitamin E, Manganese, Vitamin B3, Copper, Vitamin B5, Vitamin D3, Vitamin B6, Vitamin B2, Vitamin B1, Folate from Quatrefolic® [(6S)-5-Methyltetrahydrofolic acid, glucosamine salt], Potassium, Biotin, Vitamin B12

USE

Adults: 1 tablet and 1 softgel a day. The tablet and the softgel can be taken at the same time or in different times of the day. Take the tablet on a full stomach, in the morning.

PROPERTIES

- It is a complete and skillfully dosed formula.
- It is packaged in a practical double blister: 2 products in 1.
- It contains Quatrefolic®: biologically active form of Folic acid (5-MTHF), 3 times more bioavailable than it. Unlike Folic acid, it is equally effective in the entire population and does not cause hyperhomocysteinemia.
- It contains **SunActive**®**Iron**, Microencapsulated ferric pyrophosphate, highly bioavailable and digestible: it does not cause irritation, sense of heaviness and leaves no unpleasant aftertaste. Clinical studies supporting high bioavailability and efficacy. TAIYO GmbH internal data.
- It contains **Pido-Zinc**®, a highly bioavailable Zinc pidolate.
- It contains Goldenomega® fish oil that is rich in DHA and extracted from wild fishes and anchovies from the Pacific Ocean. The oil is subjected to a patented purification process which ensures the elimination of heavy metals, PCBs and others environmental pollutants. It is certified by FOS (Friends of the Sea) and IFFO (International Fishmeal and Fish Oil Organization) for responsible fishing.
- · Excellent palatability: no metallic and fish aftertaste, excellent compliance for the patient.
- · Preservative and sweetener free. No added sugar.
- · Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: GYNECOLOGY • NEONATOLOGY • PEDIATRICS









SALIVIT® IMMUNO 30 CAPSULES



S

Ministry of Health code no. 100790



INDICATIONS

Recommended to strengthen the immune system against viral, bacterial and fungal infections. It supports the function of the immune system even during pregnancy and breastfeeding.

BASED ON

Bega Bionutrients™ - Lactoferrin, Vitamin C, Vitamin D3, Zinc

USE

Children from 8Y and adults: 1 capsule a day, on a full stomach.

In case of recurrent susceptibility to infections, it is recommended to take the product in repeated cycles. Therapy cycles of at least 3 months, to repeat throughout the year, are suggested.

PROPERTIES

- It offers a broad-spectrum immunity protection.
- It contains Bega Bionutrients™ Lactoferrin with an excellent bioactivity and high purity (95%), Halal, Kosher, Non-GMO and EFSA novel food approved.
- Lactoferrin supports the immune system, has an anti-bacterial and anti-viral action and regulates the absorption and metabolism of iron by removing it from the bacteria that use it as a growth medium.
- Vitamin C, Vitamin D3 and Zinc are physiological modulators of the immune system: they coordinate its correct functioning by supporting different aspects of both innate and adaptive immunity.
- · Preservative and sweetener free. No added sugar.
- · Gluten free.
- · Naturally lactose free.
- It contains lactoferrin, a milk derivative.

THERAPEUTIC AREAS: GYNECOLOGY

SALIVIT® MG 30 OROSOLUBLE STICKS



1.8 g Ministry of Health code no. 139046

INDICATIONS

It is recommended in the prevention and treatment of magnesium deficiency symptoms, especially in case of predisposing factors or high risk medications, unbalanced diet, physical and mental stress.

BASED ON

Inulin, Magnesium: citrate, marine (carbonate, chloride, hydroxide, oxide, sulfate), pidolate

USE

Adults: 1 orosoluble stick a day or 2 in case of overt hypomagnesemia. This product can also be dissolved in a glass of water (150 mg).

PROPERTIES

- Effective Magnesium supplementation at both plasma and intracellular levels.
- Best absorbed Magnesium thanks to inulin which increases intestinal transit.
- More circulating and assimilated Magnesium thanks to the combination of organic and inorganic salts.
- · Handy orosoluble sticks.
- Excellent palatability: citrus flavour.
- · Allergen and preservative free.

 $\textbf{THERAPEUTIC AREAS: GYNECOLOGY} \bullet \textbf{SPORTS MEDICINE} \bullet \textbf{CARDIOLOGY} \bullet \textbf{ENDOCRINOLOGY} \bullet \textbf{GERIATRICS} \bullet \textbf{GASTRO-ENTEROLOGY} \bullet \textbf{ORTOPEDICS}$



SALIVIT® PERLATTE



Ministry of Health code no. 108738

3

INDICATIONS

Recommended to promote breastfeeding and improve the nutritional and organoleptic characteristics of breast milk. Particularly suitable for mothers of premature babies.

BASED ON

Calcium, Fennel d.e. 1% Essential oil, Goat's rue d.e., African marigold d.e. 20% Lutein, Vitamin D3

USE

Adults: 2 tablets a day, in a single administration, on a full stomach. The product can be taken after childbirth, for the entire duration of breastfeeding.

PROPERTIES

- It contains both galactogogues and micronutrients.
- It contains a high concentration of **Goat's rue**.
- It contains Fennel as an additional galactogogue, also useful to counteract the appearance of gaseous colics in the infant and to improve the organoleptic characteristics of breast milk.
- The presence of Vitamin D counteracts its natural depletion from breast milk, which already occurs 8 weeks after the delivery. The therapeutic dosage ensures a correct concentration of Vitamin D, preventing possible complications for mother and baby.
- The implementation of Calcium limits the bone demineralisation obtained by the physiological mechanism of mobilisation of the bone mineral to the mother's milk.
- Lutein, from African marigold, is fundamental for a correct neurodevelopment of the child and is particularly useful for preterm babies.
- · Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: GYNECOLOGY • NEONATOLOGY • PEDIATRICS

VENDEP® 30 CAPSULES



æ

Ministry of Health code no. 311

INDICATIONS

Recommended in case of venous insufficiency, varicose veins, edemas, heaviness in the lower limbs, itching and swelling. It is also useful in the management of hemorrhoidal pathology.

BASED ON

Triosmetina® (Diosmin, Diosmetin and Escin), Sweet clover d.e. 20% Coumarin, Bromelain 2500 GDU/g, Vitamin C, Ginkgo d.e. 24% Ginkgoflavonoids and 5% Terpene lactones, Gotu kola d.e. 20% Triterpenes, Vitamin E

USE

Adults: 1-2 capsules a day, before meals.


PROPERTIES

- The mix of ingredients counteracts the formation of edema, capillary filtration, has an anti-inflammatory action and modulates the synthesis of collagen with a consequent vasotonic effect.
- It contains Triosmetina®, an exclusive association between Diosmin, Diosmetin and Escin, which promotes the improvement of venous tone, the increase of lymphatic drainage and the increase of capillary resistance, reducing its permeability and ensuring protection from damage to the microcirculation.
- **Fast/Retard effect**: Diosmin is metabolized by the intestinal flora which releases Diosmetin, readily absorbed by the body.
- Fast absorption.
- Double action: shock and maintenance.
 - Allergen, preservative, sweetener free. No added sugar.

THERAPEUTIC AREAS: VASCULAR MEDICINE • VASCULAR SURGERY• PHLEBOLOGY • ANGIOLOGY • CARDIOLOGY • DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY









VENDEP®



100 ml

INDICATIONS

Topical gel with soothing and cooling action. Useful in case of water retention, feeling of heaviness and swelling in the lower limbs, capillary fragility and varicose veins.

BASED ON

Menthol, Escin, Cypress and Lemon Essential oils, Gotu kola, Horse chestnut, Ginkgo, Ivy, Bromelain

USE

Adults: apply locally several times a day. Spread on the affected areas and allow to absorb with a light massage.

PROPERTIES

- Selected ingredients to provide legs relief and lightness, reducing water retention and lymphatic stasis.
- It guarantees a rapid absorption, does not grease and leaves no residue.
- · Dermatologically tested.
- It does not contain colorants, parabens, petrolatums, silicones and fragrances.

THERAPEUTIC AREAS: VASCULAR MEDICINE • VASCULAR SURGERY• PHLEBOLOGY • ANGIOLOGY • DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY

VENDEP® PRO



1 72

INDICATIONS

Recommended in the treatment of venous insufficiency of the lower limbs and hemorrhoidal plexus, as well as in the prevention of epistaxis.

BASED ON

Micronized diosmin, Micronized hesperidin, Vitamin C

USE

Adults:

- General posology: 1 stick a day;
- **Hemorrhoidal disease:** 2 sticks a day for 10 days in acute cases, 1 stick a day in maintenance.

Dissolve the content of the stick in a glass of water and take the suspension with main meals.

PROPERTIES

- Diosmin 1000 mg, highly micronized: very high dosage per single dose, certified particle size of 5 μm. Phlebotonic, capillarotropic and antioxidant effect.
- Hesperidin 50 mg, highly micronized: effective dose of hesperidin, certified particle size of 5 µm. Phlebotonic, capillarotropic and antioxidant effect.
- Vitamin C at 125% of the reference nutritional value: support for the tonic and antioxidant action of Diosmin and Hesperidin at the level of veins and microcirculation.
- Suitable for diabetics: practically zero glycemic load.
- Excellent palatability: blueberry flavour.
- · Allergen and preservative free.

THERAPEUTIC AREAS: VASCULAR MEDICINE • VASCULAR SURGERY• PHLEBOLOGY • PROCTOLOGY • ANGIOLOGY • DERMATOLOGY • ESTHETIC MEDICINE AND SURGERY









ARGIFAST® SACHETS	p. 6
ARGILUX® SACHETS	р. 6
BILIREL® TABLETS	p. 7
CALCOREL® TABLETS	p. 7
CALCOREL® CCS SACHETS	p. 8
CARDIORIL® SACHETS	p. 8
CARDIORIL® MYO TABLETS	p. 9
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9
COLECRIL® SOFTGELS	p. 10
CRC®500 CAPSULES	p. 10
CRC® DOL STICKS	p. 11
GLICOPER® CAPSULES	p. 11
GLICOPER® STICKS	p. 12
LINDOFLOR® VAGINAL SUPPOSITORIES	p. 13
LUXFLUIRES® SACHETS	p. 13
LUXFLUIRES® IMMUNO CAPSULES	p. 13
LUXFLUIRES® LATTOFERRINA 200.D OROSOLUBLE STICKS	p. 14
LUXFLUIRES® ORAL SOLUTION	p. 14
LUXFLUIRES® THROAT SPRAY	p. 14
LUXFLUIRES® NASAL SPRAY	p. 15

MUNATURIL® ATTACCO LUNG LIFE SINGLE-DUSE BUTTLES	p. 15
MUNATORIL® SYRUP	p. 16
MUNATORIL® THROAT SPRAY	p. 16
MUNATORIL® NASAL SPRAY	p. 17
PERISTIL® FAST DRINKABLE STICKS	p. 17
PERISTIL® ORAL SOLUTION	p. 18
REURIL ACTIVE® OROSOLUBLE STICKS	p. 18
REURIL PLUS® SACHETS	p. 18
REURIL PLUS® LONG LIFE SINGLE-DOSE BOTTLES	p. 19
SONNORIL® DROPS	p. 19
SONNORIL® ORAL SPRAY	p. 20
SONNORIL® TABLETS	p. 20
SPERMACT® TABLETS	p. 21
ZACHELASE® SACHETS	p. 21
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES	p. 22
ZACHELASE® LOX TABLETS	p. 22



ALLERGOLOGY

LUXFLUIRES® NASAL SPRAY	p. 15
MUNATORIL® NASAL SPRAY	p. 17
ZACHELASE® SACHETS	p. 21
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI	
SINGLE-DOSE BOTTLES	p. 22
ZACHELASE® LOX TABLETS	p. 22

ANDROLOGY, REPRODUCTIVE MEDICINE

ARGIFASI® SACHETS	p. 6
COLECRIL® SOFTGELS	p. 10
SPERMACT® TABLETS	p. 21
ZACHELASE® SACHETS	p. 21
ZACHELASE® LOX TABLETS	p. 22

CARDIOLOGY, CARDIO-VASCULAR REHABILITATION MEDICINE

ARGILUX® SACHETS p. 6
CARDIORIL® SACHETS p. 8
CARDIORIL® MYO TABLETS p. 9
CARDIORIL® PLUS SINGLE-DOSE BOTTLES p. 9
COLECRIL® SOFTGELS p. 10
GLICOPER® CAPSULES p. 11
GLICOPER® STICKS p. 12
SONNORIL® DROPS p. 19
SONNORIL® ORAL SPRAY p. 20
SONNORIL® TABLETS p. 20

DENTISTRY

ZACHELASE® SACHETS	. p.	21
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI		
SINGLE-DOSE BOTTLES	р.	22
ZACHELASE® LOX TABLETS	р.	22

DERMATOLOGY, ESTHETIC MEDICINE AND SURGERY

COLECRIL® SOFTGELS	p. 10
CRC®500 CAPSULES	p. 10
ZACHELASE® SACHETS	p. 21
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI	
SINGLE-DOSE BOTTLES	p. 22
7ACHFLASF® LOX TABLETS	p. 22

DIABETOLOGY, ENDOCRINOLOGY

ARGIFAST® SACHETS	p. 6
CARDIORIL® SACHETS	p. 8
CARDIORIL® MYO TABLETS	p. 9
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9
COLECRIL® SOFTGELS	p. 10
CRC®500 CAPSULES	p. 10
CRC® DOL STICKS	p. 11
GLICOPER® CAPSULES	p. 11
GLICOPER® STICKS	p. 12

DIETOLOGY

COLECRIL® SOFTGELS	p. 10
CRC®500 CAPSULES	p. 10
GLICOPER® CAPSULES	p. 11
GLICOPER® STICKS	p. 12
PERISTIL® FAST DRINKABLE STICKS	p. 17
PERISTIL® ORAL SOLUTION	p. 18

GASTRO-ENTEROLOGY, PROCTOLOGY

BILIREL® TABLETS	р.	7
CALCOREL® TABLETS	р.	7
COLECRIL® SOFTGELS	р.	10
CRC®500 CAPSULES	р.	10
CRC® DOL STICKS	р.	11
PERISTIL® FAST DRINKABLE STICKS	р.	17
PERISTIL® ORAL SOLUTION	р.	18

GENERAL SURGERY

CARDIORIL® SACHETS	p. 8
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9
CRC® DOL STICKS	p. 1
PERISTIL® FAST DRINKABLE STICKS	p. 1
PERISTIL® ORAL SOLUTION	p. 1
ZACHELASE® SACHETS	p. 2
ZACHELASE® LOX TABLETS	p. 2

GERIATRICS

ARGILUX® SACHETS	p. 6
CARDIORIL® SACHETS	p. 8
CARDIORIL® MYO TABLETS	p. 9
CARDIORIL® PLUS SINGLE-DOSE BOTTLES	p. 9
COLECRIL® SOFTGELS	p. 1
CRC® DOL STICKS	p. 1
PERISTIL® FAST DRINKABLE STICKS	p. 1
PERISTIL® ORAL SOLUTION	p. 1
SONNORIL® DROPS	p. 1
SONNORIL® ORAL SPRAY	p. 2
SONNORIL® TABLETS	p. 2

GYNECOLOGY, OBSTETRICS, SENOLOGY

CRC® DOL STICKS	p. 11
LINDOFLOR VAGINAL SUPPOSITORIES	p. 13
PERISTIL® FAST DRINKABLE STICKS	p. 17
PERISTIL® ORAL SOLUTION	p. 18
ZACHELASE® SACHETS	p. 21

HEPATOLOGY

BILIREL® TABLETS	р.	7
COLECRIL® SOFTGELS	р.	10
PERISTIL® FAST DRINKABLE STICKS	р.	17
PERISTIL® ORAL SOLUTION	n	18



CRC**500 CAPSULES	NEONATOLOGY	OTORHINO-LARYNGOLOGY		PNEUMOLOGY	
DIR-SHILL ASPORTES 1.13 LIDEFLURGES* SALIETS 1.13 LIDEFLURGES* SALIETS 1.13 LIDEFLURGES* SALIETS 1.13 LIDEFLURGES* SALIETS 1.14 LIDEFLURGES* SALIETS 1.14 LIDEFLURGES* SALIETS 1.15 LIDEFLURGES* SALIETS 1.15 LIDEFLURGES* SALIETS 1.15 LIDEFLURGES* SALIETS 1.16 LIDEFLURGES* SALIETS 1.16 LIDEFLURGES* SALIETS 1.16 LIDEFLURGES* SALIETS 1.17 LIDEFLURGES* SALIETS 1.18 LIDEFL	ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI	CALCOREL® TABLETS	7	ARGILUX® SACHETS	.p. 6
LUXFLURES* IMMINIO CAPSULES P. 13 LUXFLURES* IMMINIO CAPSULES P. 14 LUXFLURES* CRC**600 CAPSULES P. 14 LUXFLURES* CRC**600 CAPSULES P. 15 LUXFLURES* CRC**600 CAPSULES P. 16 LUXFLURES* CRC**600 CAPSULES P. 17 LUXFLURES* CRC**600 CAPSULES P. 18 LUXFLURES* CRC**600 CAPSULES P. 18 LUXFLURES* CRC**600 CAPSULES P. 18 LUXFLURES* CRC**600 CAPSULES P. 17 LUXFLURES* CRC**600 CAPSULES P. 18 LUXFLURES* CRC**600 CAPSULES P. 19 LOXFLURES* P. 18 LUXFLURES* CRC**600 CAPSULES P. 19 LOXFLURES* P. 10 LUXFLURES* CRC**600 CAPSULES P.	SINGLE-DOSE BOTTLES p. 22	CRC®500 CAPSULES	p. 10	LUXFLUIRES® SACHETS	. p. 13
CRCC**001 CAPSULES		LUXFLUIRES® SACHETS	p. 13	LUXFLUIRES® IMMUNO CAPSULES	. p. 13
CRCC**001 CAPSULES	UNCULOGY	LUXFLUIRES® IMMUNO CAPSULES	p. 13	LUXFLUIRES® LATTOFERRINA 200.D	
CRC" DOL STICKS		LUXFLUIRES® LATTOFERRINA 200.D			
ZACHELASE® SACHETS p. 21 LUXFLURES® THROAT SPRAY p. 16 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-ODSE BOTTLES p. 22 MUNATORIL® STRUP p. 16 MUNATORIL® STRUP p. 17 ZACHELASE® LOX TABLETS p. 27 ZACHELASE® SACHETS p. 27 ZACHELASE® SACHETS p. 27 ZACHELASE® LOX TABLETS p. 22 ZACHELASE® LOX TABLETS p. 22 ZACHELASE® LOX TABLETS p. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-ODSE BOTTLES p. 22 ZACHELASE® LOX TABLETS p. 22 CEC® 00 CAPSULES p. 10 CEC® 00 CAPSULES p. 10 CEC® 00 STRUKS p. 11 ZACHELASE® LOX TABLETS p. 22 CEC® 00 CAPSULES p. 10 CARDORIL® SACHETS p. 20 CARDORIL® SACHETS p. 20 CARDORIL® SACHETS p. 20 CARDORIL® SACHETS p. 8 CARDORIL® SACHETS p. 9 CARDORIL® SACHETS p. 10 CARDORIL					
LUXFLUIRES® NASAL SPRAY P. 15 ACCHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 MUNATORIL® SYRUP P. 16 ACCHELASE® LOX TABLETS P. 22 AUMATORIL® SYRUP P. 16 ACCHELASE® LOX TABLETS P. 22	·				
SINGLE-DOSE BOTTLES p. 22 MUNATORIL® SYRUP p. 16 MUNATORIL® THROAT SPRAY p. 16 MUNATORIL® NASAL SPRAY p. 17 ZACHELASE® LOX TABLETS p. 22 MUNATORIL® NASAL SPRAY p. 17 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 18 REURIL ACTIVE® ORGOSOLUBLE STICKS p. 10 CRC® DOL STICKS p. 11 ZACHELASE® LOX TABLETS p. 22 ZACHELASE® LOX TABLETS p. 22 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 19 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 19 PAIN THERAPY ZACHELASE® LOX TABLETS p. 22 ZACHELASE® LOX TABLETS p. 27 ZACHELASE® LOX TABLETS p. 27 ZACHELASE® LOX TABLETS p. 20 PAIN THERAPY ZACHELASE® LOX TABLETS p. 20 CRC® DOL STICKS p. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 19 PSYCHIATRY, NEUROLOGY, CHILD NEURO-PSYCHIATRY, SONNORIL® DROPS p. 19 PSYCHO-GERIATRICS SONNORIL® DROPS p. 19 PSYCHO-GERIATRICS CARDIORIL® SACHETS p. 20 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 10 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 10 MUNATORIL® ATTACCO LONG LIFE MUNATORIL® ATTACCO LONG LIFE MUNATORIL® ATTACCO LONG LIFE MUNATORIL® NASAL SPRAY p. 16 CARDIORIL® SOFTGELS p. 10 MUNATORIL® NASAL SPRAY p. 16 SONNORIL® ORAL SPRAY p. 16 MUNATORIL® NASAL SPRAY p. 16 SONNORIL® DRAL SPRAY p. 20 SONNORIL® DRAL SPRAY p. 20 SONNORIL® DRAL SPRAY p. 17 SONNORIL® DRAL SPRAY p. 20 SONNO	·				
ACCHELASE® LOX TABLETS P. 22 MINIATORIE NASAL SPRAY P. 16 MINIATORIE NASAL SPRAY P. 17 ZACHELASE® SACHETS P. 21 PROBIOTICS REURLACTIVE® OROSOLUBLE STICKS P. 10 CRC® 500 CAPSULES P. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MANI SINGLE-DOSE BOTTLES P. 27 ZACHELASE® LOX TABLETS P. 20 CRC® 500 CAPSULES P. 20 CRC® 500 CAPSULES P. 21 ZACHELASE® LOX TABLETS P. 22 ZACHELASE® LOX TABLETS P. 20 CRC® 500 CAPSULES P. 22 ZACHELASE® LOX TABLETS P. 21 CRC® 500 CAPSULES P. 10 CRC® 500 CAPSULES P. 22 ZACHELASE® LOX TABLETS P. 22 ZACHELASE® LOX TABLETS P. 20 CRC® 500 CAPSULES P. 10 ZACHELASE® LOX TABLETS P. 20 CRC® 500 CAPSULES P. 10 ZACHELASE® LOX TABLETS P. 20 CARDIORIL® SACHETS P. 8 CARDIORIL® SACHETS P. 8 CARDIORIL® SACHETS P. 8 CARDIORIL® SACHETS P. 9 CARDIORIL® SACHETS P. 10 CARDIORI					
ORTHOPEDICS, RHEUMATOLOGY, PHYSIATRY, PHYSIOTHERAPY, TRAUMATOLOGY CRC®600 CAPSULES D 10 CRC®600 CAPSULES D 21 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER MAXI SINGLE-DOSE BOTTLES D 22 CRC®600 CAPSULES D 10 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER MAXI SINGLE-DOSE BOTTLES D 21 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER MAXI SINGLE-DOSE BOTTLES D 22 CRC®600 CAPSULES D 10 PSYCHIATRY, NEUROLOGY, CRC® DOL STICKS D 11 CRC® DOL STICKS D 10 CRC® DOL STICKS D 11 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER MAXI SINGLE-DOSE BOTTLES D 22 CRC® DOL STICKS D 11 CRC® DOL STICKS D 11 CRC® DOL STICKS D 10 CRC® DOL STICKS D 11 CRC® DOL STICKS D 10 CRC® DOL STICKS D 11 CRC® DOL STICKS D 10 CRC® DOL STICKS CRC® DOL STICKS D 10 CRC® DOL STICKS CRC® DOL STICKS CRC® DOL STICKS					
ORTHOPEDICS, RHEUMATOLOGY, PHYSIATRY, PHYSIOTHERAPY, TRAUMATOLOGY CRC®500 CAPSULES D. 10 CRC®500 CAPSULES D. 21 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 21 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 22 CRC®500 CAPSULES D. 10 CRC®500 CAPSULES D. 21 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 22 CRC®500 CAPSULES D. 10 CARDIORIL® SACHETIS D. 20 CRC®500 CAPSULES D. 10 CARDIORIL® SACHETIS D. 20 CARDIORIL® SACHETIS D. 20 CARDIORIL® SACHETIS D. 20 CARDIORIL® DOSE BOTILES D. 20 CARDIORIL® DOSE BOTILES D. 10 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 22 MUNATORIL® THROAT SPRAY D. 16 SONNORIL® DROPS D. 19 PERISTIL® ORAL SQUITION D. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 20 SONNORIL® DROPS D. 10 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 20 CRC® DOL STICKS D. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 20 SONNORIL® ORAL SPRAY D. 16 SONNORIL® ORAL SPRAY D. 16 SONNORIL® ORAL SPRAY D. 16 SONNORIL® ORAL SPRAY D. 20 SPORTS MEDICINE CRC® DOL STICKS D. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 20 CRC® DOL STICKS D. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 22 SPORTS MEDICINE CRC® DOL STICKS D. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 22 SPORTS MEDICINE CRC® DOL STICKS D. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 22 SPORTS MEDICINE CRC® DOL STICKS D. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTILES D. 22 SPORTS MEDICINE CRC® DOL STICKS CRC® DOL STICKS D. 24 CACHELASE® JUNIOR	ZACHELASE® LUX IABLETS p. 22			ZAGRELASE - LUX (ADLETS	. p. 22
PHYSIATRY, PHYSIOTHERAPY, TRAUMATOLOGY TRAUMATOLOGY ZACHELASE® DUNTABLETS P. 22 ZACHELASE® LOX TABLETS P. 22 ZACHELASE® LOX TABLETS P. 20 REURIL PLUS® SACHETS P. 19 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 21 CRC® DOL STICKS P. 10 CRC® DOL STICKS P. 10 CRC® DOL STICKS P. 10 PSYCHIATRY, NEUROLOGY, CHILD NEURO-PSYCHIATRY, PSYCHO-GERIATRICS OPHTHALMOLOGY CRC® DOL STICKS SONNORIL® DROPS P. 19 PSYCHO-GERIATRICS OPHTHALMOLOGY SONNORIL® DROPS P. 10 ZACHELASE® SACHETS P. 20 ARGILUX® SACHETS P. 20 CARDIORIL® SACHETS P. 8 CARDIORIL® SACHETS P. 9 CARDIORIL® SACHETS P. 10 ZACHELASE® UNINGR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 MUNATORIL® ATTACCO LONG LIFE MUNATORIL® THEOAT SPRAY P. 15 CRC® DOL STICKS P. 11 MUNATORIL® THROAT SPRAY P. 16 SONNORIL® TABLETS P. 20 MUNATORIL® THROAT SPRAY P. 16 SONNORIL® TABLETS P. 20 PERISTIL® OASAL SPRAY P. 17 PERISTIL® OASAL SPRAY P. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 21 ZACHELASE® SACHETS P. 22 SPORTS MEDICINE CRC® DOL STICKS P. 11 ZACHELASE® SACHETS P. 22 ZACHELASE® SACHETS P. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 PORTS MEDICINE CRC® DOL STICKS P. 11 ZACHELASE® SACHETS P. 22 ZACHELASE® SACHETS P. 22 ZACHELASE® SACHETS P. 22 ZACHELASE® SACHETS P. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 PORTS MEDICINE CRC® DOL STICKS P. 21 ZACHELASE® SACHETS P. 22 ZACHELASE® SACHETS P. 22 ZACHELASE® SACHETS P. 22 ZACHELASE® SACHETS P. 23 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 24 ZACHELASE® SACHETS P. 2					
SINGLE-DOSE BOTTLES TRAUMATOLOGY ZACHELASE® LOX TABLETS D, 10 CRC® 500 CAPSULES D, 10 PAIN THERAPY ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 27 CRC® 500 CAPSULES D, 10 PSYCHIATRY, NEUROLOGY, CHILD NEURO-PSYCHIATRY, SONNORIL® DROPS D, 10 PSYCHO-GERIATRICS SONNORIL® DROPS D, 10 CARBIDIAL® SACHETS D, 20 CARBIDIAL® SACHETS D, 21 ARGILLASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-BOSE BOTTLES D, 22 ZACHELASE® LOX TABLETS D, 22 MUNATORIL® ATTACCO LONG LIFE SUNDAY MUNATORIL® ATTACCO LONG LIFE SINGLE-BOSE BOTTLES D, 10 MUNATORIL® TRADAT SPRAY D, 16 SONNORIL® DROPS D, 19 MUNATORIL® TRADAT SPRAY D, 16 SONNORIL® BORNORIL® DROPS D, 19 MUNATORIL® THROAT SPRAY D, 16 SONNORIL® DROPS D, 19 MUNATORIL® THROAT SPRAY D, 16 SONNORIL® DROPS D, 19 MUNATORIL® THROAT SPRAY D, 16 SONNORIL® DROPS D, 19 MUNATORIL® THROAT SPRAY D, 16 SONNORIL® ORAL SPRAY D, 20 SPORTS MEDICINE CRC® DOL STICKS D, 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 22 CRC® DOL STICKS D, 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 22 CRC® DOL STICKS D, 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D, 22 CRC® DOL STICKS D, 18 REURIT LACHELASE® LONG LIFE SINGLE-DOSE BOTTLES D, 18 REURIT LACHELASE® LONG LIFE SINGLE-DOSE BOTTLES D, 18 REU	ORTHOPEDICS, RHEUMATOLOGY,	ZACHELASE® SACHETS	p. 21	PROBIOTICS	
CRC®500 CAPSULES	PHYSIATRY, PHYSIOTHERAPY,			REURIL ACTIVE® OROSOLUBLE STICKS	. p. 18
CRC® DOL STICKS	TRAUMATOLOGY			REURIL PLUS® SACHETS	. p. 18
CRC® DOL STICKS 2ACHELASE® SACHETS 2ACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES 2ACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES 2ACHELASE® LOX TABLETS 2ACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES 2ACHELASE® SACHETS 2ACHELASE® SACHETS 2ACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES 2ACHELASE® SACHETS 2ACHE	CRC®500 CAPSIII FS n 10	ZACHELASE® LUX TABLETS	p. 22	REURIL PLUS®	
PAIN THERAPY TACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 CRC® 500 CAPSULES P. 22 CRC® DOL STICKS P. 22 CRC® DOL STICKS P. 11 CHILD NEURO-PSYCHIATRY, CHILD NEURO-PSYCHIATRY, PSYCHO-GERIATRICS SONNORIL® DROPS SONNORIL® TABLETS P. 20 ARGILUX® SACHETS P. 20 CARDIORIL® SACHETS P. 21 PEDIATRICS TACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 SINGLE-DOSE BOTTLES P. 22 SINGLE-DOSE BOTTLES P. 23 MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® SYRUP P. 16 SONNORIL® DROPS P. 19 MUNATORIL® THROAT SPRAY P. 10 SONNORIL® ORAL SPRAY P. 20 PERISTIL® ORAL SOLUTION PRESSTIL® ORAL SOLUTION P. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 21 ZACHELASE® SACHETS P. 22 SPORTS MEDICINE CRC® DOL STICKS P. 11 ZACHELASE® SACHETS P. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 SPORTS MEDICINE CRC® DOL STICKS P. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 SPORTS MEDICINE CRC® DOL STICKS P. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 ZACHELASE® SACHETS P. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES P. 22 ZACHELASE® SACHETS P. 23 ZACHELASE® SACHETS P. 24 ZACHELASE® SACHETS P. 25 ZACHELASE® SACHETS P. 26 ZACHELASE® SACHETS P. 27 ZACHELASE® SACHETS P. 28 ZACHELASE® SACHETS P. 29 ZACHELASE® SACHETS P. 20 ZACHELASE® S	·			LONG LIFE SINGLE-DOSE BOTTLES	. p. 19
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CRC® DOL STICKS p. 11 CHILD NEURO-PSYCHIATRY, SONNORIL® DROPS p. 19 PSYCHO-GERIATRICS OPHTHALMOLOGY CRC® DOL STICKS p. 11 CHILD NEURO-PSYCHIATRY, PSYCHO-GERIATRICS SONNORIL® DROPS p. 19 PSYCHO-GERIATRICS SONNORIL® TABLETS p. 20 ARGILUX® SACHETS p. 6 CARDIORIL® SACHETS p. 8 CARDIORIL® SACHETS p. 8 CARDIORIL® SACHETS p. 9 CARDIORIL® DROPS p. 10 CARDIORIL® DROPS p. 10 CARDIORIL® DROPS p. 10 CARDIORIL® SACHETS p. 11 CARDIORIL® SACHETS p. 10 CARDIORIL® SACHETS p. 10 CARDIORIL® SACHETS p. 20 MUNATORIL® THROAT SPRAY p. 16 SONNORIL® ORAL SPRAY p. 20 PERISTIL® ORAL SOLUTION p. 18 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 CACHELASE® SACHETS p. 21 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOT		DAIN THEDADV			
SINGLE-DOSE BOTTLES P. 22 ZACHELASE® LOX TABLETS DPHTHALMOLOGY CRC® DOL STICKS DONNORIL® TABLETS DONNORIL® TABLETS DONNORIL® ORAL SPRAY SONNORIL® ORAL SPRAY DEDIATRICS CARDIORIL® SACHETS D. 20 CARGIOLIX® SACHETS D. 20 CARGIOLIX® SACHETS D. 20 CARDIORIL® SACHETS D. 20 CARDIORIL® SACHETS D. 20 CARDIORIL® SACHETS D. 21 PEDIATRICS CARDIORIL® SOFTGELS D. 10 CARDIORIL® SOFTGELS D. 10 CACC® DOL STICKS D. 10 CARDIORIL® SOFTGELS D. 10 CACC® DOL STICKS D. 10 MUNATORIL® ATTACCO LONG LIFE SINGLE-DOSE BOTTLES D. 22 MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® NASAL SPRAY D. 16 SONNORIL® TABLETS D. 20 MUNATORIL® NASAL SPRAY D. 16 SONNORIL® TABLETS D. 20 MUNATORIL® NASAL SPRAY D. 16 SONNORIL® TABLETS D. 20 SONNORIL® TABLETS D. 20 SONNORIL® ATTACCO LONG LIFE SINGLE-DOSE BOTTLES D. 10 CRC® 500 CAPSULES D. 10 CARDIORIL® SACHETS D. 10 CARDIORIL® ACHETIS D. 20 CARDIORIL® SACHETS D. 20 CARDIORIL® SACHETS D. 10 CARDIORIL® SACHETS D. 20 CAR					
SONNORIL® DROPS p. 19 PSYCHO-GERIATRICS SONNORIL® TABLETS p. 20 ARGILUX® SACHETS p. 6 CARDIORIL® SACHETS p. 8 CARDIORIL® SACHETS p. 9 CARDIORIL® CARDIORIL® SACHETS p. 9 CARDIORIL® SACHETS p. 9 CARDIORIL® SACHETS p. 9 CARDIORIL® PLUS SINGLE-DOSE BOTTLES p. 10 CACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 15 CACHELASE® LOX TABLETS p. 22 MUNATORIL® SYRUP p. 16 MUNATORIL® SYRUP p. 16 MUNATORIL® ORAL SPRAY p. 17 PERISTIL® ORAL SOLUTION p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 10 SONNORIL® ORAL SPRAY p. 17 SONNORIL® ORAL SPRAY p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 SPORTS MEDICINE CRC® DOL STICKS p. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22	SINGLE-DOSE BOTTLES p. 22				
SONNORIL® TABLETS p. 20 ARGILUX® SACHETS p. 6 SONNORIL® ORAL SPRAY p. 20 CARDIORIL® SACHETS p. 8 CARDIORIL® SACHETS p. 9 ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 10 SINGLE-DOSE BOTTLES p. 22 ZACHELASE® LOX TABLETS p. 22 ACHELASE® LOX TABLETS p. 22 MUNATORIL® ATTACCO LONG LIFE SINGLE-DOSE BOTTLES p. 15 CRC® DOL STICKS p. 17 MUNATORIL® SYRUP p. 16 SONNORIL® DROPS p. 19 MUNATORIL® THROAT SPRAY p. 16 SONNORIL® ORAL SPRAY p. 20 MUNATORIL® NASAL SPRAY p. 17 SONNORIL® ORAL SPRAY p. 20 PERISTIL® ORAL SOLUTION p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22	ZACHELASE® LOX TABLETS p. 22				
OPHTHALMOLOGY SONNORIL® ORAL SPRAY D. 20 CARDIORIL® SACHETS D. 10 ZACHELASE® SACHETS D. 21 PEDIATRICS MUNATORIL® ATTACCO LONG LIFE SINGLE-DOSE BOTTLES D. 22 ZACHELASE® LOX TABLETS D. 22 MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® THROAT SPRAY D. 16 SONNORIL® DROPS D. 19 MUNATORIL® THROAT SPRAY D. 16 SONNORIL® TABLETS D. 20 MUNATORIL® ORAL SOLUTION D. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D. 20 SONNORIL® ORAL SPRAY D. 16 SONNORIL® ORAL SPRAY D. 17 SONNORIL® ORAL SPRAY D. 20 SPORTS MEDICINE CRC® DOL STICKS D. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D. 22				PSYCHO-GERIATRICS	
CRC®500 CAPSULES D. 10 ZACHELASE® SACHETS D. 21 PEDIATRICS CARDIORIL® PLUS SINGLE-DOSE BOTTLES D. 22 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D. 22 ZACHELASE® LOX TABLETS D. 22 ZACHELASE® LOX TABLETS D. 22 MUNATORIL® ATTACCO LONG LIFE SINGLE-DOSE BOTTLES D. 10 MUNATORIL® SYRUP D. 16 MUNATORIL® SYRUP D. 16 MUNATORIL® THROAT SPRAY D. 16 MUNATORIL® TABLETS D. 20 MUNATORIL® NASAL SPRAY D. 17 DEFISITIL® ORAL SOLUTION D. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D. 20 SPORTS MEDICINE CRC® DOL STICKS D. 10 SONNORIL® ORAL SPRAY D. 10 SONNORIL® ORAL SPRAY D. 10 SONNORIL® ORAL SPRAY D. 10 SONNORIL® TABLETS D. 20 PERISTIL® ORAL SOLUTION D. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D. 21 ZACHELASE® SACHETS D. 21 ZACHELASE® SACHETS D. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES D. 22	OBUTUAL MOLOCK			ARGILUX® SACHETS	.p. 6
CRC®500 CAPSULES p. 10 ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 ZACHELASE® LOX TABLETS p. 26 MUNATORIL® SYRUP p. 16 SONNORIL® DROPS p. 19 MUNATORIL® NASAL SPRAY p. 17 PERISTIL® ORAL SOLUTION p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 SPORTS MEDICINE CRC® DOL STICKS p. 11 ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22	OPHTHALMOLOGY	SONNORIL® ORAL SPRAY	p. 20	CARDIORIL® SACHETS	.p. 8
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 ZACHELASE® LOX TABLETS p. 22 MUNATORIL® ATTACCO LONG LIFE SINGLE-DOSE BOTTLES p. 15 MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® THROAT SPRAY p. 16 MUNATORIL® THROAT SPRAY p. 16 MUNATORIL® ORAL SOLUTION PERISTIL® ORAL SOLUTION p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 SPORTS MEDICINE CRC® 500 CAPSULES p. 10 CRC® 500 CAPSULES p. 10 SONNORIL® DROPS p. 19 MUNATORIL® THROAT SPRAY p. 16 SONNORIL® ORAL SPRAY p. 20 SPORTS MEDICINE CRC® DOL STICKS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22	CRC®500 CAPSULES p. 10				
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 ZACHELASE® LOX TABLETS p. 22 MUNATORIL® ATTACCO LONG LIFE SINGLE-DOSE BOTTLES p. 15 CRC® DOL STICKS p. 19 MUNATORIL® SYRUP p. 16 SONNORIL® TABLETS p. 20 MUNATORIL® THROAT SPRAY p. 16 SONNORIL® TABLETS p. 20 PERISTIL® ORAL SOLUTION p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 SPORTS MEDICINE CRC® DOL STICKS p. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22	ZACHELASE® SACHETS p. 21	PEDIATRICS		COLECRIL® SOFTGELS	. p. 10
SINGLE-DOSE BOTTLES p. 22 ZACHELASE® LOX TABLETS p. 22 SINGLE-DOSE BOTTLES p. 15 MUNATORIL® SYRUP p. 16 SONNORIL® TABLETS p. 20 MUNATORIL® NASAL SPRAY p. 16 SONNORIL® ORAL SPRAY p. 17 PERISTIL® ORAL SOLUTION p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 SPORTS MEDICINE CRC® DOL STICKS p. 11 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 21 ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22	ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI				
MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® THROAT SPRAY MUNATORIL® NASAL SPRAY MUNATORIL® SYRUP MUNATORIL® SYRUP MUNATORIL® DROPS MUNATORIL® DROPS MUNATORIL® TABLETS MUNATORIL® ORAL SPRAY MUNATORIL® DROPS MUNA		SINGLE-DOSE BOTTLES	p. 15		
MUNATORIL® THROAT SPRAY p. 16 SONNORIL® TABLETS p. 20 MUNATORIL® NASAL SPRAY p. 17 SONNORIL® ORAL SPRAY p. 20 PERISTIL® ORAL SOLUTION p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 SPORTS MEDICINE CRC® DOL STICKS p. 11 ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22	ZACHELASE® LOX TABLETS p. 22				
MUNATORIL® NASAL SPRAY p. 17 SONNORIL® ORAL SPRAY p. 20 PERISTIL® ORAL SOLUTION p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 SPORTS MEDICINE CRC® DOL STICKS p. 11 ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22					
PERISTIL® ORAL SOLUTION p. 18 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 SPORTS MEDICINE CRC® DOL STICKS p. 11 ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22					
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22 SPORTS MEDICINE CRC® DOL STICKS p. 11 ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22					
CRC® DOL STICKS p. 11 ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22					
ZACHELASE® SACHETS p. 21 ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22		SINGLE-DOSE BOTTLES	p. 22	SPORTS MEDICINE	
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES p. 22					
SINGLE-DOSE BOTTLES p. 22				ZACHELASE® SACHETS	. p. 21
					n 22



UROLOGY, NEPHROLOGY

ARGIFAST® SACHETS	. p.	6
CALCOREL® TABLETS	. p.	7
CALCOREL® CCS SACHETS	, p.	8
COLECRIL® SOFTGELS	. p.	10
CRC® DOL STICKS	, p.	11
SPERMACT® TABLETS	. p.	21
ZACHELASE® SACHETS	. p.	21
ZACHELASE® JUNIOR LONG LIFE SUPER-MAXI		
SINGLE-DOSE BOTTLES	. p.	22
ZACHELASE® LOX TABLETS	. D.	22

VASCULAR MEDICINE, VASCULAR SURGERY, PHLEBOLOGY, ANGIOLOGY

ZACHELASE® SACHETS	. р.	21
ZACHELASE® LOX TABLETS	р.	22

• NOTE

All such products are potentially prescribed by GPs.



ARGIFAST® 14 SACHETS



Ministry of Health code no. 52298

INDICATIONS

Recommended in case of oligo-astheno-teratozoospermia, varicocele surgery recovery, in the treatment of male infertility in combination with hormonal therapies, in preparation for Medically Assisted Procreation (MAP) procedures and in the treatment of erectile dysfunction, also in combination with PDE5 inhibitors.

BASED ON

L-Arginine, Vitamin C, Coenzyme Q10, Tribulus d.e. 40% Steroidal saponins, Ginseng d.e. 8% Ginsenosides, Inositol, Vitamin E, Vitamin B3

USE

Adults: 1 sachet a day, preferably in the morning, dissolved in a glass of water (150 ml). Therapy cycles of at least 3 months are suggested, interrupted by a 14-day break.

PROPERTIES

- · It actively works on four different fronts: spermatogenesis, androgenic system, sperm motility and oxidative stress.
- It stimulates the release of nitric oxide (NO) by the vasal endothelium of the corpora cavernosa by exerting a pro-erectile effect.
- It contains **3 g Arginine/sachet**, a semi-essential amino acid: it is the precursor of spermine and spermidine synthesis that play an important role as initiators in the processes of acquiring nemaspermic motility.
- Clinically tested: Gambera, L., Stendardi, A., Ghelardi, C., Fineschi, B., & Aini, R. (2019). Effects of antioxidant treatment on seminal parameters in patients undergoing in vitro fertilization. Archivio Italiano di Urologia e Andrologia, 91(3).
- Excellent palatability: citrus flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: ANDROLOGY • REPRODUCTIVE MEDICINE • UROLOGY • DIABETOLOGY • CARDIOLOGY

ARGILUX® 20 SACHETS



Ministry of Health code no. 149840

INDICATIONS

Recommended in the treatment of arterial pathologies and in rehabilitation. Useful in the treatment of symptoms associated with COVID-19 and Long COVID.

BASED ON

L-Arginine, Coenzyme Q10, Ribocare® (Nucleotide blend), Sophora d.e. 20% Luteolin

Adults: 1 sachet a day on a full stomach, dissolved in a glass of water (200 ml).

PROPERTIES

- · Endothelial trophic support for the body's overall wellbeing.
- It **improves arterial flow** thanks to arginine and luteolin which promote the wellbeing of the endothelium with an antioxidant and anti-inflammatory action, and also stimulating the production of nitric oxide; it improves organ functionality thanks to coenzyme Q10 and nucleotides which, taking advantage of the increased arterial flow, effectively reach the tissues to carry out a powerful pro-energetic and tonic action at the cellular level.
- Arginine 3000 mg and Coenzyme Q10 200 mg, dosages well above the market average; nucleotides and luteolin represent a therapeutic peculiarity of the product.
- Excellent palatability: orange flavour.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: CARDIOLOGY • PNEUMOLOGY • NEUROLOGY • GERIATRICS







BILIREL® 30 TABLETS



Ministry of Health code no. 41281

INDICATIONS

Recommended in case of liver steatosis, biliary dyskinesia, biliary insufficiency, dyspeptic syndrome with alterations in liver function, hepatic migraines and post prandial headaches.

BASED ON

Artichoke d.e. 5% Chlorogenic acid, Milk thistle d.e. 80% Silymarin, L-Methionine, Fumitory d.e. 0.04% Protopine, L-Glutathione

IISF

Adults: 1 tablet, twice a day.

PROPERTIES

- Amphocholeretic: it acts as a cholagogue in case of reduced biliary secretion and as an anticholeretic in case of biliary hypersecretion.
- Cholecystokinetic: it increases the contractility of the gallbladder, increases biligenesis and the consequent elimination of urea. It is useful in case of dyskinesia and biliary insufficiency.
- Hepatoprotective: it counteracts lipid peroxidation of the plasma membrane of the hepatocyte and regulates its permeability, increases protein synthesis and cell regeneration of the hepatocyte and inhibits fibrotic activity, resulting necessary in the treatment of non-alcoholic liver disease (NAFLD).
- It acts as a spasmolytic on the sphincter of Oddi, being useful in the treatment of hepatic migraines and postprandial headaches (decrease in biliary pressure).
- Clinically tested: Abenavoli L., Greek, M., Milic, N., Accattato, F., Foti, D., Gulletta, E., & Luzza, F. (2017). Effect of Mediterranean diet and antioxidant formulation in nonalcoholic fatty liver disease: a randomized study. Nutrients, 9(8), 870.
- · Allergen and preservative free. No added sugar.

THERAPEUTIC AREAS: HEPATOLOGY • GASTRO-ENTEROLOGY

CALCOREL® 20 TABLETS



Ministry of Health code no. 41278

INDICATIONS

Recommended for the treatment and prophylaxis of symptomatic episodes in patients with recurrent uncomplicated urinary stones.

BASED ON

Magnesium and Potassium tribasic citrates, Phyllanthus d.e. 15% Tannins, Chrysanthellum d.e.

USE

Adults: 1-2 tablets a day, on a full stomach.

PROPERTIES

- It Inhibits calcium oxalate crystal nucleation, growth and aggregation. It has strong uricosuric effects, increasing diuresis and acting as a spasmolytic on the urinary tract smooth muscle.
- It has been clinically demonstrated to significantly reduce stone size, symptomatic episodes and asymptomatic bacteriuria (ABU) after only 3 months of treatment, improving quality of life in patients with urinary stones.
- It contains Potassium and Magnesium Tribasic Citrates: the tribasic nature of citrate salt improves the bioavailability of potassium and magnesium.
- Clinically tested:

(Cai T, Tiscione D, Puglisi M, Malossini G, Ruggera L, Verze P, Arcaniolo D, Palmieri A. (2021). *Phyllanthus niruri an Chrysanthellum americanum in association with potassium and magnesium citrates are able to prevent symptomatic episode in patients affected by recurrent urinary stones: a prospective study. Arch Ital Urol Androl.*, 93(2):184-188).

- Excellent compliance for the patients: well tolerated consumption, especially when taken on a full stomach.
- Allergen, preservative, sweetener free. No added sugar.

THERAPEUTIC AREAS: NEPHROLOGY • UROLOGY • OTORHINO-LARYNGOLOGY • GASTRO-ENTEROLOGY



CALCOREL® CCS 20 SACHETS



Ministry of Health code no. 110739



INDICATIONS

Recommended for the treatment and prophylaxis of symptomatic episodes in patients with recurrent uncomplicated urinary stones.

BASED ON

Magnesium and Potassium tribasic citrates, Chondroitin sulfate

USE

Adults: 1 sachet a day, on a full stomach, dissolved in a glass of water (200 ml).

PROPERTIES

- It alkalinizes urine by promoting the dissolution of calcium oxalate, urate and cystine stones; it inhibits the growth and aggregation of crystals, improving the trophism of urothelial cells.
- It contains **Potassium and Magnesium Tribasic Citrates**: the tribasic nature of citrate salt improves the bioavailability of potassium and magnesium.
- **High concentration of citrates per sachet:** the daily treatment of kidney stones requires 30-60 mEq of citrates per day, which corresponds to about 4 grams, divided into 2 daily doses. Each sachet contains 1.875 g, corresponding to approximately 30 mEq.
- **Excellent Potassium concentration:** this allows to take advantage of its therapeutic potential without increasing the risk of side effects in predisposed patients.
- It is the only product that contains **Chondroitin sulfate**: it inhibits the growth and aggregation of crystals in the process of stone formation. It improves urothelial cell trophism and their barrier function.
- It does not contain Citric acid, an excipient normally used to increase the solubility and palatability of other products.
- **Excellent compliance for the patients:** good solubility and neutral taste; well tolerated consumption, especially when taken on a full stomach.
- Excellent palatability: neutral taste.
- Preservative free.
- Gluten free.
- Naturally lactose free.

THERAPEUTIC AREAS: NEPHROLOGY • UROLOGY

CARDIORIL® 14 SACHETS



Ministry of Health code no. 47041

Recommended for the protection of subjects at risk of heart failure, particularly in cases of hypertension, diabetes, hyperhomocysteinemia, atherosclerosis and specific heart disease.

Creatine, Acetyl-L-Carnitine, L-Carnitine, Magnesium, Coenzyme Q10, Vitamin C, Astaxanthin, Vitamin B6, Folic Acid, Vitamin B12

Adults: 1 sachet a day, dissolved in a glass of water (150 ml), preferably in the morning.

PROPERTIES

- **Double Carnitine** (800 mg per sachet) for an overall cardiotonic effect: **L-Carnitine** stimulates and tones up the myocardium, while **Acetyl-L-Carnitine** balances and supports the cardiac innervation, for a heart that is both tonic at rest and responsive to stress.
- **Folic Acid**, **Vitamin B6** and **Vitamin B12** control homocysteine. Together with **creatine**, they also exert pro-energetic activity.
- Vitamin C, Coenzyme Q10 and Astaxanthin act in combination for a broad-spectrum antioxidant action, while Magnesium contributes to overall cardiovascular balance.
- Excellent palatability: orange flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • GENERAL SURGERY • GERIATRICS NEPHROLOGY • DIABETOLOGY • NEUROLOGY • PSYCHIATRY • PSYCHO-GERIATRICS









CARDIORIL® MYO 30 TABLETS



Ministry of Health code no. 116644

INDICATIONS

Recommended as an adjuvant in the treatment of hypercholesterolemia with statins, in order to counteract statin-induced myalgia and diabetes, promote a more rapid achievement of the LDL target and act on any copresence of altered triglycerides.

BASED ON

Turmeric d.e. 95% Curcuminoids, Coenzyme Q10, Vitamin D3

USE

Adults: 1 tablet a day, on a full stomach.

PROPERTIES

- It prevents and counteracts the side effects of statins: a
 deficit of Coenzyme Q10 and Vitamin D3, pre-existing or induced, is
 frequently associated with statin-induced myalgia; Turmeric has an
 analgesic and anti-inflammatory action, promoting the release of
 the GLP-1 hormone so as to contrast the drop in insulin activity that
 statins consumption can cause over time.
- It strengthens and completes the therapeutic effects of statins: Turmeric is a natural inhibitor of the PCSK9 enzyme that degrades LDL receptors, of which statins tend to increase the expression, self-limiting over time; moreover, it reduces the synthesis and increases the degradation of triglycerides.
- Promotes patient adherence to statin therapy, significantly improving therapeutic management.
- Allergen, preservative, sweetener free. No added sugar.

THERAPEUTIC AREAS: CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • GERIATRICS • DIABETOLOGY

CARDIORIL® PLUS

10 SINGLE-DOSE BOTTLES



10 ml

Ministry of Health code no. 58364

INDICATIONS

Recommended for the treatment of heart failure, particularly in case of hypertension, diabetes, hyperhomocysteinemia, atherosclerosis and specific heart disease.

BASED ON

L-Carnitine, Acetyl-L-Carnitine, Folic acid

IISE

Adults: 1 or half single-dose bottle a day (up to the mark indicated on the bottle) according to doctor's advice.

PROPERTIES

- Double Carnitine (800 mg per sachet) for a total cardiotonic effect:
 L-Carnitine stimulates and tones up the myocardium, while
 Acetyl-L-Carnitine balances and supports the cardiac innervation, for a heart that is both tonic at rest and responsive to stress.
- High-dose Folic Acid (as much as 800 mcg, 400% RNVs, per single-dose bottle) for homocysteine control and a pro-energetic action.
- Excellent palatability: peach flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: CARDIOLOGY • CARDIO-VASCULAR REHABILITATION MEDICINE • GENERAL SURGERY • GERIATRICS

NEPHROLOGY • DIABETOLOGY • ANDROLOGY • NEUROLOGY • PSYCHIATRY • PSYCHO-GERIATRICS



COLECRIL® 45 SOFTGELS



00

Ministry of Health code no. 51355



INDICATIONS

Recommended in the management of chronic inflammatory diseases and for the protection of the vascular endothelium, thanks to its strong anti-inflammatory and antioxidant action.

BASED ON

Superba™ Krill Oil: Omega-3 (DHA, EPA), Omega-6

USI

Children from 8Y and adults: 1 or 2 softgels a day, on a full stomach.

PROPERTIES

- Based on Superba™ Antarctic Krill Oil, rich in Omega-3 (DHA, EPA):
 Omega-3 from krill oil, where EPA and DHA are bound to
 phospholipids, are 3 times more bioavailable than normal fish oil,
 where Omega-3 are carried by triglycerides.
- It promotes the resolution of the inflammatory process and restitutio ad integrum, making it particularly useful in the management of chronic inflammatory diseases and for the protection of the endothelium.
- The phospholipidic molecular fraction of krill oil includes astaxanthin, a powerful membrane antioxidant that protects membrane Omega-3 from oxidation.
- The collection of krill is one of the most regulated on the planet, which makes krill oil highly Eco Friendly and Eco-Sustainable.
- The absence of contaminants guarantees safety: krill
 represents one of the first links in the marine food chain, therefore,
 any contamination by pollutants is not aggravated by the longevity of
 the species.
- Clinically tested: 1.Cicero A. F., Rosticci, M., Morbini, M., Cagnati, M., Grandi, E., Parini, A., & Borghi, C. (2016). Lipid-lowering and anti-inflammatory effects of omega 3 ethyl esters and krill oil: a randomized, cross-over, clinical trial. Archives of medical science AMS, 12(3), 507.; 2. Tessitore V., The effects of krill oil administration on Inflammatory Bowel Diseases (IBDs): a promising new therapy Progress in Nutrition, 2017 mattioli1885journals. com.
- Excellent palatability: no fish aftertaste, excellent compliance for the patient. Mixed fruit flavour.
- · Colorant and preservative free. No added sugar.
- · Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: CARDIOLOGY • GASTRO-ENTEROLOGY • DERMATOLOGY • DIABETOLOGY • DIETOLOGY • NEUROLOGY • GERIATRICS • ANDROLOGY UROLOGY • NEPHROLOGY • HEPATOLOGY

CRC®500



B

Ministry of Health code no. 114796



INDICATIONS

Recommended for the management of inflammatory and chronic painful diseases, thanks to its strong anti-inflammatory antioxidant and pain-relieving action of curcuminoids.

BASED ON

MERIVA® Curcuminoids phospholipids

USE

Adults: 1-2 capsules a day. **Children from 8Y:** 1 capsule a day.

Take preferably 30 minutes before meals. You can open the capsule and pour the content into a liquid (milk, yogurt, fruit juice).

PROPERTIES

- It contains high-dosage of MERIVA® Curcuminoids phospholipids that offers a bioavailability of about 29 times higher than the uncompleted dry extract of turmeric. The Phytosome® technology is a patented delivery system, that increases the bioavailability of the active ingredient, improving its effectiveness and duration of action. It counts more than 25 clinical studies (peer-reviewed and Pubmed indexed) performed with MERIVA® in different inflammatory pathological conditions.
- It is possible to take it in combination with NSAIDs, favouring a reduction in the duration of treatment and limiting the associated side effects.
- Total gastric tolerability: ideal for prolonged therapies.
- Highly stable raw material: the capsule can be opened and the content dispersed in different foods.
- Preservative and sweetener free. No added sugar.
- · Gluten free.
- · Naturally lactose free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • NEUROLOGY • RHEUMATOLOGY • PAIN THERAPY • ORTHOPEDICS • PHYSIATRICS • ONCOLOGY • DIABETOLOGY OTORHINO-LARYNGOLOGY • OPHTHALMOLOGY • DERMATOLOGY • DIETOLOGY









>> WITH PEATONIDETM NEW PATENT PENDING SYNERGY

CRC® DOL 20 STICKS



1.7 g
Ministry of Health code no. 153051

INDICATIONS

Recommended for the treatment of chronic painful and inflammatory pathologies, such as neuropathies, migraine, fibromyalgia, osteoarthritis, cancer pain and several types of pelvic pain.

BASED ON

PEATONIDE™ (Palmitoylethanolamide + Melatonin)

IISE

Adults: 1 stick a day, preferably on a full stomach. The product can be dissolved directly and gradually in the mouth, or in a glass of water (200 ml) where it forms a drinkable dispersion.

PROPERTIES

- PEATONIDE™ is a novel analgesic that turns off the masto-neural circuit at the base of chronic painful and inflammatory states, raising the pain threshold and giving fast and long lasting relief.
- Palmitoylethanolamide is associated with a particular technology that
 makes it highly water dispersible and more bioavailable and
 effective compared to its standard form. It is a physiological molecule
 with an analgesic and anti-inflammatory action.
- Melatonin is microgrammed in order to be supplemented at any time
 of the day without side effects. It is a physiological molecule with an
 analgesic and anti-inflammatory action independent of its control on
 sleep-wake cycle.
- **Proven clinical efficacy** in patients with migraine and in patients with fibromyalgia.
- Great compliance: it is possible to dissolve the product directly in the mouth or in a glass of water, feeling a fresh mint taste.
- · Ideal for diabetics.
- · Allergen, colorant and preservative free.

THERAPEUTIC AREAS: PAIN THERAPY • NEUROLOGY • ORTHOPEDICS • GINECOLOGY • UROLOGY • GASTRO-ENTEROLOGY • RHEUMATOLOGY PHYSIATRICS • SPORTS MEDICINE • GERIATRICS • ONCOLOGY • GENERAL SURGERY • DIABETOLOGY

GLICOPER® 30 CAPSULES



B

Ministry of Health code no. 41276

INDICATIONS

Recommended in the treatment of pre-diabetic states and type 2 diabetes mellitus in association with the main antidiabetic drugs, type 1 diabetes mellitus as a supplement to insulin therapy, obesity, "dumping syndrome" or "rapid emptying syndrome" (early and late) and in the phase of initiation and maintenance of the state of ketosis in ketogenic diets.

BASED ON

Reducose® (white mulberry)

USF

Adults: 1 capsule, 10 minutes before the main meals, up to 3 times a day.

PROPERTIES

- Based on Reducose®, an aqueous white mulberry extract titrated, patented and standardized to contain 5% of 1-Deoxynojirimycin (DNJ), a quantity about 5 times higher than the other extracts of white mulberry present on market.
- It reduces the post-prandial glycemic response and the glycemic index of foods by inhibiting the enzymes responsible for the carbohydrate digestion.
- It works by reducing post-prandial glycemic peaks, directly responsible for the typical complications of diabetic pathology.
- It works immediately: from the moment food arrives in the intestine, for 90 minutes, until it is excreted through the kidneys.
- It guarantees total gastro-intestinal tolerability: does not inhibit α-glucosidases of the colonic microbiome.
- It does not interact with other substances: it integrates results and improves health outcomes when used together with the main pharmacological treatments for the therapy of type 1 and type 2 diabetes.
- It increases the "Time in Range" of the diabetic patient: its action
 can be measured in real time using CGM devices. This offers patients an
 enormous biofeedback and ensures adherence to therapy. Improved time
 in range reduces the risk of endothelial dysfunction.
- Efficacy and safety documented by 11 peer reviewed clinical studies.
- In the treatment of obesity, also in association with drug therapy, it promotes weight control.
- Indicated in the treatment of early and late "dumping syndrome" or "rapid emptying syndrome", which can occur in patients undergoing removal of the stomach or esophagus and in obese individuals undergoing gastric bypass.
- In ketogenic diets it reduces the absorption of carbohydrates, always minimally present in the diet, favouring the consumption of a wider variety of vegetables.
- Excellent compliance for the patient.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: DIABETOLOGY • GENERAL MEDICINE • DIETOLOGY



GLICOPER®

30 STICKS



Ministry of Health code no. 166381

INDICATIONS

Recommended in the treatment of pre-diabetic states and type 2 diabetes mellitus in association with the main antidiabetic drugs, type 1 diabetes mellitus as a supplement to insulin therapy, obesity, "dumping syndrome" or "rapid emptying syndrome" (early and late) and in the phase of initiation and maintenance of the state of ketosis in ketogenic diets.

BASED ON

Reducose® (white mulberry)

USE

Adults: 1 stick, dissolved in 150 ml of water, during the main meals, up to 3 times a day.

PROPERTIES

- Based on Reducose®, an aqueous white mulberry extract titrated, patented and standardized to contain 5% of 1-Deoxynojirimycin (DNJ), a quantity about 5 times higher than the other extracts of white mulberry present on market.
- It reduces the post-prandial glycemic response and the glycemic index of foods by inhibiting the enzymes responsible for the carbohydrate
- It works by reducing post-prandial glycemic peaks, directly responsible for the typical complications of diabetic pathology.
- It works immediately: from the moment food arrives in the intestine, for 90 minutes, until it is excreted through the kidneys.
- It guarantees total gastro-intestinal tolerability: does not inhibit α-glucosidases of the colonic microbiome.
- It does not interact with other substances: it integrates results and improves health outcomes when used together with the main pharmacological treatments for the therapy of type 1 and type 2 diabetes.
- It increases the "Time in Range" of the diabetic patient: its action can be measured in real time using CGM devices. This offers patients an enormous biofeedback and ensures adherence to therapy. Improved time in range reduces the risk of endothelial dysfunction.
- Efficacy and safety documented by 11 peer reviewed clinical studies.
- In the treatment of obesity, also in association with drug therapy, it promotes weight control.
- Indicated in the treatment of early and late "dumping syndrome" or "rapid emptying syndrome", which can occur in patients undergoing removal of the stomach or esophagus and in obese individuals undergoing gastric bypass.
- In ketogenic diets it reduces the absorption of carbohydrates, always minimally present in the diet, favouring the consumption of a wider variety of vegetables.
- Excellent compliance for the patient.
- Allergen, preservative and sweetener free. No added sugar.
- · Tea flavour.

THERAPEUTIC AREAS: DIABETOLOGY • GENERAL MEDICINE • DIETOLOGY





LINDOFLOR 10 VAGINAL SUPPOSITORIES



CLASS II MD C € 1370



THERAPEUTIC AREAS: GYNECOLOGY

INDICATIONS

Recommended for the symptomatic treatment of vulvovaginitis of any etiology, alterations in the vaginal environment following antibiotic therapy and/or hormonal imbalances.

BASED ON

Hyaluronic Acid, 18 Beta-Glycyrrhetinic Acid, Tea Tree oil, Vitamin E, Vitamin A, Aloe barbadensis oil extract, Calendula officinalis oil extract, Chamomile recutita oil extract, Lactic Acid

IISF

Adults: 1 vaginal suppository a day, preferably in the evening before bedtime. Continue the treatment for at least 5 consecutive days.

PROPERTIES

- · Based on anti-microbial, soothing and antioxidant active ingredients.
- They dissolve completely without leaving residues and do not stain underwear.
- · Allergen and preservative free.

14 SACHETS



4 g

Ministry of Health code no. 44790

INDICATIONS

Recommended in all cases of catarrhal disease of the upper and lower respiratory tract and otorhinolaryngological system. Particularly indicated in case of COPD (Chronic Obstructive Pulmonary Disease).

BASED ON

N-Acetylcysteine, Bromelain 2500 GDU/g, Vitamin C, Echinacea d.e. 4% Echinacoside and 20% Polysaccharides, Sundew d.e.

Adults: 1 sachet a day, preferably on an empty stomach.

PROPERTIES

- More actions in a single product: it dissolves catarrh, sedates cough and stimulates the body's natural defenses.
- The presence of **NAC** promotes the increase of mucociliary clearance and expectoration, fluidifying mucus.
- It is also useful in case of catarrhal otitis.
- In association with antibiotic therapy: it boosts its effectiveness.
- Excellent palatability: orange flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

LUXFLUIRES® IMMUNO

30 CAPSULES



B

Ministry of Health code no. 99851

INDICATIONS

Recommended to strengthen the immune system against viral, bacterial and fungal infections.

BASED ON

Vitamin C, Echinacea d.e. 4% in total Polyphenols, Pelagon-P70®

USE

Adults: 1 capsule a day, just before meals, for at least 1 month. In case of recurrent susceptibility to infections, it is recommended to take the product in repeated cycles.

PROPERTIES

- · Complete formula for a shock action with double effectiveness: it provides a broad-spectrum protection and nips infections in the bud.
- It contains **PELAGON P-70**®: a branded extract of Pelargonium sidoides (African Geranium) which stimulates innate immunity and prevents viral infections. It has anti-adhesive properties and prevents bacterial overinfections. It also exerts motor-secretion properties on the respiratory epithelium. Since 2005 it has been recognized as a drug by the German Federal Institute for Drugs and Medical Devices (BfArM).
- Therapeutic doses: clinical evidence in respiratory problems shows the complete resolution of all symptoms.
- It counteracts inflammation by inhibiting the production of pro-inflammatory molecules.
- Allergen, colorant and preservative free. No added sugar.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY



LUXFLUIRES® LATTOFERRINA

30 OROSOLUBLE STICKS



1.4 g

Ministry of Health code no. 107286



INDICATIONS

Recommended to counteract every kind of viral, bacterial and fungal infections. It counteracts the inflammation associated with the infection.

BASED ON

Lactoferrin, Vitamin D3 - 1000 IU

USE

Adults: 1 stick a day, 30 minutes before a meal, for at least 1 month, so as to fight the infection and carry out a short-term prevention.

Depending on the infection, the product can be used as monotherapy or as an adjuvant to conventional therapies (symptomatics, antibiotics, antivirals, antifungals).

Dissolve the content of the stick directly in the mouth and make if necessary follow a sip of water.

PROPERTIES

- It is a complete formulation that offers broad-spectrum immune protection to counteract ongoing infections and prevent flare-ups.
- It reduces inflammation limiting tissue damage and preventing fibrotic phenomena.
- **Ultra-pure high dosage Lactoferrin**; it supports the immune system, exerting anti-viral and anti-bacterial action; it regulates iron absorption and metabolism, by removing it from bacteria that use it as a growth substrate.
- Vitamin D3 physiologically modulates the immune system, coordinating its normal functioning. Moreover, it helps create a suitable environment to develop a healthy intestinal microflora.
- Colorant and preservative free. No added sugar.
- Gluten Free.
- · Naturally lactose free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

LUXFLUIRES®

ORAL SOLUTION



150 ml Ministry of Health code no. 45273

INDICATIONS

Recommended for the treatment of cold states and disorders of the upper respiratory tract. It strengthens the immune system.

BASED ON

Honey, N-Acetylcysteine, Vitamin C, Echinacea d.e. 4% Echinacoside and 20% Polysaccharides, Pelagon-P70®, Elderberry d.e. 15% Anthocyanins

USE

Adults: 10 ml, twice a day.

PROPERTIES

- More actions in a single product: it dissolves catarrh, sedates cough and stimulates the body's natural defenses.
- The presence of **NAC** promotes the increase of mucociliary clearance and expectoration, fluidifying mucus.
- In association with antibiotic therapy: it boosts its effectiveness.
- It contains Wildflower and Acacia honey of EU origin.
- · Excellent palatability: orange flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PNEUMOLOGY • OTORHINO-LARYNGOLOGY

LUXFLUIRES® GOLA

THROAT SPRAY



Ministry of Health code no. 44789

INDICATIONS

Recommended in all inflammatory states of the oro-pharyngeal tract, associated with localized pain.

BASED ON

Propolis hydroglyceric e., Vitamin C, Hedge mustard d.e., Echinacea d.e. 4% Echinacoside and 20% Polysaccharides, Chamomile d.e. 0.3% Apigenin, Bromelain 2500 GDU/g

USE

Adults: 4 nebulizations directly in the oral cavity, 3 times a day.

PROPERTIES

- It relieves inflammation counteracting burning, difficulty in swallowing and the progression of different oral diseases.
- · Rapid action and long-lasting relief.
- · Practical directional spout that guarantees a precise application.
- Excellent palatability: orange and mint flavour.
- · Allergen, colorant and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY









LUXFLUIRES®

NASAL SPRAY



☐ 20 ml CLASS II MD C € 1370

INDICATIONS

Recommended in case of rhinitis, sinusitis or rhinosinusitis for the treatment of cold symptoms, especially in case of stuffy nose, rhinorrhoea and recurrent sneezing.

BASED ON

Concentrated seawater, Sodium hyaluronate, Methylsulfonylmethane (MSM), Resveratrol

USE

Children 1Y-12Y: 1 nebulization per nostril. **Adults:** 1-2 nebulizations per nostril.

Repeat application 2-3 times a day or according to the doctor's advice.

PROPERTIES

- It exerts anti-inflammatory, antiseptic and decongestant action on the nasal mucous membranes.
- It contains hypertonic seawater (~750 m0sm/L): the hydro-saline solution cleans the nasal passages and removes excess mucus, easing breathing difficulties. It reduces nasal symptoms more effectively than isotonic seawater.
- Enriched with Sodium hyaluronate for an effective soothing action.
- Excellent tolerability for mucous membranes: it does not irritate. Ideal also for prolonged therapies.
- Practical bottle with handy and non-invasive spout, able to create an adequate nebulization to reach deeply nasal cavities.
- · Alcohol, allergen and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • ALLERGOLOGY

MUNATORIL® ATTACCO

20 LONG LIFE SINGLE-DOSE BOTTLES + DROPPER



10 ml Ministry of Health code no. 145196

From onset to complete resolution of symptoms.

BASED ON

USE Acute phase:

complications in children.

Resveratrol, Pelagon-P70®, Vitamin D3

Prevention:
Children 1Y-6Y: half a single-dose bottle a day, on a full

Children 1Y-6Y: 1 single-dose bottle a day, on a full stomach.

Children 7Y-12Y: 1 single-dose bottle, 2 times a day, on a full

It treats symptoms and prevents respiratory infection

Children 7Y-12Y: 1 single-dose bottle a day, on a full stomach. A 3-month treatment after the first symptomatic episode is recommended.

Press on the cap and shake well. For younger children: use the dropper to administer the prescribed amount. Once opened, store at room temperature and use within 24 hours.

PROPERTIES

- It performs a multi-target action: it stimulates mucociliary clearence, it is able to exert anti-adhesive activity againts microorganisms and promote the phagocytosis of pathogens aside of monocytes and macrophages. It increases the expression of the Vitamin D receptor (VDR) favouring its modulating action on the immune system.
- It contains PELAGON P-70°, a branded extract of Pelargonium sidoides (African Geranium) which is recognized as a drug by the German Federal Institute for Drugs and Medical Devices (BfArM) since 2005.
- Scientific evidences in support of the active ingredients were carried out, also on the pediatric population, prove its effectiveness and safety.
- Handy LONG LIFE single-dose bottles ensure the product quality and stability.
- It comes with a dropper to facilitate the intake of the product in younger children.
- Excellent palatability: white peach flavour (hypoallergenic aroma), children love it.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PEDIATRICS • PNEUMOLOGY • OTORHINO-LARYNGOLOGY



MUNATORIL® **SYRUP**



🚽 150 ml

CLASS II MD C € 0426



INDICATIONS

Recommended for the treatment of wet and/or dry cough.

Wildflower honey, Eucalyptus honey, Iceland Moss, Plantain, Thyme, Propolis, Resveratrol

USE

Children 1Y-3Y: 2.5 ml, twice a day. Children 4Y-6Y: 5 ml, twice a day. Children 7Y-12Y: 7.5 ml, twice a day.

Adults: 10 ml, twice a day.

Or as advised by your doctor, up to a maximum of 4 times a day.

PROPERTIES

- · Innovative formulation with a high muco-adhesiveness validated by laboratory tests:
 - Greater permanence of the active ingredients on the mucosa (until 2 hours after administration).
 - Better and prolonged therapeutic efficacy.
- In case of wet cough: it promotes the hydration of mucus and promotes its elimination without altering the physiological expectorant action of cough.
- In case of dry cough: it forms a protective film at pharyngeal level reducing coughing.
- It contains wildflower and eucalyptus honey of EU origin.
- · Excellent palatability: orange flavour.
- · Allergen and colorant free.

THERAPEUTIC AREAS: PEDIATRICS • PNEUMOLOGY • OTORHINO-LARYNGOLOGY

MUNATORIL®

THROAT SPRAY





CLASS II MD C € 0426



INDICATIONS

Recommended in all inflammatory states of the oro-pharyngeal tract accompanied by localized pain. Also indicated in case of pharyngitis and stomatitis.

BASED ON

Propolis, Iceland moss, Plantain, Aloe vera, Blueberry, Sodium hyaluronate, Resveratrol, Vitamin C

USE

Children 1Y-5Y: 2 nebulizations directly into the mouth, 3 times a day.

Children from 6Y and adults: 4 nebulizations directly into the mouth, 3 times a day.

Or as advised by your doctor, up to a maximum of 6 times a day.

PROPERTIES

- · Innovative formulation with a high muco-adhesiveness validated by laboratory tests:
 - Greater permanence of the active ingredients on the mucosa (until 2 hours after administration).
 - Better and prolonged therapeutic efficacy.
- · Rapid action and long-lasting relief.
- Enriched with **Sodium hyaluronate** for an effective soothing
- · Practical directional spout that guarantees a precise application.
- Excellent palatability: citrus flavour.
- · Allergen, colorant and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS









MUNATORIL® NASAL SPRAY



△20 ml CLASS II MD C € 1370



INDICATIONS

Recommended in case of rhinitis, sinusitis or rhinosinusitis for the treatment of cold symptoms, especially in case of stuffy nose, rhinorrhoea and recurrent sneezing.

BASED ON

Seawater concentrate, Sodium hyaluronate, Aloe Vera, Methylsulfonylmethane (MSM), Resveratrol, Carboxymethyl Cellulose (CMC).

USE

Children 1Y: 1 nebulization per nostril, 2-3 times a day. **Adults:** 1-2 nebulitazions per nostril, 3 times a day. Repeat application 2-3 times a day or according to the doctor's advice.

PROPERTIES

- It smoothes and cleanses nasal secretions by facilitating the expulsion of stagnant mucus.
- Slightly hypertonic solution (~ 750 m0sm/L). *
- Enriched with Sodium hyaluronate for an effective soothing action.
- In association with nasal washes, it protects against superinfections, thanks to the cleansing action of Resveratrol.
- It is an adjuvant in nasal cavities inflammations: it is indicated for
 the treatment of persistent inflammation in asthmatic and allergic
 subjects, thanks its content in **Resveratrol** which is able to inhibit
 the expression of ICAM1 counteracting the adhesion of Rhinoviruses.
- It contains Carboxymethyl Cellulose (CMC) which contributes to the mucoadhesion of the product and allows for greater permanence on site of all the other components.
- Excellent tolerability for mucous membranes: it does not irritate. Also ideal for prolonged therapies.
- Gas free nebulizer: handy bottle with non-invasive spout, able to create an adequate nebulization to better reach the nasal cavities.
- · Alcohol, allergen and propellant gas free.

THERAPEUTIC AREAS: OTORHINO-LARYNGOLOGY • PEDIATRICS • ALLERGOLOGY

PERISTIL® FAST 10 DRINKABLE STICKS



15 ml Ministry of Health code no. 96273

INDICATIONS

Recommended in case of occasional constipation, to promote regular intestinal transit. It is also useful in the preparation for colonoscopy. Excellent in case of constipation associated with hepatic encephalopathy.

BASED ON

Lactulose, Inulin

IISE

Adults: 1 drinkable stick a day, preferably in the evening before dinner or in the morning on an empty stomach.

PROPERTIES

- The complete synergic action of the ingredients allows to accelerate
 the intestinal transit, softening stools and relieving abdominal
 discomfort: laxative efficacy, emollient and soothing action and
 antispasmodic activity on the gastro-intestinal muscles.
- Ideal for occasional constipation: it gives immediate relief.
- Rapid and painless action against all forms of constipation: ideal dosages to achieve maximum effectiveness without causing irritation to the gut.
- Formula enriched with prebiotics: they improve the quality of the intestinal bacterial flora.
- Useful in the preparation for colonoscopy: the association of Lactulose with the classic Polyethylene Glycol (PEG), favours a better emptying and cleaning of the colon than using PEG alone (2 sticks at least 24 hours before colonoscopy).
- Therapy of choice for constipation during hepatic encephalopathy (3 sticks a day).
- · Excellent palatability: lemon flavour.
- Colorant and sweetener free.
- Gluten free.

THERAPEUTIC AREAS: GERIATRICS • GASTRO-ENTEROLOGY • PROCTOLOGY • HEPATOLOGY • GENERAL SURGERY • GYNECOLOGY • DIETOLOGY

^{* 3%} hypertonic solution ~ 1.026 m0sm / L



ORAL SOLUTION



Ministry of Health code no. 48109





INDICATIONS

Recommended in case of recurrent constipation, to promote regular intestinal transit.

BASED ON

Lactulose, Fructo-oligosaccharides (FOS), Inulin

Children 6M-1Y: 2.5 ml a day. Children 2Y-3Y: 5 ml a day. Children 4Y-6Y: 7.5 ml a day. Children 7Y-12Y: 10 ml a day.

Adults: 15 ml a day.

Take the product in the evening, preferably before dinner or in the morning on an empty stomach.

PROPERTIES

- The complete synergic action of the ingredients allows to accelerate the intestinal transit, softening stools and relieving abdominal discomfort: laxative efficacy, emollient and soothing action and antispasmodic activity on the gastro-intestinal muscles.
- Ideal for recurrent constipation.
- Rapid and painless action against all forms of constipation: ideal dosages to achieve maximum effectiveness without causing irritation to the gut.
- Formula enriched with prebiotics: they improve the quality of the intestinal bacterial flora.
- Excellent palatability: lemon flavour.
- Colorant and sweetener free.
- Gluten free.

THERAPEUTIC AREAS: GERIATRICS • GASTRO-ENTEROLOGY • PROCTOLOGY • GENERAL SURGERY • GYNECOLOGY • PEDIATRICS • DIETOLOGY

REURIL ACTIVE®

10 OROSOLUBLE STICKS





INDICATIONS

Recommended to rebalance and strengthen the intestinal bacterial flora and counteract all forms of diarrhea, including those related to irritable bowel syndrome, and infective and non-infective gastro-enteritis.

BASED ON

Probiotics:

Lactobacillus rhamnosus - SD5217, Lactobacillus reuteri -DSM26866, Saccharomyces boulardii - CNCM I-3799

Adults: 1 orosoluble stick a day, away from meals. Pour the content directly in the mouth, possibly followed by a sip of water.

PROPERTIES

- The synergistic effect of probiotics and prebiotics increases the tropism for intestinal cells.
- Multispecies-multistrains probiotics resistant to gastric pH and bile salts: 15 billion CFUs/orosoluble stick.
- Practical fast absorption orosoluble sticks. Comfortable for travellers.
- It does not need to be stored at low temperatures.
- Excellent palatability: pineapple flavour. Allergen, colorant and preservative free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • PROBIOTICS

REURIL PLUS® 10 SACHETS





Ministry of Health code no. 67967



INDICATIONS

Recommended to rebalance and strengthen the intestinal bacterial flora and contrast abdominal discomfort, irritable bowel syndrome and vaginal and urinary infections.

BASED ON

Probiotics:

Lactobacillus rhamnosus - SD5217, Lactobacillus reuteri -DSM26866, Saccharomyces boulardii - CNCM I-3799

USE

Adults: 1-2 sachets a day, away from meals, dissolved in a glass of water (150 ml).

PROPERTIES

- The synergistic effect of probiotics and prebiotic increases the tropism for intestinal cells.
- Multispecies-multistrains probiotics resistant to gastric pH and bile salts: 10 billion CFUs/sachet.
- Packaging designed to ensure the viability of probiotics.
- It does not need to be stored at low temperatures.
- Excellent palatability: vanilla flavour.
- Allergen, colorant and preservative free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • PROBIOTICS









REURIL PLUS®

10 LONG LIFE SINGLE-DOSE BOTTLES



10 ml

Ministry of Health code no. 59402



INDICATIONS

Recommended to rebalance and strengthen the intestinal bacterial flora and counteract stress dysbiosis, bowel irregularities and skin manifestations (dermatitis).

BASED ON

- Prebiotics: FIBERAID™ AG Arabinogalactan from Larch bark
- Probiotics: Lactobacillus reuteri DSM 26866

USE

Children from 2Y: 1 single-dose bottle a day, away from meals.

Adults: 1-2 single-dose bottles a day, away from meals.

PROPERTIES

- The synergistic effect of probiotics and prebiotic increases the tropism for intestinal cells.
- Multistrain and multispecies probiotics resistant to gastric pH and bile salts: 7 billion CFUs/LONG LIFE single-dose bottle.
- The aqueous solution facilitates the transmission of the probiotic.
- The aqueous solution provides the organism with the already active probiotic: once dispersed in water, the metabolic reactions of the microorganism start and this also favours speed of action inside the organism (useful in case of diarrhea).
- Practical LONG LIFE single-dose bottles ensure quality and stability: probiotics separated from the aqueous solution to preserve viability and functionality and reconstituted in aqueous solution only before use.
- It does not need to be stored at low temperatures.
- Excellent palatability: mango flavour.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: GASTRO-ENTEROLOGY • PROCTOLOGY • PEDIATRICS • ALLERGOLOGY • PROBIOTICS

SONNORIL® DROPS



○ 20 ml

Ministry of Health code no. 139089

INDICATIONS

Recommended to promote a fast and restful sleep.

BASED ON

L-Tryptophan, Vitamin B3, Magnolia d.e. 50% Magnolol, Vitamin B6, Melatonin

USE

Adults: 1 ml a day, directly in the mouth (preferably under the tongue) or diluted in a tablespoon of water or other beverage (5 ml). 13 drops corresponds to the 1-ml mark on the internal dropper.

PROPERTIES

- · Fast absorption sublingual melatonin supplement.
- It promotes the synthesis of physiological melatonin, thanks to tryptophan, its precursor, and vitamins B3 and B6, which act as enzymatic cofactors.
- Magnolia prolongs the duration of sleep and reduces night awakenings, restoring the normal duration of non-REM phases and increasing the number of non-REM and REM phase cycles.
- Promotes a good night's sleep without altering the state
 of alertness during the day.
- Excellent palatability: peach flavour.
- · Alcohol, allergen and colorant free.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY• GERIATRICS • CARDIOLOGY • PAIN THERAPY



SONNORIL **ORAL SPRAY**

Ministry of Health code no. 99329

INDICATIONS

Recommended to promote sleep in a physiological way, contributing to a regenerating sleep without nocturnal awakenings. It helps relieve the symptoms of jet lag.

BASED ON

Griffonia d.e. 20% 5-HTP, Melatonin, Jujube d.e. 2% Triterpene saponins

USE

Adults: 2 sprays (1 mg Melatonin), preferably under the tongue, in the evening just before bedtime or when needed.

PROPERTIES

- Fast absorption and high bioavailable Melatonin, combined with **Griffonia** and **Jujube**: they work actively to synchronize and promote the maintenance of circadian rhythm, quickly induce the falling asleep phase and increase the total sleep time. They reduce movements during sleep, activity and position changes as well as muscle tone during the REM phase.
- The **sublingual administration of Melatonin** allows to quickly reach the target tissues and perform its different functions by-passing the first hepatic passage.
- Griffonia regulates mood and counteracts anxiety.
- **Jujube** has a myorelaxant and anxiolytic action, promoting a peaceful and restorative sleep.
- It does not alter the state of vigilance and gives a restful sleep.
- The practical bottle, with directional dispenser, facilitates sublingual intake, nebulizing the right amount of product.
- · Excellent palatability: orange flavour.
- Alcohol, allergen and colorant free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY• GERIATRICS • CARDIOLOGY • PAIN THERAPY

SONNORIL®



Ministry of Health code no. 41282

INDICATIONS

Recommended to promote sleep in a physiological way, contributing to a regenerating sleep without nocturnal awakenings. It helps relieve the symptoms of jet lag.

BASED ON

Valerian d.e. 0.8% Valerenic acids, Melatonin MINIACTIVES® Retard, Magnolia d.e. 2% Honokiol, Hops d.e. 0.1% Flavonoids

Adults: 1 tablet in the evening, preferably just before bedtime.

PROPERTIES

- Controlled-release and high bioavailable Melatonin, in association with Hops, Magnolia and Valerian, actively work to synchronize and promote the maintenance of circadian rhythm, quickly induce the falling asleep phase and increase the total sleep time. It reduces movements during sleep, activity and position changes as well as muscle tone during the REM phase.
- It contains Melatonin MINIACTIVES® Retard which uses MINIACTIVES® technology to ensure a constant and gradual **release of melatonin over time**. Its absorption is not affected by changes in pH, gastro-intestinal motility and the presence of food, thus promoting greater bioavailability.
- Valerian counteracts anxiety and promotes a restful sleep. It exerts a GABAergic activity and, therefore, an inhibitory action, similar to those of benzodiazepines, but without being addictive.
- Hops improve sleeping quality: it modulates GABAergic transmission, influences serotonin synthesis, which is involved in night-time sleep regulation, and controls the expression of adenosine receptors, which take an active part in managing sleep mechanisms.
- Magnolia reduces nocturnal awakenings and prolongs sleep duration, restores the correct duration of NREM (non-REM) phases and increases the number of cycles of NREM and REM phases, for a longer sleep duration.
- In vitro tests show the constant and gradual release of Melatonin at
- It does not alter the state of vigilance and gives a restful sleep.
- · Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: NEUROLOGY • PSYCHIATRY• GERIATRICS • CARDIOLOGY • PAIN THERAPY









SPERMACT® 45 TABLETS



Ministry of Health code no. 48820

INDICATIONS

Recommended in case of oligo-astheno-teratozoospermia, varicocele surgery recovery, in the treatment of male infertility in combination with hormonal therapies and in preparation for Medically Assisted Procreation (MAP) procedures.

BASED ON

L-Carnitine, Vitamin C, N-Acetylcysteine, Ginkgo d.e. 24% Ginkgoflavonoids, Pido-Zinc® Zinc pidolate, Coenzyme Q10, Vitamin E, Inositol, Selenium L-Methionine

USE

Adults: 1 tablet a day, preferably in the morning. Therapy cycles of at least 3 months are suggested, interrupted by a 14-day break.

PROPERTIES

- It actively works on four different fronts: spermatogenesis, androgenic system, sperm motility and oxidative stress.
- It contains a high concentration of antioxidants.
- It contains **Pido-Zinc**®, a highly bioavailable Zinc pidolate.
- Allergen, preservative and sweetener free. No added sugar.

THERAPEUTIC AREAS: ANDROLOGY • REPRODUCTIVE MEDICINE • UROLOGY

ZACHELASE® 20 SACHETS



Ministry of Health code no. 67966

INDICATIONS

Recommended in all cases of inflammation and/or edema of soft tissues, for the prevention of wound chronicity and in case of radio-induced fibrosis.

Bromelain 2,500 GDU/q, Superoxide dismutase (SOD B Extramel®), Methylsulfonylmethane (MSM), Vitamin C

Adults: 1 sachet a day, away from meals, dissolved in a glass of water (200 ml).

PROPERTIES

- It contains a high dosage/sachet of Bromelain with high enzymatic activity (2,500 GDU/sachet; 5,000 FIP/sachet) and a high concentration of **Methylsulfonylmethane (MSM)**: maximum anti-inflammatory and anti-edemigenous action.
- It contains a high amount of Vitamin C and SOD B Extramel®, superoxide dismutase of vegetal origin, 100% bioactive and protected from degradation, thanks to a patented microencapsulation technology: maximum antioxidant and cytoprotective efficacy.
- It exerts an important anti-fibrotic action: Bromelain and SOD B Extramel® promote the resolution of inflammation and the tissues regeneration process, as well as the regression of pre-existing
- **Total gastric tolerability**: ideal for prolonged therapies.
- In association with NSAIDs: it boosts their action and reduces their
- In association with antibiotic therapy: it boosts its effectiveness.
- Excellent palatability: orange flavour.
- · Allergen and preservative free.

THERAPEUTIC AREAS: GENERAL SURGERY • ESTHETIC MEDICINE AND SURGERY • DERMATOLOGY • UROLOGY • ANDROLOGY • SENOLOGY • ONCOLOGY DENTISTRY • ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE • ALLERGOLOGY • PNEUMOLOGY OTORHINO-LARYNGOLOGY • VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY • OPHTHALMOLOGY



ZACHELASE® JUNIOR

10 LONG LIFE SUPER-MAXI SINGLE-DOSE BOTTLES



10 ml Ministry of Health code no. 123749



INDICATIONS

Recommended in the treatment of all acute inflammatory and traumatic conditions in children.

BASED ON

Bromelain 2,500 GDU/g, *Microincapsulated Lactobacillus acidophilus* - DSM 21717, Methylsulfonylmethane (MSM)

USE

Children from 5 to 15 kg (<3Y): half a single-dose bottle a day (up to the mark on the bottle), away from meals

Children from 15 kg (>4 years of age): half a single-dose bottle (up to the mark on the bottle), twice a day, away from meals.

PROPERTIES

- It contains a high dosage/single-dose bottle of Bromelain with high enzymatic activity (625 GDU/single-dose bottle; 1,250 FIP/single-dose bottle) and a high concentration of Methylsulfonylmethane (MSM): maximum anti-inflammatory and anti-edemigenous action.
- It exerts a great anti-fibrotic action: Bromelain promotes the resolution of inflammation and the tissues regeneration process.
- It contains 2.5 billion CFUs of a microencapsulated probiotic: excellent in combination with antibiotic therapy.
- Total gastric tolerability: ideal for prolonged therapies.
- Pediatric dosages of the active ingredients supported by clinical evidence that ensure efficacy and safety of use.
- In association with NSAIDs: it boosts their action and reduces their intake time.
- In association with antibiotic therapy: it boosts its effectiveness.
- Practical LONG LIFE SUPER-MAXI single-dose bottles that ensure quality and stability.
- Excellent palatability: strawberry flavour, children find it tasty.
- Allergen, colorant and sweetener free.

THERAPEUTIC AREAS: PEDIATRICS • PEDIATRIC SURGERY • PEDIATRIC DERMATOLOGY • PEDIATRIC UROLOGY • PEDIATRIC ONCOLOGY PEDIATRIC DENTISTRY • PEDIATRIC ORTHOPEDICS • PEDIATRIC PHYSIOTHERAPY • PEDIATRIC TRAUMATOLOGY PEDIATRIC SPORTS MEDICINE • PEDIATRIC ALLERGOLOGY • PEDIATRIC PNEUMOLOGY • PEDIATRIC • OTORHINO-LARYNGOLOGY PEDIATRIC OPHTHALMOLOGY • NEONATOLOGY

ZACHELASE® LOX 20 TABLETS



Ministry of Health code no. 111135

INDICATIONS

Recommended in the treatment of all acute inflammatory and traumatic conditions.

BASED ON

Bromelain 2,500 GDU/g, Boswellia Phytosome® (Casperome®) d.e., Superoxide dismutase (SOD B Extramel®)

IISF

Adults: 1-2 tablets a day, away from meals.

PROPERTIES


- It contains a high dosage/tablet of Bromelain with high enzymatic activity (2,000 GDU/tablet; 4,000 FIP/tablet) that favours an anti-inflammatory and anti-edemigenous action.
- It contains SOD B Extramel®, 100% bioactive superoxide dismutase of vegetable origin and protected from degradation, thanks to a patented microencapsulation technology: excellent antioxidant and cytoprotective efficacy.
- It contains CASPEROME® Boswellia Phytosome®: a patented delivery system that makes boswellic acids about 4 times more bioavailable than dry extract, not complexed with Phytosome®. CASPEROME® leads to a clinically and statistically significant reduction of joint pain, functional limitation and edema. A comparative pharmacokinetics study between CASPEROME® and a boswellic acids extract, conducted in humans, showed that CASPEROME® exhibits a significantly higher bioavailability than the dry extract; 1 ½ -2 hours faster absorption.
- Total gastric tolerability: ideal for prolonged therapies.
- In association with NSAIDs: it boosts their action and reduces their intake time.
- In association with antibiotic therapy: it boosts its effectiveness.
- Preservative and sweetener free. No added sugar.
- · Gluten free.
- Naturally lactose free.

THERAPEUTIC AREAS: GENERAL SURGERY • ORTHOPEDICS • PHYSIATRY • PHYSIOTHERAPY • TRAUMATOLOGY • SPORTS MEDICINE • ALLERGOLOGY PNEUMOLOGY • OTORHINO-LARYNGOLOGY • VASCULAR MEDICINE • VASCULAR SURGERY • PHLEBOLOGY • ANGIOLOGY OPHTHALMOLOGY • ESTHETIC MEDICINE AND SURGERY • DERMATOLOGY • UROLOGY • ANDROLOGY • SENOLOGY • ONCOLOGY • DENTISTRY











Pharmaluce S.r.l. Strada delle Seriole, 45 47894 Chiesanuova (RSM) Tel.+39 0549 911630 www.pharmaluce.com info@pharmaluce.com