


# VITAL THERAPEUTICS & FORMULATIONS PVT LTD

An ISO 9001 & ISO 22000 Certified Company



Your Reliable Partner...  
... For Quality Products



[www.vitalpharma.in](http://www.vitalpharma.in)

# ABOUT COMPANY



Vital Therapeutics has been active in the field of Feed additives and Veterinary Pharmaceuticals for over a decade. Through consistent Quality & Single minded development of existing and new products vital therapeutics holds a leading position in the veterinary market serving the animal health industry.

We are an Integrated supplier & manufacturer of Veterinary Pharmaceuticals & Feed additives for the Animal Health Industry. Our product range includes Antibiotics, Dewormers, Growth promoters, Enzymes, Probiotics, Coccidiostats, Vitamin & Mineral supplements, Farm Hygiene Products etc.

Vital Therapeutics manufactures and markets high quality, safe and effective Feed Supplements & Medicines for Aqua, Fisheries, Poultry, Companion and Large Animals.

## CAPABILITIES

cGMP Facility  
Formulation Development  
Analytical  
Quality Control  
Stability  
Documentation



# INDEX

Products	Page No.	
<b>ANTIBIOTICS</b>		
Vflox	Ciprofloxacin Water Soluble Powder	2
Vitadox-N	Doxycycline & Neomycin Sulphate Powder	2
Vitrocin	Enrofloxacin Oral Solution	3
C-Dox	Colistin Sulphate + Doxycycline Hcl	3
Tylomin-WSP	Tylosin Tartrate Water Soluble Powder	4
Vflox-T	Ciprofloxacin & Tinidazole Oral Powder	4
Vofloxacin	Oflloxacin Oral Powder	5
Velflox	Levofoxacin Oral Solution	5
Azithrovet	Azithromycin Powder	6
Ventrim Vet	Trimethoprim & Sulphamethoxazole Powder	6
Vitrocin-BR	Enrofloxacin & Bromhexane Hcl	7
<b>DEWORMERS</b>		
Vitasole	Levamisole Powder	7
Flukicide-L	Oxylozanide & Levamisole Suspension	8
Fenvet	Fenbendazole Suspension	8
Visantel	Closantel Oral Solution	9
Vimecin	Ivermectin Oral Solution	9
Ectokill DS	Antiparasitic Powder	10
Benzole	Albendazole Suspension	10
<b>COCCIDIOSTATS</b>		
Amprol Plus	Amprolium Hcl with Vitamin K3 Oral Powder	11
Madhuramycin 1%	Ionophore Anticoccidial Powder	11
<b>VITAMIN DRY POWDERS</b>		
Vitamin E 50% Dry Powder	Vitamins	
Vitamin D3 200, 500	For	
Vitamin B12 0.1%, 1%	Feed Premix	12
Biotin 2%		
<b>VITAMIN SUPPLEMENTS</b>		
Vitaplex	B-Complex Oral Liquid	12
Multivit	Multi Vitamin Water Soluble Powder	13
Power Booster	Vitamin & Mineral Boost	13
Vitacal Plus	Calcium Oral Liquid	14
Vitadec	Vitamin AD3EC Oral Liquid	14
Cholinait	L-Carnitine with Vitamins Oral Liquid	15
Vitamino-FS	Multivitamin Feed Supplement	15
Power Pack	AB2D3K Feed Concentrate Powder	16
<b>FEED SUPPLEMENTS</b>		
CTC 15%	Chlortetracycline Hcl Powder	16
Tylomin-FG	Tylosin Phosphate Feed Premix	17
BMD 10%	Bacitracin Methylene Disalicylate	17
Vitaquinol	Haloquinol 24%, 60%, 98% Powder	18
Oxy-200	Oxytetracycline Powder	18
Mutaguard	Timulin Hydrogen Fumarte	19
Lincosil	Lincomycin Powder	19
Salinomix	Salinomycin Powder	20
<b>DISINFECTANTS</b>		
Purifier-50	Dimethyl Alkyl Benzalkonium Chloride Oral Liquid	20
Gladiator	Brominated Halogen Compound Oral Liquid	21
Sterivel-20	Iodine Phenol Complex Oral Liquid	21
<b>OTHERS</b>		
Vitatox	Toxin Binder & Mould Inhibitor	22
Vitabiotic	Probiotic with Yeast	22
Urical	Water Soluble Powder	23
Electrobalance	Electrolyte Powder	23
Recophyte	Phytase 2500 & 5000	24
Larvonil	Fly Control Through Feed	24

**Composition :**

Each gram contains  
Ciprofloxacin Hcl I.P  
Equivalent to  
Ciprofloxacin : 100 mg

**Indications / Benefits :**

Highly Effective against gram -ve & gram +ve anaerobes including intracellular pathogens, colisepticemia infections due to klebsiella and pseudomonas species, biliary white diarrhoea, infections due to other salmonella species. Very effective in infections due to Mycoplasma and allied species.

**Dosage:**

- 1 gm / 2 Ltr of drinking water for five days.  
(First day 1 gm / 2 Ltr). Only medicated water should be given through out the treatment period.

**Live stock :**

15 mg / kg body weight.

**Packaging:**

1 KG / 5 KG



# VITADOX-N

## Doxycycline + Neomycin Sulphate

**Composition :**

Each gram contains  
Doxycycline Hydrochloride I.P  
Eq. to Doxycycline 10% w/w  
Neomycin Sulphate I.P (vet)  
Eq. to Neomycin base 10% w/w

**Indications / Benefits :**

Vitadox-N is effective for prevention & treatment of  
 • Early Chick Mortality  
 • Fowl Cholera Mortality  
 • Complex CRD with E. coli  
 • Non-Specific Diarrhoea  
 • Infections of gram +ve and gram -ve bacteria  
 • Infections synovitis and pollardum disease

**Dosage:**

- Birds below 12 weeks of age 1 gm in 5 Ltr drinking water
- Birds above 12 weeks of age 1 gm in 2.5 Ltr drinking water
- Cattle, Sheep & Goat 10-20 mg / kg body weight

**Packaging:**

1 KG / 5 KG



# VITROCIN

## Enrofloxacin 10% Oral Solution

POULTRY  
ANTIBIOTICS

**Composition :**

Each ml. contains  
Enrofloxacin : 100 mg

**Indications / Benefits :**

- To treat and prevent mycoplasmosis, colisepticemia, CRD, infectious coryza, fowl cholera, salmonellosis, arthritis and campylobacter infections
- Prevents economically important diseases, including Mycoplasma
- Ensures complete protection
- To treat secondary bacterial complication due to viral diseases

**Dosage:**

1 ml per 2-4 litres of drinking water for 7-10 days.

**Packaging:**

1 Ltr / 5 Ltr



# C-DOX

## Colistin Sulphate + Doxycycline Hcl

POULTRY  
ANTIBIOTICS

**Composition :**

Each Kg contains  
Colistin Sulphate 0.1%  
Doxycycline Hcl 1.0%

**Indications / Benefits :**

C-Dox promotes growth increased feed utilization, and bacterial activity for Gram +ve and Gram -ve organisms.

**Dosage:**

- Prevention : 500 gms / ton of feed.
- Treatment : 1000 gms / ton of feed.

**Packaging:**

25 KG



# TYLOMIN-WSP

## Tylosin Tartrate Water Soluble Powder

POULTRY  
ANTIBIOTICS

### Composition :

Each 10 grams contains:  
Tylosin Tartrate I.P (Vet)  
Eq. to Tylosin 6.25 gms

### Indications / Benefits :

For control of Chronic Respiratory Disease (CRD) caused by *Mycoplasma gallisepticum* during vaccination or any other stress conditions. As an aid for the treatment of Chronic Respiratory Disease (CRD) caused by *Mycoplasma gallisepticum* in chickens. *Mycoplasma synoviae* in broilers & replacement chickens.

### Dosage:

- Poultry : Prevention for 1000 birds Broilers - 1st 3 days of chicks life 8 gms / day 22nd / 23rd day 72 gms for one day.

### Packaging:

100 gms / 250 gms / 1 Kg / 25 Kg



# VFLOX-T

## Ciprofloxacin and Tinidazole Oral Powder (Vet)

POULTRY  
ANTIBIOTICS

### Composition:

Ciprofloxacin Hcl I.P  
Equivalent to Ciprofloxacin 10% W/W  
Tinidazole I.P 12% W/W

### Indications:

Live Stock: Anthrax, calicivirus, H.S, B.Q, Enterotoxemia, Actinobacillosis, Actinomycosis, Mastitis, Strangles, Infectious Polyarthritis, Footrot, Necrotic Rhinitis, Toxoplasmosis, Respiratory tract infections, G.I, Tract infections, Urogenital tract infections etc., Secondary bacterial complications associated with viral diseases.

### Poultry:

Salmonellosis, Infectious

Coryza, Fowl Cholera, Coccidiosis, G.I, Tract Infections, *Mycoplasma*, *B.Coli* etc.,

**Fish:** Black spot disease, Red spot disease, Tail rot, Red Gills, Black gills, Muscle necrosis, Swollen head disease, abdominal dropsy, furunculosis, gill necrosis, eqizootic ulcerative syndrome, Vibriosis etc.,

### Dosage:

Livestock: 1 gm. Per 10 kg. Bodyweight for 3-5 days

Poultry : 1 gm. Per ltr. Of drinking water for 5-7 days

Fish : 2 gms per kg of feed for 5 days

OR As directed by the veterinary Practitioner.

### Packaging:

100 gms / 250 gms / 500 gms / 1 Kg



VITAL

# VOFLOXACIN

## Ofloxacin 10% Powder

POULTRY  
ANTIBIOTICS

### Composition :

Ofloxacin U.S.P 10% W/W

### Indications :

Livestock: Respiratory tract infections, Skin and Soft Tissue Infections, Uro-Genital tract infections, G.I tract infections, Secondary bacterial complications associated with viral diseases such as Blue tongue, PPR, Sheep pox, Rinderpost, FMD, IBR, etc.,

Enterotoxemia, H.S., B.Q., Footrot, Anthrax, Colibacillosis, Actinobacillosis, Actinomycosis, etc.,

Poultry: Infectious coryza, Fowl Cholera, Salmonellosis, Enteritis, E.Coli, Chronic Respiratory disease, diarrhoea, Enteritis, etc.,

### Dosage :

Livestock: 10 mg Ofloxacin per kg. Body weight / 1gm Vofloxacin per 10 kg body weight

Chicks, Layers, Broilers & Breeders: 0.5 gm to 1 gm per litre of drinking water for 5 days

500 gms per tonn of feed or consult your veterinarian

### Packaging :

100 gms / 250 gms / 500 gms / 1Kg.



# VELFLOX

## Levofloxacin 10% Oral Solution

POULTRY  
ANTIBIOTICS

### Composition:

Each ml contains:

Levofloxacin Hemihydrate I.P

Equivalent to Levofloxacin 100 mg

### Indications:

For the control and treatment of infections in poultry like CRD, CCRD, E.Coli infections, Salmonellosis, infectious Coryza, Dermatitis etc. Including other infectious caused by Gram +ve and Gram -ve micro-organisms.

### Dosage:

For prevention and treatment 1 ml/2 Litres of drinking water or as directed by the Veterinarian

### Packaging:

1 Ltr



# AZITHROVET

Azithromycin 10%

POULTRY  
ANTIBIOTICS

#### Composition:

Each gram contains:  
Azithromycin I.P 100 mg

#### Indications:

Treatment of CCRD, Infectious Coryza and Infectious Synovitis caused by Mycoplasma spp

#### Dosage & Administration:

Treatment: 10 mg/Kg body weight for 3 to 5 days

#### Salient Features:

Better absorption and distribution through oral administration. Extraordinary ability to concentrate in tissues particularly macrophages, leukocytes and fibroblast and assist in effective killing of invading organisms.

Once a day dose due to its longer half life.

Effective against Mycoplasma spp., Streptococci, Staphylococci, Chlamydia, Mycobacteria and Gram -ve organisms like Haemophilus.

Lower dose and less stress



#### Packaging:

100 gms / 250 gms / 500 gms / 1Kg

# VENTRIM VET

Trimethoprim + Sulphamethoxazole

POULTRY  
DEWORMER

#### Composition :

Sulphamethoxazole 10% W/W  
Trimethoprim I.P Vet

#### Indications / Benefits :

- For Heat Stress

#### Dosage:

Poultry: 1 gm / Liter of drinking water for 5-7 days

Cattle, Horse, Sheep & Goats: 12.5 gms/ 100 kg  
body weight in divided doses for 5 days

Pets: 125 mg / kg body weight in divided doses for  
5 days

Note: Fresh solution should be made every day  
and only medicated water should be given.



#### Packaging:

1 kg

# VITROCIN-BR

Enrofloxacin and Bromhexine Hydrochloride Oral Solution

POULTRY  
ANTIBIOTIC

#### Composition:

Each ml contains:  
Enrofloxacin 200 mg  
Bromhexine Hydrochloride IP 15 mg

#### Indications / Benefits:

For control and treatment of chronic respiratory diseases of poultry caused by Mycoplasma sp, Infectious Coryza Salmonellosis, Fowl Cholera and Colibacillosis

#### Dosage:

The recommended dosage is 1ml of the solution for a total body weight of 20.5 kg

#### Administration:

Administer continuously for a period of 4 to 5 days daily once in drinking water depending upon the disease severity or as recommended by the Veterinarian

#### Packaging:

1 Ltr



# VITASOLE

Levamisole 30%

POULTRY  
DEWORMER

#### Composition :

Each ml contains:  
Levamisole Hydrochloride 30% W/V

#### Indications / Benefits :

Can be used for treatment and control of internal (roundworms, tapeworms) of cattle, buffalo sheep, goat, pig.

#### Dosage:

Subcutaneously  
Treatment 7.5 mg/kg bodyweight  
Immunostimulant 2.5 mg/kg bodyweight  
Micr5ofilariasis(dog) 5mg / kg bodyweight  
Or as directed by the veterinarian

#### Packaging:

1 Ltr



# FLUKICIDE-L

Oxyclozanide & Levamisole Suspension

POULTRY  
DEWORMERS

#### Composition :

Each ml contains:  
Oxyclozanide I.P (vet) 30 mg  
Levamisole HCL I.P (Vet) 15 mg

#### Indications / Benefits :

To control round worms, Lungworms and flukes

#### Dosage:

For Sheep: 5 ml / 10 kg body weight  
Sheeps Over 60 kg should be given a further 1 ml per additional 2 kg body weight

For Cattle: 5 ml / 10 kg body weight  
Cattle over 300 kg should be given a further 5 ml per additional 10 kg body weight

#### Caution :

Animals should not be slaughtered for human consumption within 28 days of treatment.

Milk for human consumption may be taken only after 72 hrs from the last treatment.

#### Packaging:

1 Ltr / 5 Ltr



# FENVET

Fenbendazole Suspension 2.5% W/V

POULTRY  
DEWORMERS

#### Composition :

Each ml contains:  
Fenbendazole 25 mg.

#### Indications / Benefits :

Broad Spectrum Anthelmintic against immature and mature stages of gastrointestinal nematodes and lung worms in cattle, buffaloes, sheep, goats, horses, pigs, dogs and also against tape worms in sheep, goats and poultry.

#### Dosage:

1 ml of FENVET suspension to be administered to every 5 kg body weight

#### Packaging:

1 Ltr / 5 Ltr



# VISANTEL

## Closantel Oral Solution

POULTRY  
DEWORMER

### Composition :

Each ml contains:  
Closantel 150 mg  
Aqueous base q.s.

### Indications / Benefits :

Broad Spectrum Anthelmintic

### Dosage:

Cattle, Buffalo, Sheep & Goat:

For Fasciola Species & Ectoparasites:  
1 ml / 10 kg body weight  
(Closantel 15 mg / kg body weight)

For other Endoparasites:  
1ml / 15 kg body weight

or As directed by Veterinary Practitioner

### Packaging:

100 ml / 250 ml / 500 ml



# VIMECIN

## Ivermectin Oral Solution

POULTRY  
DEWORMER

### Composition :

Ivermectin B.P 0.08% W/V  
Excipients q.s.

### Indications:

Sheep:

- Gastro-intestinal Nematodes & Heart Worms
- Ostertagia
- Pulmonary Nematodes
- Oestrous ovis

Dog:

- Gastro-intestinal Nematodes & Heart Worms

### Dosage:

VIMECIN® is administered as an oral drench,  
@ 1 ml / 4 kg Bodyweight (or) 2.5 ml / 10 kg  
bodyweight

### Packaging:

100 ml / 250 ml / 500 ml



# ECTOKILL-DS

## Antiparasitics

POULTRY  
DEWORMER

### Content:

Anti External parasitic agents with stabilizers, carriers etc.,  
Effective against external parasites of fish

### Dosage:

50 gms to 100 gms per tonn of fish or  
as per the advice of fish consultant

### Packaging:

5 Kg



# BENZOLE

## Albendazole 2.5% Suspension

POULTRY  
DEWORMER

### Composition:

Each ml Contains:  
Albendazole U.S.P. 2.5% W/V

### Indications / Benefits:

A total spectrum anthelmintic for treatment of gastrointestinal infestations due to Roundworms, Lungworms, Tapeworms, Liver flukes and Amphistomes. ANALGON also has an ovicidal & larvicial effect

### Dosage:

For Roundworms/Tapeworms:  
Cattle/Buffalo/Horses/Sheep & Goat 1ml/gkg bodyweight

For Liver flukes:  
Cattle & Buffaloes 2 ml / 5 kg bodyweight  
Sheep & Goats 1.5 ml / 5 kg body weight

### Packaging:

25 KG



# MADHURAMYCIN 1%

Antococcidial Ionophore

POULTRY  
COCCIDIOSTAT

**Composition :**  
MADHURAMYCIN 1%

**Indications / Benefits :**  
Prevention of Coccidiosis

**Dosage:**  
500 gms / ton of feed

**Packaging:**  
25 KG



## AMPROL PLUS

Amprolium Hcl with Vitamin K<sub>3</sub> Oral Powder

POULTRY  
COCCIDIOSTAT

**Composition :**  
Amprolium Hcl      20%  
Vitamin K<sub>3</sub>           2%

**Indications / Benefits :**  
Useful against all types of coccidiosis in poultry.

**Dosage:**  
30 gms per 30 Litres of drinking water for 3-5 days  
continuously

**Packaging:**  
500 gms / 1 Kg



# VITAMIN DRY POWDERS

Stabilized Vitamins for feed Premix

POULTRY  
VITAMINS



Vitamin E 50% Dry Powder



Vitamin B12 0.1%, 1%



Vitamin D3 200, 500



Biotin 2%

## VITAPLEX

B-Complex Liquid

POULTRY  
VITAMIN SUPPLEMENT

### Composition :

Each ml contains:

Vitamin B2	2.00 mg
Vitamin B6	0.62 mg
Vitamin B1	6.25 mg
D-Panthenol	1.25 mg
Niacinamide	37.50 mg
DL-Methionine	5.00 mg
L-Lysine	5.00 mg
Choline Chloride	5.00 mg

### Indications / Benefits :

A vitamin supplementation to birds for better performance

### Dosage:

Layers: 3-6ml / 100 birds in drinking water  
Broilers: 2-5 ml / 100 birds in drinking water  
or as directed by Veterinarian.

### Packaging:

1 Ltr



# MULTIVIT

## Multi-Vitamin Water Soluble Powder

POULTRY  
VITAMIN SUPPLEMENT

### Composition :

500 grams of Multivit contains:	
Vitamin A	8,650,000 IU
Vitamin B2	2,200 mg
Vitamin B6	1,100 mg
Vitamin B12	5,500 mcg
Vitamin C	658 mg
Vitamin D3	2,850,000 IU
Vitamin E	600 IU
Vitamin K3	2,750 mg
Calcium Pantothenate	2,750 mg
Alkyl Trimethyl Ammonium Bromide	

### Indications / Benefits :

Used for better growth, Productivity, FCR, Eggs production & improved hatchability.

### Dosage:

Dissolve 100g in 100 Ltr of water

**Poultry:** 15-20 ml / 100 birds daily for 5-7 days during all stress conditions or as directed by poultry consultant

**Goat & Sheep:** 10 ml / day for 7-10 days

### Packaging:

1 Kg / 25 Kg



# POWER BOOSTER

## Vitamin & Mineral Boost

POULTRY  
VITAMIN SUPPLEMENT

### Content:

Includes all recognized water & fat soluble Vitamins, a full range of minerals and essential Amino Acids

### Indications/Benefits:

A balanced daily supplement of essential nutrients to promote optimum health for all types of animals.

### Dosage:

Cattle & Horses: 40ml / day

Calves, Sheep Goats & Dogs : 5-10 ml daily

Broilers: For 100 birds 5 - 10 ml from 2nd - 6th week

Layers: For 100 birds 20ml daily For 10 days

No adjustment required to the diet

Contains no Depressants or Stimulants

### Packaging:

1 Ltr / 5 Ltr



# VITACAL PLUS

Calcium Supplement

POULTRY

VITAMIN-SUPPLEMENT

#### Composition :

Each 1000 ml contains	
Calcium	16.50 gm
Magnesium	200.00 mg
Phosphorus	8500.00 mg
Vitamin D3	80000 IU
Vitamin B12	1000 mcg
Carbohydrate	40000 mg
Purified Water	Q.S

#### Indications / Benefits :

- Improves Egg shell
- Improves milk yield in cattle
- Formation of strong bonus in growing animals

#### Dosage:

1 ml / 5 Ltr drinking water

#### Packaging:

1Ltr / 5 Ltr



# VITADEC

Vitamin AD<sub>3</sub>EC Oral Liquid

POULTRY

VITAMIN SUPPLEMENT

#### Composition :

Each 5 ml contains	
Vitamin A	2,50,000 IU
Vitamin D3	25,000 IU
Vitamin E	150 mg
Vitamin C	500 mg

#### Indications / Benefits :

A Powerful antistress liquid vitamin supplement for cattle & Poultry feeding.

- Relieves from stress
- Acts as immunostimulants
- Better growth
- Increases egg production, increased milk production
- Healthy pregnancy

#### Dosage:

1 ml / 3 Ltr of drinking water

#### Packaging:

1Ltr / 5 Ltr



# CHOLINAIT

L-Carnitine with Vitamins

POULTRY  
VITAMIN SUPPLEMENT

#### Composition :

Each 1000 ml contains	
L-Carnitine	30 gm
Magnesium Sulphate	100 gm
Sorbitol	150 gm
DL-Methionine	10 gm
Choline Chloride	176 gm
Calcium D Pantothenate	10 gm
Apple Flavour	10 gm
Purified Water	Q.S



#### Indications / Benefits :

- Improve fat metabolism

#### Dosage:

1 ml / 3 Ltr of drinking water

#### Packaging:

1Ltr / 5 Ltr

# VITAMINO-FS

Multivitamin Feed Supplement

POULTRY  
VITAMIN SUPPLEMENT

#### Composition :

Each 1 gram contains:	
Vitamin A	5,500 IU
Vitamin D	625 IU
Vitamin E	10.5 mg
Vitamin B1	2.2 mg
Vitamin B2	4.6 mg
Vitamin B6	2.1 mg
Vitamin B12	5 mcg
Niacinamide	19.3 mg
Calpan	5.2 mg
Vitamin K	2.1 mg
Vitamin C	15.5 mg
Folic Acid	0.508 mg
Zinc	20.1 mg
DL Methionine	20.2 mg
L-Lysine	50.0 mg



#### Indications / Benefits :

For use in control and treatment of vitamin deficiency in Poultry, Calves, Lambs, Goats, Sheeps and Pets.

For use during general stress, after vaccination, imbalances in feed Use during clinical & subclinical diseasestimes, hot weather, sinusities etc

**Dosage:** 1-1.5 grams per liter of drinking water for  
4-7 days until symptoms disappear.

#### Packaging:

1 Kg / 5 Kg / 25 Kg

VITAL

# POWER PACK

## AB<sub>2</sub>D<sub>3</sub>K Feed Concentrate

POULTRY

VITAMIN SUPPLEMENT

### Composition:

Each gram Contains:

Vitamin A	82500 I.U
Vitamin B2	50 mg
Vitamin D3	16500 I.U
Vitamin K3	10 mg

### Indications / Benifits:

- Better Egg Production
- Provides essential Vitamins required for better growth and production in poultry
- Builds resistance against diseases

### Dosage:

100 gms of POWER PACK per ton of feed and ensure thorough mixing

### Packaging:

1kg / 5kg / 25 kg



# CTC 15%

## Chlortetracycline Hcl 15% W/W

POULTRY

FEED SUPPLEMENT

### Composition :

Each Kg Contains:

Chlortetracycline 150 gms

### Indications / Benefits :

- Growth Promotion
- Prevention of Bacterial Infection

### Dosage:

- 500 gms to 1 Kg / ton of feed or as directed by the Poultry Consultant

### Packaging:

25 Kg



# TYLOMIN-FG

Tylosin Phosphate 10% Feed Premix

POULTRY  
FEED SUPPLEMENT

**Composition :**

Each Kg contains

Tylosin Phosphate 100 gms

**Indications / Benefits :**

- Control of Mycoplasma load in Poultry improves FCR
- Increases rate of Weight gain
- Improves Hatchability
- Increases Egg Production
- Improves Egg Quality

**Dosage:**

- 200 gms / ton of feed.

**Packaging:**

25 KG



# BMD 10%

Bacitracin Methylene Disalicylate 10%

POULTRY  
FEED SUPPLEMENT

**Composition :**

Each Kg Contains:

Bacitracin Methylene Disalicylate 100 gms

**Indications / Benefits :**

- Growth Promotion
- Prevention & Treatment of Clostridial Infections.

**Dosage:**

- Growth Promotion : 200 g / ton of feed
- Controlling Necrotic Enteritis : 500 g / ton of feed

**Packaging:**

25 Kg



# VITAQUINOL

Halquinol - 24%, 60%, 98%

POULTRY  
FEED SUPPLEMENT

**Composition :**

Combination of

- 5, 7-dichloro 8-Hydroxyquinoline
- 7-chloro 8-Hydroxyquinoline
- 5-chloro 8-Hydroxyquinoline

**Indications / Benefits :**

Poultry: As a growth promoter, Treat wet droppings, Crop mycosis

Pigs: As a growth promoter, Treat post-weaning diarrhoea of piglets, Salmonellisis, Coccidiosis, Diarrhoea of adult pigs

Dosage:	Concentration		Vitaquinol 24%	Vitaquinol 60%	Vitaquinol 98%
Poultry	Growth Promoter		125-250 g/ton	50-100 g/ton	30-60 g/ton
	Treatment		500 g/ton	200 g/ton	50-100 g/ton
Pig	Growth Promoter	Creep / Pre-starter / Starter	500 g/ton	200 g/ton	50-75 g/ton
		Grower / Finisher	250 g/ton	100 g/ton	75-100 g/ton
	Treatment		2.5 g/ton	1 g/ton	0.75-1 g/ton

**Packaging:**

5 Kg / 25 Kg



# OXY-200

Oxytetracycline Oral Powder

POULTRY  
FEED SUPPLEMENT

**Composition :**

Each kg contains:

Oxytetracycline 200 gm

**Indications / Benefits :**

Feed Supplement

**Dosage:**

As directed by veterinarian

**Packaging:**

25 KG



# MUTAGUARD

Tiamulin Hydrogen Fumarate 10%

POULTRY  
FEED SUPPLEMENT

#### Composition:

Each Kg Contains:  
Tiamulin Hydrogen Fumarate 100 gm

#### Indications / Benefits:

- Protection against CRD & CCRD Complexes improves egg production & FCR
- Improves Egg Production

#### Dosage:

Layers / Broiler: 200 gm / ton of feed  
Breeder: 500 gm / ton of feed for a week a month or  
200 gm / ton of feed regularly throughout the laying cycle

#### Packaging:

25 KG



# LINCOSIL

Lincomycin 11% Feed Premix

POULTRY  
FEED SUPPLEMENT

#### Composition:

Each Kg Contains:  
Lincomycin 110 gms

#### Indications / Benefits:

- Lincosil gives the producers a convenient, cost effective tool for treating and controlling Necrotic Enteritis problems
- Lincosil is rapidly absorbed for excellent distribution
- Lincosil controls and fits into any feeding program
- Convert feed more efficiently and gain weight faster

#### Dosage:

40 g / ton of feed

#### Packaging:

25 KG



# SALINOMIX

## Salinomycin 12 % Feed Premix

POULTRY

FEED SUPPLEMENT

### Composition :

Each Kg contains:  
Salinomycin 120 gms

### Indications / Benefits :

Salinomycin is an ionophore used for anticoccidial treatment in poultry production. It blends with monovalent cations interfering with ionic transport across cell membranes.

### Dosage:

500 gms / ton of feed or As directed by Veterinarian

### Packaging:

25 KG



# PURIFIER-50

## Broad Spectrum Disinfectant

POULTRY  
DISINFECTANT

### Composition :

Dimethyl Alkyl Benzalkonium Chloride	50%
Stabilizer	6%

### Indications / Benefits :

PURIFIER-50 is stable against rains & suspended organic matter, easily miscible in water and is a reliable and rapidly acting pond cleaner.

### Dosage:

Shrimps: 500 ml. / acre (approx. 2 ft. depth).

Fish: 1000 ml. / acre (approx. 5 ft. depth).

Poultry: 10 ml / 1000 ltr of drinking water for sanitation, (0.01% solution).

TO CLEAN DRINKING WATER SYSTEM:  
10 ml. / one litre of water. Leave for 3 hours and drain & flush the pipes

### Packaging:

1 Ltr / 5 Ltr



# GLADIATOR

Antiseptic - Disinfectent - Sanitizer

POULTRY  
DISINFECTANT

**Composition :**

3-Methyl, 4-Alkyl two chain brominated halogen compound 3.25%  
Stabilisers Q.S

**Indications / Benefits :**

Broad Spectrum pond water cleaner and sanitizer

Is effective against Bacteria, Fungal, Protozoa, Filamentous Algae etc

Gladiator improves water quality

Gladiator improves water quality

Gladiator is effective against Gill Rot, Tail Rot & Antenna Rot.

**Dosage:**

As directed by veterinary practitioner

**Packaging:**

1 Ltr / 5 Ltr



# STERIVET-20

Iodine Phenol Complex

POULTRY  
DISINFECTANT

**Composition :**

Nonyl Alkyl Phenoxy polyethylene oxide iodine complex providing 20% available iodine

**Indications / Benefits :**

Sterivet is an effective Antibacterial & Antifungal, useful in preventing water pollution, secondary infections of viral bacterial, fungal and protozoan diseases of Shrimps.

**Dosage:**

Fish, Prawn/Shrimp ponds : For bacterial, viral & fungal protozoan diseases  
100 ml - 250 ml / acre.

Note: Dilute one volume in 30 - 40 volumes of water and spray uniformly throughout the pond.

**Packaging:**

1 Ltr / 5 Ltr



# VITATOX

Toxin Binder & Mould Inhibitor

POULTRY  
OTHERS

#### Composition :

- Organic Acids
- Natural Herbs
- HSCAS
- MOS
- Activated Charcoal
- Bacillus subtilis

#### Indications / Benefits :

Toxin binder & Mould Inhibitor

#### Dosage:

1-2 kg / ton of feed.

#### Packaging:

25 Kg



# VITABIOTIC

Probiotic with yeast

POULTRY  
OTHERS

#### Composition :

Lactobacillus Acidophilus	2.06 X 10 <sup>power8</sup> cfu/g
Lactobacillus Plantarum	1.26 X 10 <sup>power8</sup> cfu/g
Lactobacillus Casei	2.06 X 10 <sup>power8</sup> cfu/g
Lactobacillus Bulgaricus	2.06 X 10 <sup>power8</sup> cfu/g
Bifidobacterium Bifidum	1.00 X 10 <sup>power8</sup> cfu/g
Streptococcus Thermophilus	4.10 X 10 <sup>power8</sup> cfu/g
Streptococcus Faecium	5.40 X 10 <sup>power8</sup> cfu/g
Aspergillus Oryzae	5.32 X 10 <sup>power7</sup> cfu/g
Torulopsis spp	5.32 X 10 <sup>power7</sup> cfu/g

#### Indications / Benefits :

Growth Promoter & Probiotic

#### Dosage:

1 gram in 5 Ltr Drinking water for 3-5 days.

#### Packaging:

250 gms / 500 gms / 1 Kg / 25 Kg



# URICAL

Water Soluble Powder

POULTRY  
OTHERS

#### Composition :

Each 1 kg contains :	
Ammonium Chloride	379 gm
Sodium Sulphate	212 gm
Magnesium Sulphate	212 gm
Vitamin B1	10 gm
Vitamin B2	2 gm
Vitamin B6	2 gm
Sorbital	45 gm
Ascorbic Acid	50 gm
Niacin	30 gm
Colloidal Silica	20 gm
Lactose up to	1 kg



#### Indications / Benefits :

For Heat Stress

#### Dosage:

1 gm / 1 Ltr of drinking water for 3-5 days

#### Packaging:

250 gms / 500 gms / 1 kg / 5 kg

# ELECTROBALANCE

Electrolytes

POULTRY  
OTHERS

#### Composition:

Each 100 gms contains:

Sodium Chloride	0.800 gms
Potassium Chloride	5.000 gms
Sodium Bicarbonate	3.000 gms
Sodium Acid Phosphate	0.800 gms
Sodium Citrate	6.500 gms
Calcium Lactate	1.700 gms
Magnesium Sulphate	1.000 gms
Lactose	25.000 gms
Ascorbic Acid	2.500 gms
Dextrose Mono Hydrate	Q.S



#### Dosage:

Poultry: 1 Kg per tonne of feed or 1 gm in 2 liters of water for 3 to 5 days

Calves: 50 gm. Daily for 5 days

Horses: 100 gms immediately after racing or after vigorous exercise.

In case of dehydration, double the dose, giving as much fluid as the animal can take

#### Packaging:

1 Kg / 5 Kg

**Composition :**

Each gram contains:

Phytase 2500 FYT / 5000 FYT

**Indications / Benefits :**

- To hydrolyze phytate present in feed ingredients/ raw materials
- To release phytate phosphorous
- To release the bound minerals, proteins and amino acids from phytate complex
- To reduce phosphorous waste
- To effectively replace DiCalcium Phosphate (DCP) & MCP
- Less environmental pollution with phosphorus
- Microgranulated product helps in better mixing in the feed

**Dosage:**

Layers: 175- 200 g/ ton of feed

Broilers: 200 g/ton of feed

At the dose level of 200 g/ton, Recophyte can replace 2/3 of DCP in broilers

At the dose level of 175 - 200 g/ton, Recophyte can replace 2/3 of DCP in layers

**Packaging:**

25 KG



# LARVONIL

## Fly Control Through Feed

**Composition:**

Each Kg Contains:

Cyromazine 10 grms

Carriers Q.S

**Indications / Benefits:**

- Larvonil contains spray dried Cyromazine a Unique insect growth regulator which attacks the larval stage of fly development.
- Larvonil is a premix for mixing into poultry feed.
- Larvonil controls all those fly species which pose an economic threat to farmers.
- Larvonil provides a most consistent and effective fly control
- Larvonil controls fly strains, which are resistant to Conventional products.

**Dosage:**

Add 500 grms Larvonil per ton of feed

Administer daily for 4-6 weeks

Give a gap of 3-4 weeks and start again

Use adulticides in between treatments

Use Larvonil at the beginning of fly Season

Remove Liter frequently


Larvonil is safe for hte User, Consumer, Environment and Poultry.

**Packaging:**

25 KG




# Certifications



ISO 9001:2008



ISO 22000



WHO/GMP



Pharmexcil



FAMI QS




FAPCCI

# Our Products Are Exported To Many Countries

Vital Therapeutics manufactures and exports a wide range of veterinary pharmaceuticals & Feed Supplements competing with most reputed brands in the global market. Vital Therapeutics manufacturing facility has been audited by international Regulatory Authorities such as Ethiopian Drug Authority, Agricultural Ministry-Arab Republic of Egypt etc

Today Vital Therapeutics is expanding its presence across various countries and is registered in Egypt, Ethiopia, Oman, UAE, Syria, Libya, Czech Republic etc.,



## VITAL THERAPEUTICS & FORMULATIONS PVT LTD

An ISO 9001 & ISO 22000 Certified Company

### Office:

#6-1-103/41, Abhinavanagar Colony,  
Padmarao Nagar, Secundrabad-500 025,  
Andhra Pradesh, INDIA.  
Ph: +91-40-2750 2040 / 2750 7915  
Fax: +91-40-2750 7406.

### Factory:

Plot No. 47B/2, Street No. 4, Phase-1,  
IDA Cherlapally, Hyderabad-500 051,  
Andhra Pradesh, INDIA.  
Ph: +91-40-2726 1030 / 2726 1040.