



THE BEST INVESTMENT FOR YOUR HEALTH!



Experience, Expertise and Passion as a guarantee of Innovative, functional and high-quality products



Medibase Group is one of the first Italian companies operating within the nutraceutical, phytotherapy and medical nutrition sector since 1995 and from 2004 operates also in ophthalmic field under brand **Oftalpharma**.

The passion for the well-being and health combined with pharmaceutical expertise of CEO and the company founder graduated in Chemistry and Pharmaceutical technologies at University of Florence are the guarantee of innovative, functional and high-quality products.

Medibase products are dedicated to General Practitioners and Specialist medical doctors, and they are distributed in Italy through pharmacies and sold to private and public hospitals.

The close collaboration of R&D with professional team of external consultants, Medical and Regulatory Affairs specialists, hospitals and universities are the guarantee of compliance with regulatory and quality standards. Many of our products and active ingredients are supported by scientific publications and our formulations are covered by patent and one of them at European level.

The manufacturing sites complies with
EN ISO 13485:2016 UNI EN ISO 9001:2015, GMP and FDA standards.

PRODUCT CHARACTERISTICS

Our formulations are the result of an accurate scientific research and assessment of the raw materials starting from the choice of highly standardized extracts, with thorough attention to the development of complete and balanced formulations, combined with the choice of the most suitable pharmaceutical form by using the latest pharmaceutical technologies.



- Extracts with the highest allowed available titrations
- Standardized extracts are guarantee of well defined and stable pharmacological activity for each batch
- Limited daily doses (compliance)
- Clear product composition
- Original packaging is in double language (Italian/English) and contains patient information leaflet
- Product name on the box in Braille language

OUR BUSINESS MODEL

Our products has been developed on base of scientific research and the dosage of the active ingredients is high enough to be effective. Our products are high quality products with innovative composition and the active ingredients in synergistic action between them.

For this reason in Italy and in many foreign countries, our business model is the promotion of our products exclusively through the network of representatives directly to the physicians and specialists, and the products are available above all (not only) under prescription.

Because we believe that in this way the high functionality and quality can be appreciated.



High quality and innovation starting from research to the manufacture

Compliance with regulatory and quality standards for whole manufacturing process



Our Headquarter and offices



Our Headquarter and offices



Administration and Marketing



Graphic Design



Quality Control



R & D



Quality Control



Production



PRODUCTS FOR AREAS



OPHTHALMOLOGY



GASTROINTESTINAL



PEDIATRICS



METABOLIC



CARDIOVASCULAR



OSTEOARTICULAR



RESPIRATORY



CENTRAL NERVOUS
SYSTEM



DERMATOLOGY



SPORT




GYNECOLOGY

Emosid®

24 capsules 550 mg - 13.2 gr

24 days treatment



AVAILABLE
Bibliographic references
Scientific publications

MEDIBASE
GROUP
Oftalpharma



Gluten Free Naturally
Lactose Free

Emosid® is an iron Fe⁺⁺ and Vitamin C dietary supplement conveyed within a patent Phytosoma® structure

Vitamin C, Folic acid, Vitamin B6, Vitamin B12 and Copper.

Adjuvant in the various hemoragic treatments



Food Supplement

Shelf life: 36 months
P.P. Italy 23,50€

Emosid®

Emosid® is a supplement based on Phytosomal Iron®. The use of Phytosomal Iron® helps the patient to completely eliminate the typical disorders associated to the use of oral iron. Phytosomal Iron® is registered trademark of Medibase srl. The bioavailability of Fe⁺⁺ present in Emosid® is particularly high due to the innovative use of the double layered form of active Phytosoma, due to a particular and patented technology Phytobilayer®.

Phytosomal Iron® crosses the gastric barrier intact and is absorbed in the intestine without causing the typical disturbances of martial treatment such as gastritis, feeling nauseous, the darkening of mucous membranes and faeces or a metallic aftertaste. Iron Fe⁺⁺ contributes to the formation of red blood cells and the function of the immune system, to the normal transport of oxygen in the body and helps to reduce tiredness and fatigue. It contributes to normal cognitive function, to help children with learning difficulties, it protects cells from oxidative stress and helps prevent the loss of bone mass. Copper and Vitamin C contribute to the normal transport and absorption of oral iron in the body. Folic acid contributes normal haematopoiesis.

Ingredients

Capsule contents: Ferrous sulphate and phytosomal Vitamin C (zinc sulphate, ascorbic acid, sunflower lecithin), Vitamin C, bulking agent: dibasic calcium phosphate, copper gluconate, anticaking agents: Magnesium salt of fatty acids, Silicon dioxide (silica); Vitamin B12 tit. 0.1% (cyanocobalamin, maltodextrin, acidifiers: citric acid, trisodium citrate), Pyridoxine hydrochloride, Folic acid (Pteroylmonoglutamic acid). External casing: hydroxypropylmethyl cellulose, Colouring: Titanium dioxide.

How to use

Take one capsule per day. Do not exceed the recommended dosage.

Warnings

Keep in a cool and dry place. The minimum conservation period refers to when the packaging is intact and correctly preserved. Keep out of reach of children under 3 years old. Dietary supplements are not to be considered as a substitution of a varied diet and a healthy life style.


I Month treatment

BORDERLINE PATIENTS

Values higher than 200 to 240



Food Supplement



AVAILABLE
Scientific publications on the product
Bibliographic references



Gluten Free



Naturally
Lactose Free



European
Patent
ZEACOLIN
COMPLEX –
EU/2455073
from 09.03.2015

**Synergistic action of Monacolin K, Chitosan, Xantan Gum and Lycopene.
(patented as ZEACOLIN COMPLEX)**

Brand New approach of treatment in hypercholesterolemia in a control release system

Shelf life: 36 months
P.P. Italy 25,00€

Lesstat®

Lesstat® has been created by observing the newest nutritional updating. Lesstat® is composed by Monacolina, Xanthan gum, Chitosan and Lycopene that synergically work on the cholesterol levels. He is active on cholesterol synthesis and absorption and on LDL oxidation. Lesstat® is the result of Medibase R&D. Lesstat®, used as a supplement must always be used in association with a correct life style (controlled and balanced diet and regular physical exercise). The consistent use of Lesstat® can help total cholesterol and LDL-HDL ratio within physiological range.

Composition Thickener: Xanthan gum; bulking agent: Microcrystalline cellulose; Fermented red rice with Monascus purpureus tit. 5% as total monacolin K (equal to 2,99 mg monacolin K/tablet), Chitosan tit. 90% (from the shells of crabs and shrimps); bulking agent: Dibasic calcium phosphate; Lycopene from tomato (*Solanum lycopersicum* L., fruit) tit. 5% (lycopene, pea starch; stabilisers: sodium alginate, acacia gum), protected Vitamin C tit. 97,5% (ascorbic acid, glazing agent: ethylcellulose); anti-caking agent: **Magnesium stearate**; stabiliser: Polyvinylpyrrolidone; Vitamin E acetate tit. 50% (tocopheryl acetate, corn starch, silicon dioxide); anti-caking agents: Silicon dioxide, Talc.

Posology Take one tablet per day after dinner. Take regularly at least for 3-4 months. The usage can be repeated for a very long period of time.

Warnings Before taking the product it is suggested to consult your physician. Do not use during pregnancy, breast feeding and when taking hypolipidemic drugs. Keep in a cool and dry place. The date of minimum durability refers to the sealed pack, correctly stored. keep out of reach of children under three years of age. Supplements cannot be used to substitute a varied and balanced diet and a healthy life style.

If you are taking other products containing monacolins or cholesterol drugs, the use of the product is not recommended. Do not administer under 18 years and in adults over 70 years.

Lesstat FORTE®

60 tablets 1250 mg – 75 g

2 Months treatment

PATIENTS with average high hypercholesterolemia values above 240



Food Supplement



AVAILABLE
Bibliographic references
Scientific publications on the product



Gluten Free



Naturally
Lactose Free



European Patent
ZEACOLIN
COMPLEX –
EU/2455073
from 09.03.2015

Synergistic action of Monacolin K, Chitosan, Xantan Gum and Lycopene (patented as ZEACOLIN COMPLEX) with Annurcomplex® which extends the metabolic site of action

Brand New approach of treatment in hypercholesterolemia in a control release system

Shelf life: 36 months
P.P. Italy 48,00€

Lesstat® FORTE®

Lesstat® Forte has been created by observing the newest nutritional updating. Lesstat® Forte is composed of Monacolin, Xanthan gum, Chitosan, Lycopene and AnnurComplex® that synergically work on the cholesterol levels. It is active on cholesterol synthesis and absorption and on LDL oxidation. Lesstat® Forte is the result of Medibase R&D. Lesstat® Forte, used as a supplement must always be used in association with a correct life style (controlled and balanced diet and regular physical exercise). The regular use of Lesstat® Forte can help total cholesterol and LDL-HDL ratio within physiological range.

Composition

Chitosan tit.90% (from crustaceans), bulking agent: Dibasic calcium phosphate, AnnurComplex® (Malus pumila Miller cultivar Annurca, fruit); Stabilizer: Xanthan Gum, Lycopene from tomato (Solanum lycopersicum L., fruit) tit. 5% (lycopene, pea starch, Stabilizer: sodium alginate, acacia gum), bulking agent: Hydroxypropylcellulose, Red yeast rice extract with monascus purpureus tit. 5% in total monacolina K 2,99 mg; Protected Vitamin C tit. 97,5% (ascorbic acid, film agents: ethycellulose), Stabilizer: Polyvinylpyrrolidone; anti-caking agent: **stearic acid**; Vitamin E acetate tit. 50% (dl-alpha tocopheryl acetate, corn starch, silicon dioxide); anti-caking agents: Silicon dioxide, talc.

Posology

Take one tablet a day in the evening after dinner. Take regularly at least for 3-4 months. The usage can be repeated for a very long period of time.

Warnings Before taking the product it is suggested to consult your physician. Do not use during pregnancy, breast feeding and when taking hypolipidemic drugs. Keep in a cool and dry place. The date of minimum durability refers to the sealed pack, correctly stored. keep out of reach of children under three years of age. Supplements cannot be used to substitute a varied and balanced diet and a healthy life style. If you are taking other products containing monacolins or cholesterol drugs, the use of the product is not recommended.

Do not administer under 18 years and in adults over 70 years.

Prebiotic®

10 sachets containing 4,5 g

10 days treatment



AVAILABLE
Bibliographic references
Scientific publications on the product

MEDIBASE
GROUP
Oftalpharma




Gluten Free



Naturally
Lactose Free

Synergic association



Synbiotic (Association) of prebiotics and probiotics in very high dosage

35 Bln Lactobacillus and Bifidobacteria 5 strains in pool + 4 g FOS (fructo-oligo saccharides)



Food Supplement

Shelf life: 24 months

P.P. Italy 16,00€

Prebiotic ®

Prebiotic® is a dietary supplement composed by a balanced culture of live microorganisms (probiotics) and fructooligosaccharides (prebiotics); it is therefore a Synbiotic. The living active microorganisms of Prebiotic® when administered in the required dosage, are able to reproduce themselves in the gut thereby giving a beneficial effect to the body. The fructooligosaccharides used in Prebiotic® are short chain glucides which have a bifidogenic activity already at the daily dosage level of 2,5 g especially towards bifidobacteria and lactobacilli. Prebiotic® contains genetically identified strains. Prebiotic® is effective in any gastrointestinal disorders of different origins.

Composition

Fructo-oligosaccharides, Maltodextrins, Strawberry flavor, Vanilla flavor, Lactobacillus salivarius Ls-33, Streptococcus thermophilus SP4 (Streptococcus thermophilus, maltodextrin), Bifidobacterium bifidum/Bifidobacterium lactis Bb-02, Lactobacillus acidophilus LA3 (Lactobacillus acidophilus, maltodextrin), Lactobacillus bulgaricus SP5 (Lactobacillus bulgaricus, maltodextrin), natural Lemon flavor, Lactobacillus casei BGP 93 (Lactobacillus casei, maltodextrin).

Posology

Adults and boys 1-2 sachets daily. Dissolve the contents of one packet in a glass of water; mix until completely dissolved, then take orally.

Warnings

Store in a cool and dry place. The expiry date refers to the product in the integer container, properly stored. Keep out of children's reach (less than 3 years old). Supplements cannot be considered as a substitute of a balanced diet and a healthy life style.

Alion® Omega 3

120 soft capsules each containing 1.459 g

2 Months treatment



AVAILABLE
Bibliographic references
Scientific publications



Gluten Free
Naturally
Lactose Free




Patent n
0001353804
from
06.02.2009



No Fish Oil

**Alpha Linolenic Acid
The only one ESSENTIAL Omega 3 from
ORGANIC cultivation**

Vit B6, B12, Folic Acid, Selenium



Food Supplement

Shelf life: 36 months
P.P. Italy 42,00€

Alion ® Omega 3

Alion® is an Omega 3 dietary supplement of Alpha Linolenic Acid at high concentration, indicated as an adjuvant, together with the standard therapy, in the treatment of primary and secondary prevention in patients at risk for cardio-vascular system function, gynecology and dermatology. The quality of Alion® is ensured by the careful selection of raw materials, which come from certified organic cultivation that have not been treated with pesticides and without the addition of solvents or chemicals, and the constant titration certification of the used active ingredients. The capsule does not contain bovine-derived substances.

Composition

Content of each capsule: Linseeds virgin oil at high concentration tit. 50% in Alpha Linolenic Acid. Anticaking agent: Silicon Dioxide; Pyridoxine Hydrochloride, Cyanocobalamin tit. 0,1%, Folic acid, Sodium Selenate. External shell: gelatin obtained, through hydrolysis from collagen derived from wild marine fish skin. Stabilizer: Glycerin. Coloring: E172.

Recommended dose

2 soft gels per day to be taken with meals. Do not exceed the daily dose. The treatment can be continued for extended periods.

Warnings

Before starting the treatment, ask your physician. The product contains fish derivatives in the outer shell. Keep the product in a cool and dry place. The expiry date refers to the sealed pack, correctly stored. Keep out of reach from children under three years of age. Supplements cannot be used to substitute a varied and balanced diet and a healthy life style.

Diurevase®

30 blue tablets 750 mg and
30 red tablets 750 mg

AVAILABLE
Bibliographic references



1 Month treatment



Vascular suffering

Good function of the circulation and microcirculation

Double action in 2 tablets (day/night) in an ONLY product for both VASCULAR and DRAINING

Food Supplement



Shelf life: 36 months
P.P. Italy 28,00€

Diurevase®

Diurevase® is a product based on standardized herbal extracts. It contains dry extracts of Red Grapevine, Ginkgo Biloba and Blueberry performing an antioxidant action; Butcher's Broom, Horse Chestnut and Centella that keep the good function of the microcirculation. Orthosiphon, Equisetum and Lespedeza drain the body fluids and support the regular functioning of the urinary tract. Vitamin C plays an high antioxidant action and is necessary for the formation of the collagen of the vascular connective tissue

Composition

Blue Tablet: seeds Red Grape dry extract titrated at 95% in proanthocyanidins, bulking agent microcrystalline cellulose; Butcher's broom root dry extract titrated at 10% in ruscogenin, Orthosiphon leaves dry extract titrated at 0.1% in sinensetin, Horsetail aerial parts dry extract titrated at 7% in silica, herb lespedeza dry extract titrated at 4% in rutin. Anti-caking agents: silicon dioxide, vegetable magnesium stearate. Coating agents: acetylated starch, Talc, Glycerol, Colours: Silicon Dioxide, Indigo carmine.
Red tablet: Bulking agent microcrystalline cellulose; Vitamin C, horse chestnut bark dry extract titrated at 20% in escin, Ginkgo leaves dry extract titrated at 24% in ginkgoflavonoids, fruits Bilberry dry extract titrated at 25% in anthocyanidins, herb Centella dry extract titrated at 40% in asiaticoside. Anti-caking agents: silicon dioxide, magnesium stearate. Coating agents: acetylated starch, Talc, Shellac, Glycerol, Colours: Silicon Dioxide, Indigo carmine

Posology Take one blue tablet after breakfast and one red tablet after dinner with much water.

Warnings Keep out of the reach of children less than three years old. Do not exceed the recommended daily dose. Supplements are not intended as a substitute of a varied and balanced diet and an healthy lifestyle. If you are under anticoagulation and/or platelet antiaggregation therapy, consult your physician before taking this product. Do not take the product during pregnancy and lactation.

Artrosamina®

30 tablets 1300 mg

15 – 30 days treatment



AVAILABLE
Bibliographic references
Scientific publications



Gluten Free Naturally
Lactose Free



Joints Wellbeing

In one product:
CARTILAGE RECONSTRUCTION
PAINKILLER
ANTI-INFLAMMATORY

Treatment of primary and secondary osteoarthritis
Synergistic action and high dosage of active ingredients

Food Supplement



Shelf life: 36 months
P.P. Italy 25,00€

Artrosamina®

Artrosamina® is a food supplement containing Glucosamine

Chondroitin sulphate with Boswellic acid and Curcumin with Vitamin C, Vitamin E and Vitamin B1, it helps to supplement food intake or to augment the increased requirement of these ingredients that may be deficient under certain circumstances. Boswellia and Turmeric can be used for the physiological joints function; vitamin C contributes to the collagen production which is one of the main components of the cartilage.

Composition: Glucosamine sulphate potassium chloride (contains crustaceans and derivatives), Boswellia (Boswellia serrata Roxb.) gum dry extract tit. 65% in boswellic acids, sodium chondroitin sulphate, Curcumin from Curcuma longa L, bulking agent: microcrystalline cellulose; glazing agent: Acetylated starch; Vitamin C protected tit. 97.5% (ascorbic acid), glazing agent: talc; anti-caking agents: Magnesium stearate, Silicon dioxide; colour: calcium carbonate; glazing agent: glycerol; Vitamin E acetate tit. 50% (tocopheryl acetate, modified starch, emulsifier: gum arabic, sucrose), piperine (Piper nigrum L.), glazing agent: shellac; colour: iron oxides; Thiamine hydrochloride.

Posology

1 – 2 capsules daily. Do not exceed the recommended dosage.

Warnings

It is advised to ask your doctor before taking this product if you are either pregnant, breast feeding or taking other medication. Do not use if you suffer from stones or have problems with biliary obstruction. Store in a cool and dry place. The expiry date refers to the product in the integer container, properly stored. Keep out of the children's reach (less than 3 years old). Supplements cannot be considered as a substitute of a balanced diet.

Product included in the Supplements Registry of the Italian Ministry of Health, code 269

Reuten®

20 sachets containing 3 g

20 Days treatment



AVAILABLE
Bibliographic references
Scientific publications

MEDIBASE
GROUP
Oftalpharma



Gluten Free Naturally
Lactose Free

**Very high dosage probiotic
(10 Bln Lactobacillus Reuteri)**

Food Supplement



Shelf life: 24 months
P.P. Italy 16,00€

Reuten® is a probiotic containing Lactobacillus reuteri. L. Reuteri is considered one of the few native species of lactobacilli and is widely used for its probiotic properties, as a treatment for rebalancing the gastro intestinal bacterial flora. Lactobacillus Reuteri is highly effective in bacterial and fungal vaginal infections, as well as in infections of the lower urinary tract. The security of L. reuteri has been repeatedly demonstrated in healthy adults, immunocompromised patients, in children, documenting that L. reuteri is a probiotic effective and safe in all age groups. Clinical data show that L. reuteri colonizes the gastric and intestinal epithelium in humans and modulates the immune response particularly through the CD4 and T-helper cells in the ileum.

Composition

Maltodextrin, Lactobacillus reuteri LR92 (Lactobacillus reuteri, maltodextrin), Aroma red orange, Sweetener: Sucralose.

Posology

One sachet a day. Do not exceed the recommended daily dose. Dissolve the contents of one sachet into a glass of water at room temperature, stir and drink immediately after preparation.

Warnings

Store in a cool and dry place. The expiry date refers to the product in the integer container, properly stored. Keep out of children's reach (less than 3 years old). Supplements cannot be considered as a substitute of a balanced diet and a healthy life style.

®

Vitergen

10 single-dose oral 10 ml vials 3 phase technology



AVAILABLE
Bibliographic references

10 Days treatment




Gluten Free

Best solution for fight Stress

Helps to give a strength and Vitality and to improve Memory and Concentration

Synergy of active ingredients

Excellent results after regular use



Food Supplement

Shelf life: 36 months
P.P. Italy 18,00€

Vitergen® contains: Carnitine, Taurine, Niacin, Calcium Pantothenate, Vitamin C, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin B12. It is indicated for any reduced intake or increased need of such nutrients. Ginseng extracts: it may be of use as tonic adaptogen in case of physical and mental fatigue. Vitamin C, B6 and B12: they help the regular immune system function and contribute to the tiredness and fatigue reduction. Nicotinamide, Pantothenic acid and Vitamin B2: contribute to the tiredness and fatigue reduction.

Composition

Stopper-container: Protected Vitamin C, tit. 97,5% (ascorbic acid, coating agent: ethyl cellulose); brewer's yeast (it contains gluten); Nycotinamide. Anti-caking agent: silicon dioxide; Calcium Pantothenate, Riboflavin; Pyridoxine hydrochloride, Thiamine hydrochloride; Cyanocobalamin tit. 0,1% (Cyanocobalamin, maltodextrin, acidity corrector: Citric Acid, trisodium citrate). Stabilizer: Carboxymethylcellulose. Vial: water; acacia honey, concentrated bilberry juice, Potassium pydolate sol 50%, Ginseng root fluid extract, tit.1% in total ginsenosides as ginsenoside RG1 (ginseng, ethanol, water), magnesium pydolate, fresh royal jelly, Carnitine, Taurine, Acidity corrector: Sodium lactate sol. 60%; preserving agents: Potassium sorbate, Ginseng root dry extract, tit.15% in ginsenosides as ginsenoside RG1 (ginseng, maltodextrin). Acidity corrector: Citric Acid.

Posology

1-2 oral vials a day, as needed. Do not exceed the recommended dosage. Turn the stopper container in a clockwise direction until the powder in will go into the vial; shake for 30 seconds; screw off the stopper and drink immediately.

Warnings

Do not use in case of pregnancy. The expiry date refers to the sealed pack, correctly stored. Store in a cool and dry place. Keep out of reach from children under three years of age. Supplements cannot be used to substitute a varied and balanced diet and a healthy life style.


Seremag®

45 x 500 mg capsules - 22.5 g

20-40 Days treatment



Food Supplement



AVAILABLE
Bibliographic references



Gluten Free
Naturally
Lactose Free



High Dosage of Magnesium and Melatonin

**With Vitexin, Flavonoids, Valerenic acid
Cardiac Erethism
Menopausal syndrom
Insomnia
Anxiety
Jet Lag
Black Mood**

Shelf life: 36 months
P.P. Italy 19,50€

Seremag®

SEREMAG® is a dietary supplement with high dosage of Magnesium and Melatonin, Vitexin, Flavonoids and Valerenic Acid, useful in any reduced intake or increased need of such nutrients. Hawthorn, Valerian and Passion-flower help to favour sleep.

Ingredients

Capsule content: Magnesium Oxide, Hawthorn (*Crataegus oxyacantha* auct.) flowers and leaves dry extract tit. 1.5% in vitexin-2-rhamnoside and hyperoside (hawthorn, maltodextrin), Linden (*Tilia platyphyllos* Scop.) flowers dry extract tit. 5% in total flavonoids as anhydrous rutin (linden, maltodextrin), Valerian (*Valeriana officinalis* L.) root dry extract tit. 0.8% in sesquiterpenic acids as valerenic acid (valerian, maltodextrin, anti-caking agent: silicon dioxide), Bulking agent: Dibasic calcium phosphate, Passion-flower (*Passiflora incarnata* L.) aerial part with flowers dry extract tit. 4% in total flavonoids as vitexin (passion-flower, maltodextrine, anti-caking agent: silicon dioxide); Hop (*Humulus lupulus* L.) strobili dry extract tit. 0.4% in total flavonoids as rutin (hop, maltodextrin, anti-caking agent: silicon dioxide), Melatonin. External container: Hypromellose, Colouring agent: Titanium dioxide.

Recommended daily dose

One/two capsules a day. Do not exceed the recommended daily dose.

Warnings

In case of pregnancy, during lactation or under concomitant therapy with drugs, it is suggested to consult your physician. Store in a cool and dry place. The expiry date refers to the product in intact packaging properly stored. Keep out of reach of children under the age of three. Dietary supplements are not intended as a substitute for a varied and balanced diet and a healthy lifestyle.

Vitergen Plus ®

12 sachets 9,5 g – 114 g

AVAILABLE
Bibliographic references

12 Days treatment



Gluten Free Naturally
Lactose Free


Booster

**Vital and Sexual energy in men thanks to
High dosage of Arginine**

Fatigue

Intense sport, activity and work

Food Supplement



Shelf life: 36 months
P.P. Italy 18,00 €

Vitergen Plus®

Vitergen Plus® is a food supplement containing Zinc, Creatine and NADH, with Arginine, Royal Jelly and extracts of Ginseng and Guarana, which helps to supplement nutritional deficiencies or provide the increased need for these nutrients. Thanks to the presence of Guarana and Ginseng extracts, Vitergen Plus® may be of use as tonic adaptogen in case of physical and mental fatigue.

Composition

Fructose, Creatine monohydrate, Arginine base, Orange aroma, freeze dried royal jelly, Ginseng dry root extract tit. 5% in total ginsenosides as ginsenoside RG1 (ginseng, malt destrine), Zinc gluconate, Guarana dry seed extract tit. 2,5% in caffeine (guarana, malt destrine, anti-caking agent: silicon dioxide), sweetener: sucralose; NADH (reduced Nicotinamide Adenine Dinucleotide).

Posology

Take one or 2 sachets a day. Do not exceed this dose. Dissolve the contents of the sachet in a glass of water, stir well until the contents are completely dissolved and drink the solution straight away.

Warnings

Keep in a cool and dry place. The sell by date refers to a product whose packaging has not been opened and that has been correctly stored. Keep out of reach of children under 3 years of age. Supplements are not intended to substitute a varied diet. This product should not be used by those who suffer from kidney disease. Do not take during pregnancy and in children; do not take the product for long periods without consulting your doctor.

KQ 10®

10 packets each containing 5 g

10 Days treatment



AVAILABLE
Bibliographic references
Scientific publications




Naturally
Lactose Free

**Saline energy integration
Conzyme Q10 – Potassium – Magnesium- L-
Carnitine – Taurin - Maltodextrin**

**Dosage of active ingredients according to OMS
indications**

Particularly indicated in Cardiology

Food Supplement



Shelf life: 36 months
P.P. Italy 15,50€

Medibase's KQ10[®] is an active saline supplement based on Potassium, Magnesium, Carnitine, Coenzyme Q10 and Taurine, with Maltodextrins indicated to compensate nutritional deficits or to increase needs of such nutritional agents. KQ10[®] can be used to restore mineral salts lost due to sweating, diarrhea, vomiting, and feverishness.

KQ10[®] has been formulated in order to allow the organism to restore the mineral salts lost due to sweating or to particular physiological conditions. KQ10[®] has been in addition enriched with Carnitine, Coenzyme Q10[®] and Taurine which have an energizing activity complementary to that of Maltodextrins. The dosages of KQ10[®] ingredients are consistent with the levels recommended by the WHO (World Health Organisation) thus supplying the organism with the optimal daily requirement.

Composition

Potassium gluconate, Fructose, Maltodextrins (17.7%), Magnesium citrate, Orange flavour, Carnitine tartrate, Taurine, Acidifying agent: Citric acid, Coenzyme Q10, Anticaking agent: Silicium dioxide, Natural flavor: safflower, Sweetening agents: Sucralose, Acesulphame K.

Posology

Put the contents of one packet of KQ10 in a glass of water, mix well and drink straight after. Take one sachet a day, preferably on a full stomach. Do not exceed the recommended dosage.

Warnings

Before taking the product in case of pregnancy, during lactation or under concomitant therapy with drugs, it is advisable to consult your physician. Store in a cool and dry place. The expiry date refers to the product in the integer packaging properly stored. Keep out of children's reach (less than 3 years old). Caution: supplements cannot be considered as a substitute of a balanced diet and an health life style.

Tuxopirina® syrup

200 ml bottle with measuring dispenser

12 days treatment



AVAILABLE
Bibliographic references



Gluten Free Naturally
Lactose Free

**Completely Natural Complex of synergic
active ingredients**

**Antitussive - Anti-inflammatory
Mucolytic – Antipyretic**



Food Supplement

Shelf life: 36 months
P.P. Italy 15,00€

Tuxopirina® syrup

Tuxopirina® is a dietary supplement of Vitamin B6, Iron and Zinc with White Horehound, Grindelia, Thyme, Spirea and Eleuterococcus extracts. indicated in all cases of reduced intake of these nutrients connected with the diet. White Horehound and Thyme have bronchial mucolytic properties; Grindelia has a balsamic and emollient activity useful for the right functionality of the oro-pharynx mucosa. Tuxopirina® is an adjuvant in the treatment of respiratory tract diseases.

Composition


Water, Fructose, Meadowsweet plant top fluid extract D/E 1:2 (Meadowsweet, glycerol, water Preservatives: Potassium sorbate), Eleuterococcus root fluid extract D/E 1:2 (Eleteurococcus, glycerol, water Preservatives: Potassium sorbate); Wattle Honey, White Horehound plant top fluid extract (Horehound, glycerol, water Preservatives: Potassium sorbate); Wild Thyme leaves uid extract D/E 1:2 (Wild Thyme, glycerol, water Preservatives: Potassium sorbate); Gumlah flowers and plant top fluid extract (Gumlah, ethanol, water); Bilberry berries concentrated juice, Acidifying agent: Sodium Lactate sol. 60%, Iron gluconate. Preservatives: Potassium sorbate, Zinc gluconate; Flavouring agent: Orange, vanillin. pyridoxine hydrochloride. Acidifying agent: Citric Acid.

Posology

ADULTS and CHILDREN (after 12 years old): 10 ml 2 – 4 times a day in the 24 hours. Use the dispenser. Do not exceed the recommended dosage.

Warnings

Store in a cool and dry place. The expiry date refers to the product in the integer packaging properly stored. Keep out of the children's reach (less than 3 years old).



Adjvant in the treatment of airway diseases with stimulating activity on the immune defenses

Symptomatic action

- **Althea off polysaccharide complex: emollient and expectorant activity**
- **Thymol: Bechic and antispasmodic**
- **Marrubina: Fluidifier and antiseptic**
- **Iron and Vit B6:Adaptogens and anti-stress**

Anti-infective action and immunomodulatory activity

- **Echinacoside: immunomodulating and stimulating the production of T lymphocytes.**
- **Propolis: antibacterial, antiviral and anti-inflammatory activity**
- **Zinc: immunostimulating and antiviral**



Echitus®

It is a food supplement of Vitamin B6, Iron, Zinc, with Propolis and extracts of Altea, Horehound, Echinacea and Thyme. Horehound and Thyme are useful for the fluidity of bronchial secretions, while Echinacea for the functionality of the upper respiratory tract.

Composition

Water, Fructose, Honey, Bilberry (*Vaccinium myrtillus L.*), fruits, dry concentrate, bi-hydrate Iron gluconate, Acidifying agent: Sodium lactate sol 60%, Zinc gluconate; Marshmallow (*alcea officinalis L9* root, dry extract E/D:1/4 (Marshmallow, maltodextrin); Horehound (*Marrubium vulgare L*), aerial parts, dry extract E/D:1/4 (Horehound, maltodextrin); Echinacea (*Echinacea angustifolia DC*) root, dry extract, tit. 0,6% in echinachoside (*Echinacea*, maltodextrin); Preservative: Potassium sorbate. Wild Thyme (*Thymus vulgaris L*) leaves, dry extract E/D:1/4 (wild thyme, maltodextrin). Flavouring agent: berry fruits.

Propolis: cryo ground dust tit. min 2,5% in total flavonoids as galangin (propolis, maltodextrin, anticaking agent: silicon dioxide). Pyridoxine hydrochloride, acidifying agent: citric acid

Posology

Take 10 ml per day. Do not exceed the recommended dosage.

Warnings

Do not use in pregnancy time. Store in a cool and dry place. The expiry date refers to the product in the integer packaging properly stored. Keep out of the children's reach (less than 3 years old). Supplements do not replace the need for a varied diet and a healthy life style

Neoidra® sachets

10 sachets each containing 7,5 g

10 days treatment



AVAILABLE
Bibliographic references
University of Pisa validated



**ORAL SALINE REHYDRATING PRODUCT
FOR PEDIATRIC USE with Sodium Chloride
and Potassium citrate, glucose and sacharose
Diarrhea and Vomiting
High fever and Excessive sweating
Prevention and Therapy of dehydration and loss
of Electrolytes of any origin and severity**

**WHO compliant osmolality according to the
guidelines of ESPGHAN and AAP**

Food for special
medical purposes



Shelf life: 36 months

Neoidra ® sachets

Neoidra® is an oral saline rehydrating agent for the prevention and therapy of dehydration and electrolytes loss of any origin and severity.

Composition

Glucose, Sacharose, Sodium Chloride, Potassium citrate tribasic monohydrate, Orange flavour, Citric acid, Sweetener: Acesuplhame K

Posology

Dissolve one sachet in 250 ml of still water at room temperature. Administration one or more times a day according to the pediatrician advice. In particular, following ESPGHAN ad AAP guidelines (American Academy of Pediatrics), the right usage of Neoidra ought to be: one packet dissolved in 250 ml of water and to administrate slowly at small doses (example 10 ml every 5 minutes). The administration should be repeated frequently especially in the first 24 hours. Do not exceed the recommended dosage.

Warnings

Store in a cool and dry place bellow 25°C, away from direct source of light. The expiry date refers to the sealed pack, correctly stored. Keep out of the children's reach (less then 3 years old). Supplement cannot be considered as a substitute of a balanced diet and a healthy life style.

OcuVase®

30 blue tablets, 750 mg each

30 red tablets, 750 mg each

AVAILABLE

Bibliographic references



Standardized dual-action (Vascular and draining) plant extracts for the treatment of haemorrhage and the protection of capillaries in Ophthalmology

Vascular, anti-inflammatory, draining and anti-oedemigenous activity

Food supplement with titrated extracts of: **Vitis vinifera, Centella, Ginkgo, Orthosiphon, Lespedeza and Ruscus**

Food supplement



Shelf life: 36 months

OcuVase @

Ocuvasé® is a product based on standardized herbal extracts. It contains dry extracts of Red Grapevine, Ginkgo Biloba and Blueberry performing an antioxidant action; Butcher's Broom, Horse Chestnut and Centella that keep the good function of the microcirculation. Orthosiphon, Equisetum and Lespedeza drain the body fluids and support the regular functioning of the urinary tract. Vitamin C plays a high antioxidant action and is necessary for the formation of the collagen of the vascular connective tissue.

Composition

Blue tablet: Common grape vine (*Vitis vinifera* L.) seed d.e. with 95% proanthocyanidin, Bulking agent: Microcrystalline cellulose, *Ruscus* (*Ruscus aculeatus* L.) root d.e. with 10% ruscogenin, *Orthosiphon* (*Orthosiphon stamineus* Bent) leaf d.e. with 0.1% sinensetin, *Equisetum* (*Equisetum arvense* L.) aerial part d.e. with 7% silica, *Lespedeza* (*Lespedeza capitata* Mich.) herb d.e. with 4% rutin, Anti-caking agents: silicon dioxide, vegetable magnesium stearate. Coating agents: Acetylated pregelatinized and corn starch, Talc, Glycerol, Dyes: Titanium dioxide, Indigotin. Red tablet: Bulking agent: Microcrystalline cellulose; Vitamin C, Horse chestnut (*Aesculus hippocastanum* L.) bark d.e. with 20% escin, Ginkgo (*Ginkgo biloba* L.) leaf d.e. with 24% ginkgo flavonoids, European blueberry (*Vaccinium myrtillus* L.) fruit d.e. with 25% anthocyanidin, Centella (*Centella asiatica* L.) herb d.e. with 40% asiaticoside, Anti-caking agents: silicon dioxide, vegetable magnesium stearate. Coating agents: Acetylated pregelatinized corn starch, Talc, Shellac, Glycerol, Dyes: Titanium dioxide, Red iron oxide, Black iron oxide.

Posology

Take a blue tablet after breakfast and a red tablet after the evening meal with plenty of water.

Warnings

Keep out of the reach of children under 3 years of age. Do not exceed the recommended daily dose. Food supplements should not be used as substitutes for a varied, balanced diet and a healthy lifestyle. If you are taking anticoagulant or anti-platelet drugs, consult your doctor before taking the product. The product should not be administered to pregnant or breastfeeding women.

Solidra® STERILE monodose vials

30 vials of 0,6 ml – RESEALABLE VIALS

AVAILABLE
Bibliographic references



**Moisturing and lubrication of the eye surface
in the case of:**

Dry eyes, burning, redness, itching and eye fatigue caused by various factors such as stress, dust, smoke, dry air, smog, wind, harsh or artificial light, prolonged use of VDUs, use of stiff or soft contact lenses, exposure to sun, lack of sleep, long hours of driving.



Medical Device class IIa
STERIL

Shelf life: 36 months
P.P. Italy 20,00 €

Solidra® STERILE monodose vials resealable

Solidra is a monodose sterile tear substitute with pre-dosed drops for corneal protection. The product is transparent and viscoelastic. Solidra can be used to moisten and lubricate the eye surface, especially in the case of: dry eyes or minor non-pathological ailments such as burning, redness, itching and eye fatigue caused by various factors such as stress, dust, smoke, dry air, smog, wind, harsh or artificial light, prolonged use of VDUs, use of stiff or soft contact lenses, exposure to sun, lack of sleep, long hours of driving.

Composition Each multidose vial contains: 0.6 ml of solution. 100 ml of solution contains: 0.16 g hyaluronic acid, 0.8 g sodium chloride, 0.06 g mono-Sodium orthophosphate, 0.47 g di-Sodium hydrogen phosphate dodecahydrate, water as needed for 100 ml.

How to use Before use, make sure that the multidose vial is intact. Remove the vial from the strip, open the cap and make sure that you put it down with the base raised. Instill one or more drops in each eye. Close the vial with the upper part of the cap. **Solidra** can be used for 2-3 daily applications. Use within 12 hours of opening. After applying, vision returns normal after a few minutes. The droplets produced by gravity are accurately pre-dosed by the shape of the vial.

Warnings Do not use damaged or pierced containers. Avoid that the end of the container comes into contact with the eye. Make sure once the container is opened that it does not come into contact with contaminating substances or surfaces. Do not use in case of specific hypersensitivity to the components or other chemically related substances. Do not use together with other drugs for external ophthalmic use. Do not use in case of infectious ocular diseases. Keep out of reach of children. Do not use alter the expiry date. Store at temperatures between 2° C and 25° C. In case of problems while using the product, stop treatment and consult a physician. Do not use after the expiry date indicated on each vial.

Solidra plus® eye drops

10 ml pluridose vial with dropper and cap

AVAILABLE
Scientific publications
Bibliographic references



**Hyaluronic acid
Average Molecular Weight (HA)
Cross-linked hyaluronic acid (HACL)
Mannitol**

**For the improvement of viscoelasticity,
hydration, stability and permanence of the
artificial tear**

Suitable for pre and post surgery use



Medical Device class II b
sterile



Shelf life: 36 months
P.P. Italy 19,00€

Solidra plus [®] Eye drops

SOLIDRA PLUS is a Medical Device for ophthalmic application consisting of a sterile, slightly hypotonic saline solution with high biocompatibility, low viscosity and physiological pH, preservative-free, with combination of cross-linked Sodium Hyaluronate and medium molecular weight Sodium Hyaluronate, packed in 10 ml bottle. The cross-linked Sodium Hyaluronate has a reticular molecular structure which, in combination with linear medium molecular weight Sodium Hyaluronate, enhances lubrication, hydration and permanency on the ocular surface, to alleviate the symptoms associated with dry eye syndrome.

SOLIDRA PLUS is recommended to relieve from ocular redness, dryness and tiredness caused by dry eye syndrome, by environmental stress (dust, allergens, smoke, smog, air conditioned) and by ocular stress due to prolonged use of the computer, television and video display terminal. The product can be use even by contact lenses wearers, without having to remove them, to improve eye lubrication and comfort.

Composition Cross-linked Sodium Hyaluronate 0,1%, Sodium Hyaluronate 0,1%, Mannitol, Sodium Chloride, Sodium citrate tribasic dihydrate, Citric Acid monohydrate, purified water up to 100 mL.

How to use instill 1 or 2 times a day, or according to the doctor's opinion.

Nebulip® spray

10 ml sterile spray

AVAILABLE
Scientific publications
Bibliographic references



Hypotonic saline solution with high biocompatibility and physiological pH, based on Liposomes and thermal water of Cervia

Relief from burning, foreign body sensation, dryness, redness and fatigue.

Can be used on the closed eyelids



Medical Device class II b
sterile



Shelf life: 36 months

Nebulip® spray

Nebulip ophthalmic spray is a Medical Device consisting of a sterile, slightly hypotonic saline solution with high biocompatibility, and physiological pH, preservative-free, based on Liposomes and Acqua Madre Salina, in a spray bottle of 10mL. Thanks to its components, **Nebulip** is able to regulate, moisturize and refresh the eye mucosa and give functional support to the eye surface. Thus, the lipid layer used to contain and control the evaporation of the tear film is re-established. The use of **Nebulip** gives relief to the most common eye discomforts such as burning, foreign body sensation, dryness, redness and fatigue, which can be caused by:

- cases of dry eye syndrome, in particular caused by the qualitative inadequacy of the lipid layer of the eye surface,
- unfavorable weather and environmental conditions (air conditioning, dry or very hot climate, heating systems, wind, pollution, dust, smoke, allergens),
- visual stress due to a long period of driving or study, prolonged use of contact lenses or electronic devices (computer, television, display screen equipment, smartphone).

Composition Liposomes (Phospholipid 90G) 1%, Acqua Madre Salina 1%, Sodium Chloride, Sodium citrate tribasic dihydrate, Citric Acid monohydrate, Purified water.

Possology We recommend use for adults and children from 3 years, 3 or 4 times a day, or according to the doctor's opinion. Nebulip ophthalmic spray can also be administered during the use of contact lenses to improve eye lubrication and comfort. Use the product within 3 months from the first dispensing.

How to use:

CAREFULLY CLEAN HANDS BEFORE OPENING THE BOTTLE
GENTLY SHAKE THE SPRAY BOTTLE BEFORE USE
PERFORM TWO EMPTY DISPENSES AT FIRST USE
DURING DISPENSING, KEEP THE BOTTLE IN VERTICAL POSITION
GENTLY PRESS ON THE SPRAY PUMP AND DELIVER 1-2 SPRAYS ON THE CLOSED EYELIDS. KEEP A DISTANCE OF 10CM
THE PRODUCT IS FOR SINGLE-PATIENT USE
THE PRODUCT IS COMPATIBLE WITH CONTACT LENSES

Blefavis® wipes

30 disposable wet wipes



AVAILABLE
Scientific publications on the product
Bibliographic references




Cleaning and disinfectant wipes for the eye zone of sensitive and seborrheic eyelids and in the local treatment of blepharitis

Refreshing and emollient action thanks to Aloe and Glycolic Mallow extract

Normalization of the bacterial load thanks to grape seed extract (GSE)



Medical Device class I
NOT sterile



Shelf life: 36 months
P.P. Italy 17,00€

Blefavis® Wipes

- Blefavis® Wipes is an innovative product made by soaked wipes in liquid specifically designed for the daily cleaning of the sensitive and seborrheic eyelids and eyelashes, it is hypoallergenic with a pH equal to that of tears and normalizing the bacterial load, suitable for daily cleansing of the eye area. Directions: Blefavis® Wipes the product is natural and performs a refreshing, emollient and cleanser actions thanks to Aloe and Glycolic Mallow extracts. Properties: Blefavis® Wipes does not contain fragrances which may cause allergic reactions in sensitive people and provides gentle cleansing and removal of mucous secretions and dry or fatty flakes that build up on the edge of eyelids The product allows a gentle and refreshing cleansing, as well the normalizing the bacterial load, which progressively inhibits the reforming of secretions. Blefavis® Wipes can be used both in adults and children

Properties Blefavis® Wipes does not contain fragrances which may cause allergic reactions in sensitive people and provides gentle cleansing and removal of mucous secretions and dry or fatty flakes that build up on the edge of eyelids The product allows a gentle and refreshing cleansing, as well the normalizing the bacterial load, which progressively inhibits the reforming of secretions. Blefavis® Wipes can be used both in adults and children.

Composition vegetable glycerol, Aloe Ferox glycolic extract, Malva Sylvestris glycolic extract, Citrus grandis seed extract hydroglycerin (grapefruit seed extract), Cocamidopropyl Betaine, Monobasic Potassium Phosphate, Dibasic Potassium Phosphate, Disodium EDTA, Phenethyl Alcohol, Caprylyl Glycol, Purified Water.

How to use Use Blefavis® Wipes twice a day morning and evening, or whenever you need a eyelid deep cleaning. Remove the wipe, with clean hands, gently rub several times on the surface of the eyelid and around the eye zone while keeping the eye closed. In the event of particularly resistant dried secretions, it is recommended to repeat the treatment leaving the wipe over the affected area for few seconds. The product can be used by contact lenses wearers, and before and after eye surgeries.

Contraindications known hypersensitivity to the wipes solution.

Warnings For topical application. Do not apply directly in the eye. Do not ingest. Keep out of the reach of children. Store in a cool and dry place.

Blefavis® gel

40 ml tube

AVAILABLE
Scientific publications on the product
Bibliographic references



Medical Device class I
NOT sterile



**Cleaning and disinfectant gel for the eye
zone of sensitive and seborrheic eyelids and
in the local treatment of blepharitis**

**Refreshing and emollient action thanks to
Aloe and Glycolic Mallow extract**

**Normalization of the bacterial load thanks
to citrus grandis seed extract**

Shelf life: 36 months
P.P. Italy 15,00€

Blefavis ® Gel

Blefavis Gel® is an innovative product made with a specific liquid for the daily cleaning of the eyelids and eyelashes; it is hypoallergenic with a pH equal to that of tears and it normalizes the bacterial load, suitable for daily cleansing of the eye area.

Directions: Blefavis Gel® is a gel formulation specifically designed for daily cleaning of the sensitive and seborrheic eyelids and eyelashes. It is a natural product and it performs a refreshing, emollient and cleanser actions thanks to Aloe and Mallow Glycolic extracts. It is also able of normalizing the bacterial load thanks to Citrus grandis seed extract hydroglycerin (GSE).

Properties Blefavis Gel® does not contain fragrances which may cause allergic reactions in sensitive people and provides gentle cleansing and removal of mucous secretions and dry or fatty flakes that build up on the edge of eyelids. The product allows a gentle and refreshing cleansing, as well the normalizing the bacterial load, which progressively inhibits the reforming of secretions. Blefavis gel can be used both in adults and children.

Composition vegetable glycerol, Aloe Ferox glycolic extract, Malva Sylvestris glycolic extract, Citrus grandis seed extract hydroglycerin (grapefruit seed extract, also known under the acronym GSE), Lauramidopropyl Betaine, Carboxyvinyl polymer, hydroxyethylcellulose, Monobasic Potassium Phosphate, Dibasic Potassium Phosphate, Disodium EDTA, Sodium Hydroxymethylglycinate, Sodium Methyl Paraben, Purified Water.

How to use Use Blefavis ® gel twice a day morning and evening, or whenever you need a eyelid deep cleaning. Wash your hands thoroughly, moisten the eye area and apply a small amount of gel using circular movements. Keep tightly closed your eye and massage the affected area. Repeat several times to facilitate the complete removal of eye secretions and any other deposits (floater, powder, makeup, ... etc.). Rinse with warm water. The product can be used by contact lenses wearers, and before and after eye surgeries.

Contraindications known hypersensitivity to the gel solution.

Warnings Only for topical application. Do not apply directly in the eye. Do not ingest. Keep out of the reach of children.

Blefavis® STERILE Wipes

18 sterile disposable wet wipes



**INJURED SKIN
ABRASIONS
WOUNDS**



Medical Device class IIa
STERIL



AVAILABLE
Scientific publications on the product
Bibliographic references



PRE-POST Surgery
OK



FRAGRANCE FREE
FRAGRANCE FREE



Also for children



HYPOTONIC
HYPOTONIC



Lenses OK



**Cleaning and disinfectant wipes for the eye
zone of sensitive and seborrheic eyelids and
in the local treatment of blepharitis**

**Refreshing and emollient action thanks to
Aloe and Glycolic Mallow extract**

**Normalization of the bacterial load thanks
to citrus grape seed extract**

Shelf life: 36 months
P.P. Italy 18,00€

Blefavis® Wipes

STERILE

Blefavis® sterile disposable wipes are soaked in a natural solution, suitable for use around the eyes, they have iso-lacrimal pH, detergent and emollient characteristics. Blefavis® sterile disposable wipes normalize the presence of bacteria on the skin.

Properties Blefavis® sterile disposable wipes do not contain fragrances which may cause allergic reactions in sensitive people and provides gentle cleansing and removal of mucous secretions and dry or fatty flakes that build up on the edges of the eyelids. The product allows gentle and refreshing cleansing as well as the normalizing of bacterial presence on the skin, which may progressively inhibit the reformation of secretions. Blefavis® sterile disposable wipes can be used by both adults and children.

Composition Vegetable glycerol, Aloe Ferox glycolic extract, Malva Sylvestris glycolic extract, Citrus grandis seed extract hydroglycerin (grapefruit seed extract), Cocamidopropyl Betaine, Mono- basic Potassium Phosphate, Dibasic Potassium Phosphate, Disodium EDTA, Purified Water.

How to use Use Blefavis® sterile disposable wipes twice a day, morning and evening, or whenever you need deep cleansing of the eyelid. Remove the wipe from the sachet, using clean hands, and gently pass it several times over the surface of the eyelid and around the eye zone whilst keeping the eye closed. In the event of particularly resistant dried secretions, it is recommended to repeat the treatment leaving the wipe over the affected area for a few seconds. The product can be used by wearers of contact lenses, and before and after eye surgery. The wipes are sterile and can come into contact with skin wounds or abrasions.

Warnings For topical application. Do not apply directly in the eye. Do not ingest. Keep out of the reach of children.

Shelf life: 36 months.

Solidra® STERILE monodose vials

30 vials of 0,6 ml – RESEALABLE VIALS

AVAILABLE
Bibliographic references



**Moisturing and lubrication of the eye surface
in the case of:**

Dry eyes, burning, redness, itching and eye fatigue caused by various factors such as stress, dust, smoke, dry air, smog, wind, harsh or artificial light, prolonged use of VDUs, use of stiff or soft contact lenses, exposure to sun, lack of sleep, long hours of driving.



Medical Device class IIa
STERIL

Shelf life: 36 months
P.P. Italy 20,00 €

Solidra® STERILE monodose vials resealable

Solidra is a monodose sterile tear substitute with pre-dosed drops for corneal protection. The product is transparent and viscoelastic. Solidra can be used to moisten and lubricate the eye surface, especially in the case of: dry eyes or minor non-pathological ailments such as burning, redness, itching and eye fatigue caused by various factors such as stress, dust, smoke, dry air, smog, wind, harsh or artificial light, prolonged use of VDUs, use of stiff or soft contact lenses, exposure to sun, lack of sleep, long hours of driving.

Composition Each multidose vial contains: 0.6 ml of solution. 100 ml of solution contains: 0.16 g hyaluronic acid, 0.8 g sodium chloride, 0.06 g mono-Sodium orthophosphate, 0.47 g di-Sodium hydrogen phosphate dodecahydrate, water as needed for 100 ml.

How to use Before use, make sure that the multidose vial is intact. Remove the vial from the strip, open the cap and make sure that you put it down with the base raised. Instill one or more drops in each eye. Close the vial with the upper part of the cap. **Solidra** can be used for 2-3 daily applications. Use within 12 hours of opening. After applying, vision returns normal after a few minutes. The droplets produced by gravity are accurately pre-dosed by the shape of the vial.

Warnings Do not use damaged or pierced containers. Avoid that the end of the container comes into contact with the eye. Make sure once the container is opened that it does not come into contact with contaminating substances or surfaces. Do not use in case of specific hypersensitivity to the components or other chemically related substances. Do not use together with other drugs for external ophthalmic use. Do not use in case of infectious ocular diseases. Keep out of reach of children. Do not use alter the expiry date. Store at temperatures between 2° C and 25° C. In case of problems while using the product, stop treatment and consult a physician. Do not use after the expiry date indicated on each vial.

Zixol® STERILE pluridose drops

8 ml bottle with dropper

AVAILABLE
Scientific works on product
Bibliographic references



PATENT
N.0001388403



**An isotonic buffered tear substitute for
corneal protection**

**Synergistic action of Zink and Hyaluronic
acid of High Molecular weight**

**Moisturing and lubricating the eye surface
Also as adjuvant of hydration during
antiallergic treatments**



Medical Device class IIa
STERIL



Shelf life: 36 months
P.P. Italy 19,00€

Zixol® STERILE Pluridose drops

Zixol® is an isotonic, buffered tear substitute. Its transparency and viscosity ensure maximum comfort of use. It is indicated for corneal protection. In addition to containing hyaluronic acid as a physiological substance and lubricant, Zixol® also contains zinc sulphate, which is already present in ocular tissue at high concentrations. The combined hydrating action of hyaluronic acid and zinc sulfate is beneficial in moistening and lubricating the eye surface in case of:

Dry eyes caused by several factors, such as: stress, wind, smog, harsh artificial light, use of VDU s, use of contact lenses, long hours of driving, non-pathological traumatic alterations, period following procedures with excimer laser and other situations of changes in normal tear function.

Composition 100ml solution contains: Sodium chloride 0.80 g, sodium citrate tribasic dihydrate 0.20 g, Hyaluronic Acid 0.15 g, Zinc Sulfate Heptahydrate 0,035 g, Citric Acid 0,003 g Purified Water as needed for 100 ml

How to use remove the safety seal, remove the protective cap. Tilting the head back, instill 1 drop in the eye, taking care to keep down the lower eyelid. After instillation the product will be distributed evenly within the eye, producing a protective moisturizing film on the surface of the eye. After instillation of the eye drops, the eyesight will return to normality after a few minutes. The drops produced by gravity are accurately predosed by the shape of the device orifice. **Zixol®** can be used for multiple daily administrations.

Contraindications proven hypersensitivity to the solution's components. Unknown incompatibility with other devices or drugs.

Adverse effects in some cases, intolerance (stinging or irritation) may occur without having though any consequences. Nonetheless inform your physician or pharmacist about any side effects not mentioned in these instructions for use.

Warnings avoid touching the eye with the dropper. Close the bottle with the cap after use. The product must be used within 3 months after opening. Do not use in the case the bottle is damaged or opened. Do not use after the expiration date. Store at temperatures between 2° and 25 °C. In case of problems while using the product, discontinue the treatment and consult a doctor. Keep out of reach of children.

Zixol® STERILE monodose vials

20 vials of 0,6 each – RESEALABLE VIALS

AVAILABLE
Scientific publications on the product
Bibliographic references



PATENT
N.0001388403



An isotonic buffered tear substitute for corneal protection

Synergistic action of Zinc and Hyaluronic acid of High Molecular weight

**Moisturing and lubricating the eye surface
Also as adjuvant of hydration during antiallergic treatments**



Medical Device class IIa
STERIL

Shelf life: 36 months
P.P. Italy 20,00€

Zixol® STERILE Monodose vials Resealable

Zixol® is an isotonic, buffered tear substitute. Its transparency and viscosity ensure maximum comfort of use. It is indicated for corneal protection. In addition to containing hyaluronic acid as a physiological substance and lubricant, Zixol® also contains zinc sulphate, which is already present in ocular tissue at high concentrations. The combined hydrating action of hyaluronic acid and zinc sulfate is beneficial in moistening and lubricating the eye surface in case of:

Dry eyes caused by several factors, such as: stress, wind, smog, harsh artificial light, use of VDUs, use of contact lenses, long hours of driving, non-pathological traumatic alterations, period following procedures with excimer laser and other situations of changes in normal tear function.

Composition each multidose vial contains 0.6 ml of solution. 100 ml solution contains: Sodium chloride 0.80 g, sodium citrate tribasic dihydrate 0.20 g, Hyaluronic Acid 0.15 g, Zinc Sulfate Heptahydrate 0.035 g, Citric Acid 0.003 g, purified water as needed for 100 ml.

How to use before use, make sure that the multidose vial is intact. Remove the vial from the strip, open the cap and make sure that you put it down with the base raised. Instill one or more drops in each eye. Close the vial with the upper part of the cap.

Zixol® can be used for multiple daily applications.

Use within 12 hours of opening. After applying, vision returns normal after a few minutes. The droplets produced by gravity are accurately pre-dosed by the very shape of the vial.

Contraindications proven hypersensitivity to the solution's components. Unknown incompatibility with other devices or drugs.

Adverse effects in some cases, intolerance (stinging or irritation) may occur without having though any consequences. Nonetheless inform your physician or pharmacist about any side effects not mentioned in these instructions for use.

Warnings Do not use after the expiration date.

Store at temperatures between 2° and 25 °C. In case of problems while using the product, discontinue the treatment and consult a doctor.

Keep out of reach of children.

Maculareds®

30 tablets of 600 mg

30 days treatment



Food supplement



AVAILABLE
Bibliographic references

MEDIBASE
GROUP
Oftalpharma

Macular degeneration treatment and prevention

Macula wellbeing and health

AREDS studies based

Improved formulation by addition of another active ingredients with better results

Shelf life: 36 months

P.P. Italy 22,00€

Maculareds is a dietary supplement of Vitamin C, Vitamin E, Zinc, Copper, Selenium and Coenzyme Q10, with lipoic Acid, Taurine, Lutein and Zeaxanthin, useful to fill nutritional deficiencies or the increased needs for these nutrients. Tagetes is useful for the wellbeing of sight and provides an antioxidant action. Zinc contributes to the maintenance of normal vision, while Vitamin C, Copper and Selenium contribute to the protection of the cells from oxidative stress.

Composition

Bulking agents: Microcrystalline cellulose, Dibasic calcium phosphate; Vitamin C (Ascorbic acid) coated std. 97,5%, Taurine, Marigold capitula (*Tagetes erecta L*) d.e. tit 20% lutein, Zinc sulfate, Alpha lipoic acid, Vitamin E acetate (DL-alpha-tocopheryl acetate), Marigold capitula (*Tagetes erecta L*) d.e. tit 10% zeaxanthin, Anti-caking agent: Cross-linked sodium carboxymethyl cellulose; Coenzyme Q10, Cupric sulphate, L-selenomethionine, Anti-caking agents: Vegetable magnesium stearate, Silicon dioxide.

Indications

Take 1 tablet per day with water, preferably away from meals. Do not exceed the recommended daily dose.

Warnings

If you are being treated with glucose-lowering drugs, consult your doctor before the possible use of the product. Keep out of reach of children under three years of age. Dietary supplements are not intended as a substitute for a varied and balanced diet and a healthy lifestyle. Store in a cool, dry place. The expiry date refers to the product in whole package, properly stored.

Miodesol®

30 tablets of 1330 mg

30 days treatment



AVAILABLE
Bibliographic references



Indicated for Eye Floaters acting on inflammation, which can be considered the main reason of Eye Floaters

Indicated also for Uveitis

Specific Formulation appositely studied for the vitreal floaters

High Antinflammatory effect

New approach in the vitreal Floaters treatment



Food supplement

Shelf life: 36 months

P.P. Italy 22,00€

Miodesol ®

Miodesol is a dietary supplement containing Magnesium, Lipoic Acid and Potassium, Bromelain with dry extract of Curcuma. The connective tissue degeneration causes a progressive alteration of the normal transparency of the vitreous body through oxidative and/or enzymatic degradation. Miodesol maintains a regular state of hydration through the administration of salts (potassium and magnesium) in physiological amounts. Also counteracts the oxidative degenerative processes through the administration of Lipoic Acid. Miodesol also performs anti-inflammatory action by means of the dry extract of Curcuma and proteolytic activity, anti-inflammatory and anti-edema through Bromelain.

Composition

Lipoic acid, Turmeric rhizome dry extract tit. min. 95% in total curcuminoids such as curcumin, Magnesium Oxide, Bulking agent: microcrystalline cellulose, Potassium Chloride (potassium chloride, anti-caking agent: magnesium carbonate), Stabilizer: Hydroxypropylcellulose, Bulking agent: Dibasic calcium phosphate, Bromelain min. 1600 GDU/g (bromelain, Maltodextrin), Anti-caking agent: magnesium stearate, stabilizer: Cross-linked sodium carboxymethylcellulose, Black pepper fruit dry extract tit. min. in 95% piperine, Anti-caking agents: Silicon dioxide, talc. Overcoating tablet: Coating agents: Hydroxypropylmethyl cellulose, Polyvinyl alcohol, Polyethylene glycol, Colouring agent: Titanium dioxide, Stabilizer: Glycerol; Talc.

Indications

1 tablet per day or according to medical advice in the morning, take regularly for at least 3-4 months. The administration can be repeated even for very long periods of time.

Warnings

If you are being treated with hypoglycemic drugs, prior to any use of the product consult your doctor. Store in a cool, dry place. The expiry date refers to the product in whole package, properly stored. Keep out of reach of children under three years of age. Dietary supplements are not intended as a substitute for a varied and balanced diet and a healthy lifestyle.

THE BEST INVESTMENT FOR YOUR HEALTH!



**Via di Gonfienti, 5/C/59
59100 Prato (Italy)
Tel 0574 27 112
Fax 0574 051754
P. IVA 01683110975**