



# PRODUCT LIST

PRODUCT LIST


SHENZHEN MELLOW HOPE PHARM INDUSTRIAL CO., LTD.



# Human Vaccines

---

- Freeze-dried Live Attenuated Hepatitis A Vaccine (H2 strain)
- Recombinant Hepatitis E Vaccine (Escherichia Coli)
- Varicella Vaccine (Live), Freeze-dried
- Rabies Vaccine for Human Use (Vero cell), Freeze-dried
- Meningococcal Polysaccharide Vaccine (Group A/C/Y/W<sub>135</sub>)
- Meningococcal Conjugated Vaccine (Group A/C/Y/W<sub>135</sub>)
- Meningococcal Group A and C Conjugate Vaccine
- Recombinant Human Papillomavirus Bivalent (Types 16,18) Vaccine (Escherichia coli)
- Quadrivalent Influenza Vaccine (Split Virion), Inactivated
- Inactivated Poliomyelitis Vaccine
- Enterovirus Type 71 Vaccine, Inactivated (Human Diploid Cell) (EV71)



# Human Vaccines List

# Freeze-dried Live Attenuated Hepatitis A Vaccine (H2 strain)


**English Name:** Hepatitis A (Live) Vaccine, Freeze-dried

**Dosage Form:** Freeze-dried powder for injection

**Indication:** Active immunization against infection caused by HAV in persons over one and half year of age.

**Administration:** Subcutaneous injection

**Shelf Life:** 24 months



## Highlights of This Product

- One dose to get full immuno-protection for both adult and child
- Same safety & efficacy as inactivated hep-a vaccine
- Durable immune response for long-lasting protection

# Recombinant Hepatitis E Vaccine (Escherichia Coli)

**English Name:** Hepatitis E Vaccine ( E. coli)

**Dosage Form:** Liquid for injection

**Specification:** 0.5ml/dose in syringe, each dose contains 30µg of purified recombinant hepatitis E virus antigen.

**Indication:** Prevention against hepatitis E for susceptible population aged 16 years and above.

## Target Population:

a. Women preparing for pregnancy or receiving (In Vitro Fertilization) IVF; b. Liver transplant patients; c. Patients with liver disease

**Administration:** Intramuscular injection

**Shelf Life:** 24 months



## Highlights of This Product

- The world's 1<sup>st</sup> launched vaccine against Hepatitis E.
- Preventing death caused by Hepatitis E during perinatal period.
- Providing Hepatitis patient with all-round protection against Hepatitis E.

# Varicella Vaccine (Live), Freeze-dried

**English Name:** Varicella Vaccine (Live), Freeze-dried


**Dosage Form:** Freeze-dried powder for injection

**Specification:** 0.5ml per vial in pre-filled syringe form

**Indication:** Prevention against varicella among subjects aged more than 12 months.

**Administration:** Subcutaneous injection

**Shelf Life:** 36 months





# Rabies Vaccine for Human Use (Vero cell), Freeze-dried

**English Name:** Rabies Vaccine for Human Use (Vero Cell), Freeze-dried

**Dosage Form:** Freeze-dried powder for injection

**Specification:** 0.5 ml/dose; the potency of the rabies vaccine shall be not less than 2.5 IU.

**Indication:** Prevention against rabies virus.

**Administration:** Intramuscular injection

**Shelf Life:** 24 months



# Meningococcal Group A and C Conjugate Vaccine

**English Name:** Meningococcal Group A and C Conjugate Vaccine

**Dosage Form:** Freeze-dried Powder for Injection

**Specification:** Single dose (0.5 ml/dose after reconstitution)

**Indication:** It is indicated for prevention against diseases caused by Meningococcal Group A, C, such as cerebrospinal meningitis and septicemia (general infection) for Infants and children at the age of 3 months to 5 years.

**Administration:** Intramuscular injection

**Shelf Life:** 24 months

**Storage Temperature (°C):** 2-8 °C





# Group ACYW<sub>135</sub> Meningococcal Polysaccharide Vaccine

**English Name:** Group ACYW<sub>135</sub> Meningococcal Polysaccharide Vaccine

**Dosage Form:** Solution for Injection

**Specification:** Single dose (0.5 ml/dose after reconstitution)

**Indication:** The vaccine is indicated for active immunization of adults and children over two years old.

**Administration:** Subcutaneously injection

**Shelf Life:** 24 months

**Storage Temperature (°C):** 2-8 °C



# Group ACYW<sub>135</sub> Meningococcal Conjugate Vaccine (CRM197)

**English Name:** Group ACYW<sub>135</sub> Meningococcal Conjugate Vaccine (CRM197)

**Dosage Form:** Solution for Injection

**Specification:** Single dose (0.5 ml/dose after reconstitution)

**Indication:** Protect children aged 3 months to 3 years against the ongoing threat of meningitis.

**Administration:** Intramuscular Injection

**Shelf Life:** 24 months

**Storage Temperature (°C):** 2-8 °C



# Recombinant Human Papillomavirus Bivalent (Type 16, 18) Vaccine (Escherichia coli)

**English Name:** Recombinant Human Papillomavirus Bivalent (Type 16, 18) Vaccine (Escherichia coli)

**Dosage Form:** Liquid for injection

**Specification:** 0.5 ml/vial, each dose contains: 40µg recombinant HPV 16 L1 protein and 20µg HPV 18 L1 protein

**Indication:** Indicated for women aged 9-45 years to prevent Cervical cancer, Cervical intraepithelial neoplasia Grade 1, Grade 2 or 3 (CIN2/3), adenocarcinoma in-situ (AIS) and persistent infections of HPV types 16 and/or 18.

**Administration:** Intramuscular injection

**Shelf Life:** 36 months



# Influenza Vaccine (Split Virion), Inactivated, Quadrivalent/Trivalent

---

**English Name:** Influenza Vaccine (Split Virion),  
Inactivated, Quadrivalent

**Dosage Form:** Solution for Injection

**Specification:** 0.25ml/0.5ml syringe or vial

**Indication:** It is indicated for prevention against  
influenza viruses of prevalent strains.

**Administration:** Intramuscular injection

**Shelf Life:** 12 months

**Storage Temperature (°C):** 2-8 °C



# Poliomyelitis Vaccine (Vero Cell), Inactivated, Sabin Strains

---

**English Name:** Poliomyelitis Vaccine (Vero Cell),  
Inactivated, Sabin Strains


**Dosage Form:** Liquid for injection

**Specification:** 0.5 ml/ vial; 0.5ml for per person every  
time; containing the amount of antigen for poliovirus  
type I 30DU, type II 32DU, type III 45DU.

**Indication:** active immunization for infants and  
children aged  $\geq 2$  months against poliomyelitis.

**Administration:** Intramuscular injection

**Shelf Life:** 24 months







# Bio-pharmaceuticals

---

## Insulin

- Insulin Degludec Injection
- Insulin Degludec/Aspart Injection, 70/30 Pre-mixed
- Insulin Glargine Injection
- Insulin Aspart Injection

## Plasma Products

- Human Immunoglobulin for Intravenous Injection (pH4) (IVIg)
- Human Coagulation Factor VIII
- Human Hepatitis B Immunoglobulin
- Human Tetanus Immunoglobulin
- Human Rabies Immunoglobulin Injection (HRIG)

## MABs

- Adalimumab Injection
- Bevacizumab Injection
- Trastuzumab Injection

## Growth Factors & Others

- Human Growth Hormone
- Recombinant Human Basic Fibroblast Growth Factor for External Use (rh-bFGF)
- Recombinant Human Epidermal Growth Factor Eye Drops



**BIO-  
PHARMACEU  
TICALS**

# Recombinant Human Basic Fibroblast Growth Factor for External Use (rh-bFGF)

**English Name:** Recombinant Human Basic Fibroblast Growth Factor for External Use

**Dosage Form:** Freeze-dried powder

**Specification:** 20,000IU/vial, 35,000IU/vial, 70,000IU/vial, 300,000IU/vial

**Indication:** Promote wound healing and can be used for chronic wounds (including chronic granulation wounds, ulcers and bedsores, etc.), fresh wounds (including trauma, surgical wounds, etc.) and burn wounds (including superficial partial thickness, deep partial thickness and granulation wounds).

**Administration:** Administer the product every other day.

**Storage Temperature (°C):** 2-8 °C



## Highlights of This Product

- Reducing wound healing time
- Reducing risk of scar formation
- Restoring key skin functions

# Human Epidermal Growth Factor Eye Drops


**English Name:** Human Epidermal Growth Factor Eye Drops

**Dosage Form:** Colorless and clear liquid

**Specification:** 20,000IU(40 $\mu$ g)/2ml/vial, 30,000IU(60 $\mu$ g)/3ml/vial, 40,000(80 $\mu$ g) /4ml/vial

**Indication:** It is indicated for the treatment of corneal transplantation and the treatment after operation of pterygium.

**Administration:** For eye dropping, 2-3 drops each time, four times a day.



# Human Immunoglobulin (pH4) for Intravenous Injection

**English Name:** Human Immunoglobulin (pH4) for Intravenous Injection

**Dosage Form:** A colorless or pale yellow clear or slightly opalescent liquid

**Specification:** 5g/vial (5%, 100ml), 2.5g/vial (5%, 50ml), 5g/vial (10%, 50ml, still in pipeline)

**Indication:** 1. Primary immunoglobulin deficiency diseases, such as X-linked hypogammaglobulinemia, common variable immunodeficiency disease (CVID), IgG subclass deficiency, etc. 2. Secondary immunoglobulin deficiency diseases, such as severe infections, neonatal sepsis, etc. 3. Autoimmune diseases (AID), such as primary thrombocytopenic purpura, Kawasaki disease (KD), etc.

**Administration:** Intravenous injection

**Shelf Life:** 36 months



## Highlights of This Product

- Immune system support
- Autoimmune disease management
- Anti-inflammatory effects
- 5g/vial (10%, 50ml) will be available soon



# Recombinant Human Coagulation Factor VIII for Injection

**English Name:** Recombinant Human Coagulation Factor VIII for Injection


**Dosage Form:** Liquid for injection

**Specification:** 250 IU/vial, 1000 IU/vial

**Indication:** This product is indicated for use in adults and adolescents ( $\geq 12$  years) with hemophilia A (congenital factor VIII deficiency) for treatment and prophylaxis of bleeding episodes.

**Administration:** Intravenous injection

**Shelf Life:** 24 months



# Levonorgestrel Silastic Implants

**English Name:** Levonorgestrel Silastic Implants

**Dosage Form:** Two flexible cylindrical capsule implants, each containing 75 mg of the progestin levonorgestrel. The total administered (implanted) dose is 150 mg

**Specification:** 75mg/Capsule

**Indication:** Long-acting reversible birth control. It primarily works by stopping ovulation and by thickening the mucus around the cervix.

**Administration:** During the first week of the menstrual cycle (starting from the first day of menstruation), under local anesthesia and sterile conditions, make a 0.2 cm incision on the skin of the upper arm or inner thigh. Use a cannula to insert the implant under the skin. Apply a band-aid on the wound and cover it with gauze.

**Shelf Life:** 36 months



# Human Growth Hormone for Injection

---

**English Name:** Human Growth Hormone for Injection

**Dosage Form:** Liquid for injection


**Specification:** 4IU/1.33mg/vial; Prefilled Syringes

**Indication:** Indicated for Growth Disturbance in infants, children and adolescents; Short bowel syndrome in adults; Treatment for severely burned patients.

**Administration:** Subcutaneous injection

**Shelf Life:** 18 months

**Storage Temperature (°C):** 2-8 °C



# Trastuzumab Injection

**English Name:** Trastuzumab Injection

**Dosage Form:** Liquid for injection

**Specification:** 150mg/vial; 440mg/vial (available in late 2025)

**Indication:** Indicated for Metastatic breast cancer, Early breast cancer, Metastatic gastric cancer.

**Administration:** Intravenous injection

**Shelf Life:** 24 months



## Highlights of This Product

- Targeted cancer therapy
- Used in combination therapy
- Reduced cancer progression
- Notable success in both early-stage and advanced HER2-positive cancers

# Bevacizumab Injection

---

**English Name:** Bevacizumab Injection

**Dosage Form:** Liquid for injection

**Specification:** 100mg/vial

**Indication:** Indicated for Metastatic Colorectal Cancer, Advanced, Metastatic, or recurrent Non-small-cell Lung Cancer.

**Administration:** Intravenous injection

**Shelf Life:** 24 months



**Bevacizumab**



# Adalimumab Injection

**English Name:** Adalimumab Injection


**Dosage Form:** Liquid for injection

**Specification:** 40mg/0.8ml; Pre-filled syringe

**Indication:** Used to treat many inflammatory conditions in adults, such as Rheumatoid Arthritis, Juvenile Idiopathic Arthritis, Psoriatic Arthritis, Ankylosing Spondylitis, Crohn's Disease, Ulcerative Colitis, Plaque Psoriasis.

**Administration:** Subcutaneous injection

**Shelf Life:** 24 months



Adalimumab

# Insulin Degludec Injection

---

**English Name:** Insulin Degludec Injection


**Dosage Form:** Pre-filled Syringe/ Cartridge

**Specification:** 3ml: 300 units

**Indication:** Diabetes need to be treated by insulin.

**Administration:** Subcutaneously injection

**Shelf Life:** 30 months



# Insulin Aspart Injection

---

**English Name:** Insulin Aspart Injection

**Dosage Form:** Cartridge

**Specification:** 3ml: 300 units

**Indication:** Diabetes need to be treated by insulin.

**Administration:** Subcutaneously injection

**Shelf Life:** 30 months



# Insulin Degludec/Aspart Injection, 70/30 Pre-mixed

---

**English Name:** Insulin Degludec/Aspart Injection,  
70/30 Pre-mixed


**Dosage Form:** Pre-filled Syringe/Cartridge

**Specification:** 3ml: 300 units

**Indication:** A premix insulin used to help control high blood sugar in adults with diabetes.

**Administration:** Subcutaneously injection

**Shelf Life:** 30 months



**Degludec/Aspart**

# Insulin Glargine Injection

---

**English Name:** Insulin Glargine Injection

**Dosage Form:** Pre-filled Syringe/ Cartridge/ Vial

**Specification:** 3ml: 300 units/cartridge 10ml: 1000 units/vial

**Indication:** Diabetes need to be treated by insulin.

Administration: Subcutaneously injection

**Shelf Life:** 3ml: 300 units/cartridge: 30 months

10ml: 1000 units/vial: 24 months







# Pipeline Products

---

## Vaccines

- ❑ Herpes Simplex Vaccine (HSV)
- ❑ Measles, Mumps, and Rubella (MMR)
- ❑ 23-Valent Pneumococcal Polysaccharide Vaccine
- ❑ 13-Valent Pneumococcal Conjugate Vaccine
- ❑ Recombinant Human Papillomavirus 9-Valent Vaccine ( E. Coli )
- ❑ Recombinant Herpes Zoster Vaccine

## Bio-pharmaceuticals

- ❑ Rituximab
- ❑ Cetuximab



**PIPELINE  
PRODUCTS**

# Recombinant Human Papillomavirus 9-Valent Vaccine ( E. Coli )



**English Name:** Recombinant Human Papillomavirus 9-Valent Vaccine ( E. Coli )

**Dosage Form:** Suspension for injection

**Specification:** 0.5 ml/dose; Vial/Pre-filled Syringe

**Indication:** Protect individuals ages 9 to 45 against the following diseases caused by 9 types of HPV (6, 11, 16, 18, 31, 33, 45, 52, and 58) : cervical, vaginal, and vulvar cancers in females, anal cancer, certain head and neck cancers, such as throat and back of mouth cancers and genital warts in both males and females.

**Administration:** Intramuscular injection

**Storage Temperature (°C):** 2-8 °C



## Highlights of This Product

- Providing protection against 70% of cervical cancer and 90% of genital warts
- Effective in different age groups
- Protection for both genders
- Reducing the need for cancer screenings

# 13-Valent Pneumococcal Polysaccharide Conjugate Vaccine

**English name:** 13-Valent Pneumococcal Polysaccharide Conjugate Vaccine

**Dosage form:** Suspension for injection

**Specification:** 0.5 ml/dose, Pre-filled Syringe

**Indication:** Protect infants over 2 months, young children, and adults against disease caused by the bacterium *Streptococcus pneumoniae*.

**Administration:** Intramuscular injection

**Storage temperature (°C):** 2-8 °C



## Highlights of This Product

- Prevention of pneumococcal disease
- Protection in vulnerable populations
- Durable immune response for long-lasting protection

# THANKS

THANKS



[www.mellowhope.com](http://www.mellowhope.com)



[sales@mellowhope.com](mailto:sales@mellowhope.com)



+86-755-82720498



+86-755-82720321