

# ACDIMA International Trading Company Profile



# **Our History**

**ACDIMA International** is one of the fastest growing Pharmaceutical Company in Egypt with unique products having its corporate headquarters office and Marketing Department office located at El-Mohandessen Giza/ Egypt, and the manufacturing facility in the industrial Zone no.6, sixth of October / Egypt.

**ACDIMA International** began its journey in 2002 and the state of art manufacturing facility started in the year 2015.

**ACDIMA International** factory was fully established in the beginning of 2017, and it is two separate factories completely according to the requirements of the WHO:

Aerosol Factory: Specializes in the production of pressurized and non-pressurized medical aerosols in the form of powder, liquid or foam.

Hormone Factory: Specializes in the production of hormones in the form of tablets, ampoules and vials.











# **Our vision**


AIT aims to become the strongest arm supporting the Egyptian pharmaceutical industries through expanding our organizational capabilities to capture the local and global markets.

# **Our mission**

We believe that the greatest wealth is health so we aim to keep our customer wealthy, feel better and live healthier by successfully securing strategic pharmaceutical products through effective, self-sufficient, ever improving quality and reasonably priced products that meet or exceed our customer's expectations and improve the quality of our community's life.













# **CEO** Message

We believe that the greatest wealth is health, as our mission is to keep you wealthy.

Since the beginning of our operations (2002), we have incorporated" the principle of health" into our corporate culture, by choosing safe tested products with proven therapeutic value to provide the best possible care to society at the lowest cost.

The company has moved beyond the start-up to the leading pharmaceutical company by adopting new technology that creates a new era in the healthcare industry, your health is ouronly priority.

So we can say that we are a Wealth Keeper.

Fathy Ibrahim




# **Our Policy**

AIT recognizes its responsibility and commitment to provide high quality pharmaceutical products, which are safe, effective, stable and fully meet regulatory body's requirements and customer needs through the following:

- Define and communicate customer requirements to all employees.
- Create and maintain an effective communication and participation environment that encourages our customers, suppliers, and employees to achieve requirements.
- Create and maintain an attitude of preventing defects related to product, customer and employees and influencing their health, safety and environment as well.
- Ensure that quality, safety and environment are every employee's responsibility.
- Comply with ISO 9001, ISO 14001, ISO 45001 & cGMP requirements for pharmaceutical products.
- Comply with relevant national laws and EDA regulations.
- Setting objectives that support continual improvement and ensure effectiveness of the Quality and safety Management System.
- Providing the adequate resources and trained workforce to achieve the quality and HSE objectives.
- Ensure that the policy is well communicated and understood inside and outside the organization.















# **UAE GMP Certif icate**

On 21 January 2022, ACDIMA International Trading has achieved the Certification of UAE GMP after meeting all the requirements of the standardsof the quality management systems.

#### **Yemen GMP Certificate**

On 30 May 2022, ACDIMA International Trading has achieved the Certification of Yemen GMP after meeting all the requirements of the standards of the quality management systems.



















ISO 9001:2015 **Quality Management** System

ISO 14001:2015 **Environmental Management** System

ISO 45001:2018 **Occupational Health and Safety Management System** 

**ACDIMA International Trading** has achieved the Certification of ISO Standards after meeting all the requirements of the standards of the Management Systems.



















Quality **Assurance** 



**Factory** Manager



Sales & Marketing



**Pharmacovigilance** 



Rescarch & Development



**Production** 



Hse



Quality **Control** 



Warehouse



**Regulatory Affairs** 



Toll Manufacturing



**Engieneering** 





Hr



**Planning** 



**Purchasing** 



**Administration** 

















**Our Products** 



**Aerosol Products** 

Hormonal Products



# 1- Aerosol Products

#### **Bivatracin Spray**

Neomycin sulphate 165,000 IU + Bacitracin zinc 12,500 IU

#### **Indications:**

- Wound infections.
- Post operative infections.
- Burn infections.
- Diabetic foot & Bed sores Infections.

#### Dosage:

- Apply Bivatracin spray on affected area once or twice daily from 25 cm.

#### Package:

- Aluminum can 150 ml Aerosol powder spray.

# **Amikacin Lotion Spray**

#### **Amikacin Sulphate**

#### Indications:

- Skin and soft tissue infections.
- Wound and Burn Infections.
- Post Operative Infections.

#### Dosage:

- Apply Amikacin lotion spray to the affected area one to three times daily.

#### Package:

- Box containing of 100 ml lotion Spray.















#### **Phenytoin AIT Spray**

Phenytoin 2% Aerosol Powder Spray

#### **Indications:**

- Is a wound Healing Promoter.
- Stimulate the Fibroblast Proliferation.
- Promote the Deposition of Collagen.
- Enhance a healthy granulation tissue Formation.

#### Dosage:

- spray once or Twice Daily on thewound from 25 cm.

#### Package:

- Aluminum Can of 150 ml Aerosol Powder Spray spray.

# Phenytoin Phenytoin 150 ml

#### **Terbafenol**

**Terbinafine Hydrochloride 1%** 

#### Indications:

- Has broad spectrum antifungal activity.
- Terbafenol has a high penetration power.
- Kill fungi and yeasts by interfering with their sterol biosynthesis.

#### Dosage:

- Spray once or Twice Daily on the affected area depending on the indication.

#### Package:

- plastic Bottle containing 30 ml liquid with plastic atomizer.









# 2- Hormonal Products

#### Lactevenor

Levonorgestrel 0.03 mg

#### **Indications:**

- Lactevenor is a safe contraceptive in breastfeeding women and for women can't tolerate estrogen side effects.
- Lactevenor doesn't reduce neither quality nor quantity of breast milk.
- Lactevenor doesn't adversely affect infant growth.

#### Dosage:

- One tablet daily at the same time.

#### Package:

- Box contains one strip-35 tablets.

#### **Oxyprogest**

Medroxyprogesterone Acetate 150 mg/ml

#### Indications:

- Oxyprogest Is the first line contraceptive option for majority of women.
- Oxyprogest Has established high efficacy up to 99.7% effective.
- Oxyprogest Has established high safety profile.
- Oxyprogest Has proven high continuation rate.
- Oxyprogest Is a trusted product that ensures quality and availability.

#### Dosage:

- One vial every 3 months.

#### Package:

- Box contains one vial.















#### Gestranil

Gestodene 0.075 mg, Ethinylestradiol 0.03 mg

#### **Indications:**

- Gestranil Is a combined oral contraceptive.
- Gestranil Is a high effective contraceptive.
- Gestranil Has high continuation rate.
- Gestranil Has excellent cycle control.
- Gestranil Has no significant effect on blood pressure, body weight.

#### Dosage:

- Gestranil Is taken one tablet daily at the same time.

#### Package:

- Box contains one strip – 21 tablet.

#### Mozanglic

Drospirenone 3 mg + Ethinylestradiol 0.03 mg

#### **Indications:**

- Mozanglic Is a combined oral contraceptive.
- Mozanglic Is used in treatment of premenstrual dysphoric disorder (PMDD) for women who desires oral contraceptive.
- Mozanglic Counteract the water retention caused by estrogen.
- Mozanglic DRSP provides Antimineral corticoid and Antiandrogenic effects.

(+202) 33469606

202) 33469607

#### Dosage:

- Mozanglic is taken one tablet daily at the same time.

#### Package:

- Box contains one strip – 21 tablet.















#### Demancortil

#### **Betamethasone Sodium Phosphate / Dipropionate**

#### Indications:

- Demancortil Has rapid onset of action.
- Demancortil Has sustained activity.
- Demancortil Has potent anti-inflammatory & anti-allergic effect.

#### Package:

- Carton Box containing one colorless transparent glass ampoule type 1 containing 2 ml suspension for injection and track + inner leaflet.



#### **Adrenocortine**

#### Tetracosactide 1 mg/ml

#### **Indications:**

- Adrenocortine It is long-chain polypeptide composed of the first 24 of the 39 amino acids contained in the naturally occurring ACTH (corticotrophin) molecule.
- Adrenocortine 1mg corresponds approximately to 100 International units of ACTH.
- Rheumatic disease in (short-term therapy)(eq Rheumatoid arthritis, Osteoarthrosis).
- Skin Disease responsive to corticoids.
- Ulcerative colitis and crohn's disease.
- Acute exacerbations of multiple sclerosis.
- Infantile spasms.

#### Package:

- Carton Box containing one colorless transparent glass ampoule type 1 containing 1ml suspension for injection and track + inner leaflet.













#### **Dimaklaric**

Desogestrel 0.15 mg + Ethinyl Estradiol 0.03 mg

#### **Indications:**

- Dimaklaric is a combined oral contraceptive.
- Dimaklaric increase the viscosity of cervical mucus.
- Dimaklaric inhibits the ovulation by suppression of gonadotropins.

#### Dosage:

 One tablet daily at the same time for 21 day followed by one gap week.

#### Package:

- Box contains one strip – 21 tablet.



#### Sogestedin

Desogestrel 0.75 mg

#### **Indications:**

- Sogestedin Is A contraceptive that used during breastfeeding.
- Sogestedin 12 hour missed pill window . (Delays in tablet intake up to 12 hours do not affect contraceptive efficacy of desogestrel).

#### Dosage:

- Sogestedin is taken one tablet daily at the same time continuously.

#### Package:

- Box contains one strip- 28 tablet .













#### **Calcitonium**

Salmon Calcitonin (100 i.u & 50 i.u.)

#### **Indications:**

- Calcitonium Is a salmon calcitonin that used in treatment of postmenopausal osteoporosis ,Paget's disease ,Sudek's Atrophy and hypercalcemia.

#### Dosage:

- 100 I.U. by S.C or I.M injection every 1 or 2 days.
- Dosage depend on therapeutic indication and patient response.

#### Package:

- Box contains 5 ampoule (100 i.u).
- Box Contains 5 ampoule (50 i.u.).



#### **Triacetocort**

Triamcinolone Acetonide 40 mg

#### **Indications:**

- Triacetocort Is a corticosteroid that used in treatment a conditions such as arthritis, gout, blood diseases, eye diseases, intestinal disorders and collagen and skin diseases.

#### Package:

- Box contains one vial.













#### Nogestril 1.5 & 0.75 mg

Levonorgestrel 1.5 & 0.75 mg

#### **Indications:**

- Nogestril Is a emergency contraceptive.

#### Dosage:

- Nogestril is taken 2 tablet (single dose) orally through 72 hours of unprotected sexual intercourse.

#### Package:

- Box contains one strip 2 tablets
- Box contains one strip 1 tablet.



#### **Dueceptiol**

Norgestimate 0.25 mg + Ethinyl estradiol

#### **Indications:**

- Dueceptiol Is a combined oral contraceptive that used after breastfeeding especially for women who suffer from acne and hirsutism.

#### Dosage:

- Dueceptiol is taken one tablet daily for 21 day followed by one gap week.

#### Package:

- Box contains one strip- 21 tablet.









Tibolone 2.5 mg

#### **Indications:**

- Femovinia is a synthetic steroids hormone with estrogenic Activity regulator

- Femovinia is used for Treatment of estrogen deficiency symptoms in postmenopausal women, more than one year after menopause

- Femovina is used for Prevention of osteoporosis in postmenopausal women

#### Dosage:

- Femvina is taken one tablet / Day.

#### Package:

- Box containing one strip of 10 tablet.



#### **Acdisteron**

Mesterolone 25 mg

#### **Indications:**

- Acdisteron is a synthetic dihydrotestosteron derivati
- Acdisteron is an androgen and anabolic steroid.
- Acdisteron is used in the treatment of low testosterone levels.
- Acdisteron is used to treat male infertility.

#### Package:

- Box contains two strip of 20 Tablets.
















### **Valgestril**

- Is a Hormone replacement therapy to relieve symptoms of the menopause.
- Is a Second-line option for preventing osteoporosis in postmenopausal women who are at high risk of fractures and cannot take other medicines licensed for preventing osteoporosis is a sequential form of combined HRT.
- This means that oestrogen is taken on a continuous basis and a progestogen is added for a portion of each month.
- The white tablets taken in the first 11 days of each Valgestrel cycle contain only estradiol. The brown tablets taken in the next 10 days of each cyclecontain both estradiol and norgestrel Valgestrel is 21 tablets 1 strip pack











# 3- General Products

#### **Halothane**

#### **Indication:**

- Induction and maintenance of general anesthesia.

#### **Presentation:**

- Supplied as amber glass bottles of 100 ml or 250 ml.



#### Isoflurane

#### **Indication:**

- For indication and maintenance of general anesthesia in adult and pediatric patient, and for inpatient and outpatient surgery.

#### **Presentation:**

- Supplied as amber glass bottles of 100 ml.











EN ISO 45001: 2018



#### Indication:

For indication and maintenance of general anesthesia in adult and pediatric patient, and for inpatient and outpatient surgery.

#### **Presentation:**


Supplied as amber glass bottles of 100 ml or 250 ml.















#### Colosalazine

#### Sulfasalazine 500 mg

- Colosalazine Enteric coated tablet.
- Colosalazine Delayed released tablet.
- Colosalazine PH dependent.
- Colosalazine Reach to maximum tissue concentration 65 %.
- Colosalazine Has Affordable price box 2 strips 28.5 LE.
- Colosalazine Ulcerative colitis, Rheumatoid Arthritis.



#### **Oseltamivir**

#### Oseltamivir phosphate 75 mg

- Oseltamivir Is an antiviral, influenza, neuraminidase inhibitor.

#### Indication:

- Prophylaxis of influenza (A or B) infection.
- Treatment of uncomplicated acute illness due to influenza (A or B) infection.

#### Dosage:

- Prophylaxis of influenza:

75 mg once daily for 7 to 10 days.

- Treatment of influenza:

75 mg twice daily for 5 days, may continue to 10 days.

Treatment should start within 48-24 hours of influenza symptom onset.

#### Package:

- Box contains one strip – 10 capsules.













#### **Imipramine**

#### **Imipramine HCL 25mg**

#### **Indications:**

- To relieve Symptoms of depression.
- Temporary Adjunctive therapy in reducing enuresis in children aged 5 years and older.

#### Package:

- Box contains 50 coated tablet (5 strips\*10 tablet).



#### Cona-adione

#### Phytomenadione 10 mg

- Cona-adione Presented in jar for protection from light destruction.
- Cona-adione Chocolate taste which provide fatty media.
- Cona-adione Chewable tablet for high absorption rate.

#### Dosage:

- One daily Dose.

#### Package:

- Jar 30 tab with 32.5 LE.















# Phenytoin sodium

#### **Indications:**

- Simple and complex partial seizures.
- Focal seizures and primary Generalized tonic clonic seizures.
- Combined epileptic seizures with grand mal syndromes.
- Seizures prophylaxis and treatment in cerebrocranial trauma.

#### Package:

- Jar contains 50 cap (50 mg & 100 mg).
- Suspension 125 ml in a concentration of 30mg/5ml.















#### Zincdima

110 mg zinc sulphate

#### Indication:

- Is an essential nutrient for human health.
- Boosts the immune system.
- Enhancing memory and thinking skills.
- Produces a beneficial results in patient with Rheumatoid arthritis.

#### Dosage:

- Zincdima is taken 2-1 capsules daily

#### Package:

- Box containing two stripe of 20 capsule



## **Omega AIT**

Wheat Germ Oil, Omega-3 Fish Oil

#### Indication:

- Is an essential nutrient for human health.
- Help reduce the risk of heart disease.
- Help lower levels of a certain blood fat (triglyceride) Psoriasis, Eczema, other skin diseases

#### Dosage:

- Omega Ait is taken 1 capsules daily

#### Package:

- Box containing three stripe of 30 capsules











# **Our Pipeline Products**

- Our Pipline develop a robust Portfolio of various Pharmaceutical products every year, opening new markets and fulfilling older ones.

Product Name	API /Strength	Therapeutic Use
Bemethrasol	Betamethasone Valerate 0.12% Topical Foam Spray 50ml	Corticosteroids, Anti-Inflammatory
Indomethacin-AIT	Indomethacin 10 mg / 1 gm Topical Solution Spray 50ml	Non-steroidal, Anti-Inflammatory
Balmentol	Camphor+Menthol+Methyl Salicylate Topical Spray 80ml	Minor Aches , Muscles Pains
Phenytoin	Phenytoin 40 mg /150 ml Topical Powder Spray	Wound Healing
Nogestrel	Levonorgestrel 0.75 mg,/1.5 mg Tablets	Contraceptive
Nestrolest	Lynestrenol 0.5 mg ,Tablets	Contraceptive
Ethinyl estradiol /		Contraceptive
Dienogest	Ethinyl estradiol 0.03 mg/& Dienogest, Tablets	
Norsolone	Norethisterone Acetate 5mg ,Tablets	Contraceptive
Ethinaterone	Cyproterone Acetate 2 mg/ Ethinyl Estradiol 35 mcg, Tablets	Contraceptive
Dinonosis	Dienogest 2 mg ,Tablets	Contraceptive
Ethinyl estradiol/ Drosperinone/ levomefolate	Ethinyl estradiol 0.03 mg /Drosperinone 3 mg / levomefolate 0.451 mg , Tablets	Contraceptive
Uliprignal	Ulipristal Acetate 30 mg ,Tablets	Contraceptive
Levoradiol	Ethinyl Estradiol / Levonorgestrel	Contraceptive
	Light brown tablet (0.03mg+0.05mg)	
	Yellow tablet (0.03mg+0.125)	
	White tablet (0.04mg+0.075mg)	
Drospiva	Drospirenone 3mg / EthinylEstradiol 0.02 mg , Tablets	Contraceptive
Femovinia	Tibolone 2.5 mg , Tablets	Postmenopausal Osteoporosis - Endometrios
Hypothyronor	Levothyroxine 0.05 mg/0.1 mg/ 0.025 mg/0.15 mg,Tablets	Hypothyroidism
Letrozole-AIT	Letrozole 2.5 mg ,Tablets	Breast Cancer
Altamofen	Tamoxifen citrate 10 mg ,Tablets	Breast Cancer
Methylopred	Methylpredinsolone 4 mg /8mg , tablets	Corticosteroids, Anti-inflammatory
Triacetocort	Triamcinolone 4 mg , Tablet	Corticosteroids, Anti-inflammatory
Progesterone AIT	Progesterone 50 mg/ml of 1ml Ampoule	Contraceptive
	Progesterone 100 mg/2 ml of 2ml Ampoule	
Progesterone	Progesterone 25 mg/ 1.112 ml Ampoule	Contraceptive
prematogest	Hydroxyprogesterone caproate 250mg /ml of 1ml Ampoule	Contraceptive
Norigyncin	Estradiol Valerate 5mg/Norethisterone Enanthate 50mg	Contraceptive
Prematogest	Hydroxyprogesterone Caproate 250mg / ml of 1ml Ampoule	Contraceptive
Methidimapred	Methyl prednisolone acetate 40 mg/ml of 1ml solution Vial	Corticosteroids,Anti-inflammatory
Uterotocin	Oxytocin 10 U / ml Solution for injection of 1 ml ampoule	help in contractions during childbirth - contr
		bleeding after the delivery
Testeriol	Testosterone undecanoate 750 mg/ 3ml oily solution of 3ml Vial	Male Hypogonadism













# **Coctact Us**

- **Address**
- **Head Office** - 13, Esraa El Mohandessin St., Giza. 11511, Egypt
- **AIT Factory** - Plot no.41 - 6th Industrial Zone Extension - 6th of October
- **Contacts Tel.:** (+202) 33469607 - 33469606 Fax: (+202) 33036920
- Website www.acdimatrading.com
- **Email:**  $\searrow$ info@acdimatrading.com





