



FAMACY GLASS

Welcome to Famacy Glass

Leading Pharmaceutical Glass Provider

www.famacy.com



Contents

01 Company Profile

02 History & Milestones

03 Products

04 Raw Materials

05 Certifications


06 Markets & Customers



Company Profile



One of the largest pharmaceutical glass development, manufacturing companies in China.



Founded in 1988, Famacy Glass has three professional production bases located at Chengdu, Ya'an and Weiyuan City.



More than 1200 employees, including 55 technicians and engineers, 26 R&D staff.



Over 250,000 square meters of workshop.

History & Milestones



Second production
Site at Ya'an city

2010



Famacy Turkey
subsidiary company

2021

1988

Fondation Chengdu city
Production site



2012

International business
center at Changzhou City



History & Milestones

2023

Famacy Mexico
subsidiary company

Thrid production
Site at Weiyuan city
(Under construction)



History & Milestones



Ya'an

Located at Ya'an City, with 3,000 m² modern standard workshop.



Chengdu

Located at Chengdu City, Qionglai Industry Park, with 120,000 m² of modern standard workshop.



Weiyuan

Located at Weiyuan City, with Type I glass tubing furnace, 5,000 m² class C clean room, and over 100,000 m² modern GMP standard workshop.



Changzhou

Located at Changzhou City, International business center, with 8,000 m² modern standard warehouse.




Products



Glass Ampoules



Glass Vials



Cartridges



PFS



Ready to use(RTU) Vials



Moulded Vials



Stoppers



Caps



Glass Ampoules

- Type I Neutral Borosilicate glass (Schott, Corning and NEG).
- Available in Clear and amber colors.
- Capacity range from 1 to 30ml.
- ISO form B, C and D or customized size available.
- OPC (One Point Cut), CBR (Color Break Ring) and SCR (Score Ring) with optimized opening forces.
- Ceramic printing with heavy metal-free inks.
- 100 % inspection of key dimensional characteristics
- PP shrinkable film packaging.

Glass Ampoules



Ampoule Production



50 ampoule production lines including 20 vertical production lines imported from Europe.



Ampoule production lines imported from Europe.



3 billion ampoules annually



Glass Vials

- Type I Neutral Borosilicate glass (Schott, Corning and NEG).
- Available in Clear and amber colors.
- Capacity range from 2 to 100ml.
- Available in ISO standard & customized sizes.
- Lyophilization/ Internal siliconized
- 100 % inspection of key dimensional characteristics
- PP shrinkable film packaging.

Glass Vials



Lyophilization Vials

Insulin Vials

Inner Siliconized Vials

Ready To Use Sterile Vials

01

Washed with water for injection(WFI) according to EP and USP.

02

Bacterial endotoxins less than 0.25EU/ml based on EP 2.6.14 and USP <85>.

03


Eto residual less than 1ug/ml according to the EMEA CPMP/QWP 159.

04


Sterilization facility certified according to ISO 11135.

05

Particle count less than 5 (>25um), less than 50(>10um).



Vials in Eco Tray



Vials in Nest Tray



Vial Production

200

vial production machines

Annual production capacity

2 billion vials





Glass Cartridges & Syringes


- Neutral borosilicate type I glass (Schott, Corning and ENG);
- Dental cartridges from 1.8 to 2.2ml, ISO 11040-1;
- Pen cartridge from 0.6 to 20ml, ISO 13926-1;
- Syringes from 1ml to 5ml;
- 100% camera inspection of dimensional parameters;
- PP shrinkable film packaging.

Clear Moulded Injection Vials for Antibiotics Ring Finish ISO/CFDA 20mm USP Type I,II,III




Ref.	ml	ml	ml	g			mm	I	II	III
110071	7ml	7	9	13.0	ISO/CFDA	40.8	22.1	✓	✓	✓
110081	8ml	8	10	16.0	ISO/CFDA	46.8	23.0	✓	✓	✓
110101	10ml	10	15	21.0	ISO/CFDA	53.5	25.4	✓	✓	✓
110151	15ml	15	17	24.0	ISO/CFDA	58.8	26.5	✓	✓	✓
110201	20ml	20	26	29.0	ISO/CFDA	58.0	32.0	✓	✓	✓
110301	30ml	30	38	35.0	ISO/CFDA	62.8	36.0	✓	✓	✓
110501	50ml	50	60	50.0	ISO/CFDA	73.0	42.5	✓	✓	✓
111001	100ml	100	119	89.0	ISO/CFDA	94.5	51.6	✓	✓	✓

Series complies with the norms ISO8362-4 and CFDA YBB00312002-2015.



Clear Moulded Injection Vials for Antibiotics Ring Finish GB19.7mm, USP Type II,III



GB/B 19.7mm



Ref.	ml	g	GB/B	20mm	23mm	25mm	II	III
120052	5ml	5	7.3	12.9	GB/B	38.7	22.0	✓
120053	7ml	7	9.0	13.5	GB/B	38.7	24.5	✓
120122	12ml	12	16.0	21.0	GB/B	56.8	27.0	✓
120075	7.5ml	7.5	8.5	14	20mm	36.2	24.6	✓
120103	10ml	10	13.5	20	20mm	51.1	24.6	✓
120303	30ml	30	37	38	20mm	61.5	37.8	✓
120323	32ml	32	34.2	32.0	GB/B	66.0	33.0	✓




Ref.	ml	g	GB/B	20mm	23mm	25mm	II	III
120108	10ml	10	12	15.0	19.5mm	46.5	22.0	✓
120158	15ml	15	17	21.0	19.5mm	45.5	29.5	✓
120208	20ml	20	23	28.5	19.5mm	60.0	31.0	✓
120109	10ml	10	15	19.4	ISO 20	55	23.8	✓
120155	15ml	15	17	21.0	ISO 20	57.0	26.0	✓
120185	18ml	18	21	26.9	ISO 20	57.0	30.0	✓



Ref.	ml	ml	ml	g			
320151	1/2oz	14.2	16.4	25.5	18mm-400	68.26	25
320301	1oz	31.3	36.2	44	20mm-400	78.58	32.8
320601	2oz	60.8	63.8	58	20mm-400	93.66	38.6
321201	4oz	120	125.7	108	22/24mm-400	112.73	48.82
321801	6oz	180	190	139.5	24mm-400	127	55.5
322301	8oz	235	250	175	28mm-400	138.10	60.33
322302	8oz	235	250	152	24mm-400	136.35	59.92
324801	16oz	480	505	255	28mm-400	168.7	74.6



Ref.	ml	ml	ml	g			mm	I	II
210501	50ml	50	68	65	ISO032	68	46	✓	✓
211001	100ml	100	128	100	ISO032	104	49	✓	✓
211501	150ml	150	207	136	ISO032	102.5	66	✓	✓
212502	250ml	250	297	145	ISO032	125	68	✓	✓
212501	250ml	250	308	175	ISO032	136	66	✓	✓
215002	500ml	500	584	220	ISO032	147	86	✓	✓
215001	500ml	500	588	250	ISO032	177	78	✓	✓





Ref.	ml	ml	ml	g		mm	mm
300301	30ml	30	35.5	40	DIN28	67	35.0
300601	60ml	60	66	60	DIN28	94.5	38.6
300901	90ml	90	97	72	DIN28	103	44
301001	100ml	100	108	72	DIN28	104.8	46.1
301251	125ml	125	133	90	DIN28	114.4	49
301501	150ml	150	158	98	DIN28	122.8	51.6
302001	200ml	200	206	135	DIN28	134	57
302501	250ml	250	260	150	DIN28	142.9	61.7
303001	300ml	300	315	170	DIN28	152.5	65.7



Ref.	ml	ml	ml	g		mm	mm
360101	10ml	10	12.5	27.5	DIN18	58.0	24.80
360151	15ml	15	20	35	DIN18	65.0	28.50
360201	20ml	20	22.5	35	DIN18	71.5	28.7
360301	30ml	30	35	48	DIN18	78.80	33.0
360501	50ml	50	57	55	DIN18	92.2	37.2
361001	100ml	100	105	88	DIN18	112.0	44.5
361501	150ml	150	155	110	DIN18	123.0	50.5



Ref.	ml	ml	ml	g			mm					
331001	100ml	100	120	130	56	64	61	✓	✓		✓	
330601	60ml	60	73	85	51.6	48.9	55	✓	✓		✓	✓
330502	50ml	50	55	93	51.5	42.5	56	✓	✓	✓	✓	✓
330301	30ml	30	40	65	46.3	36	52	✓	✓	✓	✓	✓
330202	20ml	20	23	45.6	41	29.5	46.5	✓	✓	✓	✓	✓
330201	20ml	20	23.5	43.8	41.5	28.1	46.1				✓	
330152	15ml	15	18.6	46.6	39.7	28.7	43.8		✓			
330151	15ml	15	21.5	45	38.8	32	43.3	✓				



350121

350350

350083

3500811

350081

350101

Size:	12ml	3.5ml	8ml	8ml	8ml	10ml
Height: mm	57	65	70.7	70	71.3	71.5
OD of body: mm	26	16.5	20.7	19.25	19.25	20
OD of neck: mm	13.7	12.6	15.8	14	15.8	15.9
Weight: g	31	18	24	23.5	23	22



350043

350034

350044

350063

350064

350045

Size:	4ml	3ml	4ml	6ml	6ml	4ml
Height: mm	42.4	42.5	44.5	47.8	50	53
OD of body: mm	20.8	19.8	20	22	20	17.8
OD of neck: mm	12.7	13.6	15.8	13.7	16	12.8
Weight: g	16	13.8	14.5	20.5	17	14.2



	350201	350061	350062	350103	350104	350025	
Size:	20ml	6ml	6ml	10ml	10ml	2.5ml	
Height: mm	80.5	60.25	66	57	54	40.5	
OD of body: mm	25.8	19	19	21	25	21	
OD of neck: mm	17.8	15.7	15.7	13.4	13.7	12.6	
Weight: g	37.5	21	23	22	27.5	12	



	350102	350091	350076	350036	350037	350033	350031	
Size:	10ml	9ml	7ml	3ml	3ml	3ml	3ml	
Height: mm	63	63.2	59	50.5	48	47.5	44.3	
OD of body: mm	37	15	40	30	28	28	30	
OD of neck: mm	10.6	9	10.8	10.8	8.7	8.7	7.1	
Weight: g	26	25			15	15.6	11.5	



350093

350094

350107

350084

350122

350108

Size:	9ml	9ml	10ml	8ml	12ml	10ml
Height: mm	54.5	55	57.5	61	59.5	61.1
OD of body: mm	28.5	33.5	23.5	31	37.6	30.2
OD of neck: mm	12.9	12.7	12.8	12.9	12.8	12.7
Weight: g	27.5	34	23	30	36	36



350058

350111

350072

350142

350059

3500912

Size:	5ml	11ml	7ml	14ml	5ml	9ml
Height: mm	38.7	50.5	52	51.2	52.8	50.5
OD of body: mm	24.5	30.5	31	34.9	21.2	27.5
OD of neck: mm	10.8	12.7	12.75	14.5	12.7	14.5
Weight: g	15.5	20.5	20.5	35	21	21.8



Size:	9ml	5ml	5ml	2ml	3ml
Height: mm	52.6	44.2	40.2	36.7	35.2
OD of body: mm	37	27.2	26.5	23	16.2
OD of neck: mm	14.4	12.7	12.8	11	11
Weight: g	38	19	17.8	12.2	8



Size:	8ml	5ml	5ml	5ml	4ml
Height: mm	47.6	38	41.5	39.2	38.5
OD of body: mm	28.8	24	15.5	33.5	26.2
OD of neck: mm	12.8	12.7	11.2	11.2	12.8
Weight: g	15.5	15	13.2	14	18



Size:	6ml	4ml	8ml	10ml	4.5ml
Height: mm	42.9	43.1	51	53	38
OD of body: mm	28.1	25	44.5	36	29
OD of neck: mm	12.7	12.7	12.6	14.7	12.7
Weight: g	24.5	18.5	36	37	18



Size:	13.5ml	10ml	3ml	6.5ml	5ml
Height: mm	52.2	45.6	40.2	40.6	38.2
OD of body: mm	28.5	30.7	23.2	23.75	22.5
OD of neck: mm	14.55	16.1	12.7	12.87	12.8
Weight: g	27	21	16.8	21	16



	3500513	3500412	3500514	350049-1	35005131	3500410
Size:	5ml	4ml	5ml	4ml	5ml	4ml
Height: mm	37.7	38	40.2	39.2	38.3	41.2
OD of body: mm	26	22	22.8	21.2	24.2	20.93
OD of neck: mm	12.8	12.7	12.8	11.5	12.8	12.8
Weight: g	15	11.3	17.8	12	14	14




	3500515	3500611	350049	3500720	350075	350086
Size:	5ml	6ml	4ml	7ml	7.5ml	8ml
Height: mm	42	42.9	44.5	45	57.5	59.85
OD of body: mm	22	28.1	17	21.2	23	23
OD of neck: mm	12.7	12.7	12.5	12.7	12.87	12.6
Weight: g	15	24.5	14	16	21.5	17.5




	350123	350095	350124	350096	350097	350109
Size:	12ml	9ml	12ml	9ml	9ml	10ml
Height: mm	56	55	54	55.5	61.5	65.6
OD of body: mm	27	35.5	30	30	34	26.4
OD of neck: mm	12.9	12.9	12.7	14.3	12.7	14.2
Weight: g	30	30	33.5	32.5	37.5	28.5



	3500415	350038	3500515	350067	350077	350077-1
Size:	4ml	7ml	5ml	6ml	6.7ml	9ml
Height: mm	41	40.8	44	45.1	47.6	50.5
OD of body: mm	22	25	26	22.9	31.8	33.8
OD of neck: mm	12.7	12.7	12.7	12.7	12.8	14.3
Weight: g	16.5	21.5	17	17	33	37




Series complies with the norms ISO8362-4 and CFDA YBB00312002-2015.





Ref.	ml	ml	ml	g			mm
440301	30ml	30	35	40	DIN28	67	35
440401	40ml	40	44.5	47	DIN28	69.85	38.35
440601	60ml	60	67.5	60	DIN28	94	38.6
441001	100ml	100	108	72	DIN28	104.8	46.1
441251	125ml	125	133	90	DIN28	114.4	49
441501	150ml	150	158	98	DIN28	122.8	51.6
441801	180ml	180	189	105	DIN28	129.9	54.7
442001	200ml	200	213	125	DIN28	134.5	57.5
442501	250ml	250	260	150	DIN28	142.9	61.7
443001	300ml	300	315	170	DIN28	152.5	65.7
445001	500ml	500	512	260	DIN28	176.8	76.8






Ref.	ml	g	PP	mm
420151	15ml	15	17.7	31.9
420301	30ml	30	35.0	46.0
420601	60ml	60	65.0	74.8
421201	120ml	120	130	97.0
422501	250ml	250	260	185.5




Ref.	ml	ml	ml	g		mm	mm
430151	1/2oz	14.2	16.4	25.5	GPI18-400	68.26	25
430301	1oz	31.3	36.2	44	GPI20-400	78.58	32.8
430601	2oz	60.8	63.8	58	GPI20-400	93.66	38.6
431201	4oz	120	125.7	108	GPI22-400	112.73	48.82
431801	6oz	180	190	140	GPI24-400	127	55.5
432301	8oz	235	250	175	GPI28-400	138.1	60.33
434801	16oz	480	505	255	GPI28-400	168.7	74.6
439601	32oz-1	960	1000	480	GPI28-400	205.7	94.5
439602	32oz	960	1000	480	GPI33-400	205.7	94.5




Ref.	ml	ml	ml	g	Finish	mm	mm
500301	30ml	30	36.7	45	PP28	68.5	36.5
500604	60ml	60	70	71	PP28	93.5	42.5
500603	60ml	60	70	71	PP28	84.5	46.5
500601	60ml	60	71	68	PP28	97.3	41.0
500602	60ml	60	70	85	PP28	101	41.0
500901	90ml	90	93.5	95	PP28	117.8	40.5
501001	100ml	100	109	95	PP28	120.0	43.5
501002	100ml	100	112	109	PP28	115.4	47.0





Ref.	ml	ml	ml	g		mm	
450501	50ml	50	57	82	PP 28	107	35.0
450752	75ml	75	85	105	PP 28	107.0	43.0
451003	100ml	100	110	110	PP 28	120.7	44.3
451004	100ml	100	110	120	PP 28	123.5	44.6
451005	100ml	100	110	120	PP 28	126.0	45.2
451006	100ml	100	110	120	PP 28	120.0	44.5
451007	100ml	100	110	120	PP 28	126.0	44.6
451008	100ml	100	110	120	PP 28	123.5	45.2
451009	100ml	100	110	110	PP 28	120.7	44.3
45150K	150ml	150	176	151	PP 28	135.5	52.0





Ref.	ml	ml	ml	g			mm
460601	60ml	60	69	73	G.P.I 33-400	75.5	44.5
460752	75ml	75	86	84	G.P.I 38-400	82.5	45.3
461003	100ml	100	114	95	G.P.I 38-400	87.5	50.0
461204	120ml	120	135	108	G.P.I 38-400	95.0	52.8
461505	150ml	150	170	122	G.P.I 45-400	100	56.0
462006	200ml	200	226	151	G.P.I 45-400	109.5	61.4
462507	250ml	250	274	170	G.P.I 45-400	117.5	65.3
463008	300ml	300	330	216	G.P.I 45/53-400	126.5	68.2
464009	400ml	400	440	225	G.P.I 45/53-400	136.5	74.7
465010	500ml	500	550	270	G.P.I 45/53-400	147	81.0
466251	625ml	625	640	319	G.P.I 53-400	153.67	85.32
467501	750ml	750	800	357	G.P.I 53-400	165.1	92.08




Ref.	ml	ml	ml	g			mm
510151	15ml	15	18.0	33	PP22	63.0	28.5
480151	15ml	15	19.0	30	21mm	62.0	28.2
480201	20ml	20	26.4	47	PP 22	81.0	29.0
480251	25ml	25	29.0	38	23mm	71.9	30.8
480301	30ml	30	36.0	51	PP 22	84.5	32.5
480302	30ml	30	36.0	50	PP 25	88.5	30.0
480303	30ml	30	35.0	48	PP 22	89.0	30.0
510701	70ml	70	79.0	75	PP 25	100.5	41.5
511001	100ml	100	130.0	107	PP 25	114.0	49
511251	125ml	125	140.0	109	PP 25	120.0	49.5
512001	200ml	200	215	156	PP 25	134.0	58

Amber Glass Bottles for Syrup PP 18 , 24mm



Ref.	ml	ml	ml	g	PP	mm	mm
530101	10ml	10	14.8	23	PP18	58	25.4
530301	30ml	30	36	38	PP24	74.1	33
530501	50ml	60	54	59	PP24	82.1	39.6
530601	60ml	60	70.5	58	PP24	86.2	41.8
530801	80ml	80	88	73	PP24	91.5	46.4
531001	100ml	100	113	92	PP24	99.8	49
531201	120ml	120	132.5	88	PP24	103	52.5
531501	150ml	150	165	103	PP24	109.2	56
532001	200ml	200	216	133	PP24	129.9	57.2
532501	250ml	250	273	152	PP24	138.9	62.2

Black Dropper Dispensing Bottles DIN 18mm











Ref.	ml	g	DIN18	mm
490051	5ml	5	6.7	22
490101	10ml	10	12.5	27.5
490151	15ml	15	20	32
490201	20ml	20	22.5	35
490301	30ml	30	35	48
490501	50ml	50	57	55
491001	100ml	100	105	88














Dropper Bottle Series

							
5ml	6.7	22	DIN18	50.2	22	✓	✓
10ml	12.5	27.5	DIN18	58	24.8	✓	✓
15ml	20	32	DIN18	65	28.5	✓	✓
20ml	22.5	35	DIN18	71.5	28.7	✓	✓
30ml	35	48	DIN18	78.8	33	✓	✓
50ml	57	55	DIN18	92.2	37.2	✓	✓
100ml	105	88	DIN18	112	44.5	✓	✓

Boston Round Bottle Series

							
1/2oz	16.4	25.5	18mm-400	68.26	25	✓	✓
1oz	36.2	44	20mm-400	78.58	32.8	✓	✓
2oz	63.8	58	20mm-400	93.66	38.6	✓	✓
4oz	125.7	108	22mm-400	112.73	48.82	✓	✓
8oz	250	175	28mm-400	138.1	60.33	✓	✓
16oz	505	255	28mm-400	168.7	74.6	✓	

Wide Mouth Bottle Series

							
60ml	69	73	G.P.I400-33	75.5	44.5	✓	
75ml	86	84	G.P.I400-38	82.5	45.3	✓	
100ml	114	95	G.P.I400-38	87.5	50.5	✓	
120ml	135	108	G.P.I400-38	95.0	52.8	✓	✓
150ml	170	122	G.P.I400-45	100	56.0	✓	
200ml	225	151	G.P.I400-45	109.5	61.4	✓	
250ml	274	170	G.P.I400-45	117.5	65.3	✓	
300ml	335	210	G.P.I400-45/53	126.5	68.2	✓	
400ml	440	225	G.P.I400-45/53	136.5	74.7	✓	
500ml	550	270	G.P.I400-45/53	147	81	✓	



Ref No: 732821
Size: 28-B
OD of Flange: 27.10mm
ID of Neck: 17.80mm
Height of Flange: 3.40mm
Total Height: 10.20mm

Ref No: 732822
Size: 28-B-1
OD of Flange: 26.60mm
ID of Neck: 18.00mm
Height of Flange: 3.80mm
Total Height: 11.80mm

Ref No: 733211
Size: 32-A
OD of Flange: 30.80mm
ID of Neck: 23.60mm
Height of Flange: 4.00mm
Total Height: 12.20mm

Ref No: 733212
Size: 32-A-1
OD of Flange: 31.00mm
ID of Neck: 24.20mm
Height of Flange: 5.00mm
Total Height: 16.00mm

Size of 32-A complies with the norm ISO 8362-2, Size of 32-A-1 according to DIN STD.



Ref No: 711311
Size: 13-A
OD of Flange: 12.50mm
ID of Neck: 7.50mm
Height of Flange: 2.00mm
Total Height: 7.00mm



Ref No: 712011
Size: 20-A
OD of Flange: 18.80mm
ID of Neck: 13.2mm
Height of Flange: 3.30mm
Total Height: 8.80mm



Ref No: 712020
Size: 20-BX
OD of Flange: 19.05mm
ID of Neck: 13.30mm
Height of Flange: 3.45mm
Total Height: 8.45mm



Ref No: 712022
Size: 20-B2
OD of Flange: 19.50mm
ID of Neck: 13.00mm
Height of Flange: 3.00mm
Total Height: 8.70mm



Ref No: 712023
Size: 20-B3
OD of Flange: 19.50mm
ID of Neck: 13.00mm
Height of Flange: 2.80mm
Total Height: 8.50mm



Ref No: 7120225
Size: 20-B2-01
OD of Flange: 19.50mm
ID of Neck: 13.00mm
Height of Flange: 3.00mm
Total Height: 8.70mm

Size of 13A, 20A, 20B comply with norms ISO 8362-2 and YBB00052005-2015, Other complies with YBB00052005-2015.



Ref No: 721302
Size: 13-D2
OD of Flange: 12.50mm
ID of Neck: 7.50mm
Height of Flange: 2.00mm
Total Height: 10.20mm

Ref No: 721304
Size: 13-D4
OD of Flange: 12.5mm
ID of Neck: 7.50mm
Height of Flange: 2.50mm
Total Height: 9.90mm

Ref No: 722002
Size: 20-D2
OD of Flange: 18.80mm
ID of Neck: 13.20mm
Height of Flange: 3.30mm
Total Height: 14.00mm

Ref No: 722003
Size: 20-D3
OD of Flange: 18.80mm
ID of Neck: 13.10mm
Height of Flange: 3.30mm
Total Height: 13.80mm



Ref No: 750222
Size: 20E6-1
OD of Flange: 19.5 ± 0.1
ID Of Neck: 13.20 ± 0.1
Height of Flange: 3.00 ± 0.2
Total Height: 6.7 ± 0.2
(Rubber Stopper with Teflon Coating)

Ref No: 750253
Size: $\Phi 25$
Diameter1: 28.0 ± 0.2
Diameter2: 31.8 ± 0.3
Total Height: 16.0 ± 0.3
Height of Flange: 5.0 ± 0.2

Ref No: 750251
Size: 25-B3
Diameter: 24.8 ± 0.1
Total Height: 7.0 ± 0.2
Inner Height: 4.4 ± 0.2
Piercing Height: 2.5 ± 0.2

Ref No: 750252
Size: 25-A2
Diameter: 25 ± 0.1
Total Height: 6.1 ± 0.1
Inner Height: 4.5 ± 0.2
Piercing Height: 2.5 ± 0.2



Ref No: 810131
Size: ZD-13
d1: 13.3
d2: 15min. 16max.
d3: 3min. 8max.
h1: 6.3
h2: 7.3min. 8.4max.
e: 0.168~0.242




Ref No: 810202
Size: SZD-20a
d1: 20.3
d2: 22.2min. 23.2max.
d3: 6min. 10max.
h1: 7.3
h2: 8.7min. 9.8max.
e: 0.168~0.242



Ref No: 810201
Size: SZB-20Ta
d1: 20.3
d2: 22.2min. 23.2max.
d3: 6min. 10max.
h1: 7.3
h2: 8.7min. 9.8max.
e: 0.168~0.242



Ref No: 810200
Size: 20a
d1: 20.0min. 20.3max
d2:
d3:
h1: 7.3
h2:
e: 0.168~0.242



Dimension in mm



Ref No: 810203
Size: ZB-20Tb
d1: 20.0
d2: 22.0min. 23.0max.
d3: 6min. 10max.
h1: 7.3/6.9
h2: 8.7min. 9.8max.
e: 0.168~0.242



Ref No: 810281
Size: ZB-28
d1: 28.6
d2: 31.2min. 32.2max.
d3: 12min. 17max.
h1: 9.6
h2: 10.5min. 12max.
e: 0.168~0.242



Ref No: 810321
Size: SZB-32-5
d1: 32.6
d2: 35.5min. 37max.
d3: 15min. 20max.
h1: 12.1
h2: 13min. 16max.
e: 0.168~0.242

Raw Materials in Stock



Raw Materials in Stock



SCHOTT

Zhejiang, 2021-11-24

CERTIFICATE

We hereby certify that the neutral glass tubing of FIOLAX® Pro delivered to:

JIANGSU FAMACY GLASS CO., LTD.
West Wujin Road, JiangSu Province
CHANGZHOU CITY
CHINA

and delivery note 850638781 dated 24.11.2021

has been produced by consistently using a Quality Management System according to ISO 9001:2015 and ISO 15378:2017 as well as in accordance with our *Technical Performance Specification FIOLAX® Pro*. (The third party certification of the Quality Management System of the production site Zhejiang is currently under preparation.)

The alkali release measured as per the glass grains test specified for type I glass according to current US Pharmacopoeia typically ranges within the following values:

0.033 +/- 0.005 ml 0.02 M HCl / 1 g glass

With an upper limit for the first hydrolytic class (comparable: water resistance class 1 resp. HGB 1 according to ISO 719 and HGA 1 according to ISO 720 and Type 1 according to YBB00252003-2015) of

0.1 ml 0.02 M HCl / 1 g glass

and (comparable: water resistance class 1 resp. HGB1 according to YBB00362004-2015) of
0.1 ml 0.01 M HCl / 1 g glass

our neutral glass tubing of FIOLAX® Pro corresponds to the requirements of the current US Pharmacopoeia for type I glass as well as to the stipulations of all other known pharmacopoeia (e.g. current Ph. Eur. and JP).

Since FIOLAX® Pro does not contain arsenic, the arsenic release requirement of the limit value of 0.1 ppm As is fulfilled.

Business Unit Tubing
SCHOTT AG
Germany
Director Global Quality Management

Business Unit Tubing
SCHOTT Tubing (Zhejiang) Co. Ltd.
China
Manager Quality Management

Dr.-Ing. Karsten Hennig

Jasmin Zhang

F-PTR-1941 GB TC / 19.11.2021 / T/TQ-KHig

Certifications



QUALITY MANAGEMENT SYSTEM CERTIFICATE

This is to Certify that the QUALITY MANAGEMENT SYSTEM of
JIANGSU FAMACY GLASS CO.,LTD.

Registered Address: Miaoqiao Village, Nanxiashu Town, Wujin District, Jiangsu Province,
China

Audit Address: No. 3 Wujin East Avenue (Building 5), Wujin District, Jiangsu Province,
China

has been assessed by NOA Certification
and found to comply with

GB/T 19001-2016 idt ISO9001:2015
for the scope of

**Manufacture and sale of general water-resistant pharmaceutical glass
products within the scope of qualification. Manufacture and sale of
packaging glass products**

Certificate Number: NOA20106048
Unified Social Credit Code: 91320412053529856G
Certificate Issue Date: 10 Oct. 2021
Certificate Valid Until: 10 Oct. 2022



Date of Initial Certification: 10 Oct. 2020

Expire Date of Certification: 10 Oct. 2023

Certification Manager



This certificate is issued by NOA testing & certification, the certificate holder shall accept surveillance audit by NOA and the certificate shall be renewed by NOA prior to its expiry date as required. To verify the validity of certificate, please visit www.noagroup.org. The certificate information is also available on the CNCA official website: www.cnca.gov.cn.

NOA Certification Service

Add: Building 26, Lane 2777, East Jinxiu Road, Free Trade Zone, Shanghai, China Email: noa@noagroup.org



Certificate of Drug Master File (DMF)

Service Period
June 1, 2022 – May 31, 2023

This certifies that:

Jiangsu Famacy Glass Co., Ltd.
No. 3 East Wujin Road
ChangZhou City, Jiangsu 213167
China

is a Drug Master File holder with the U.S. Food and Drug Administration pursuant to part 314 of Title 21, US Code of Federal Regulations, such filing having been verified as currently effective on the date hereof by Registrar Corp.

Drug Master File Number: **30197**
Status: **Active**
Type: **III**
Subject: **PRIMARY PACKAGING MATERIAL (VIALS, AMPOULES, CARTRIDGES)**

Registrar Corp will confirm that such filing remains effective upon request and presentation of this certificate until May 31, 2023, unless terminated after issuance of this certificate. Registrar Corp makes no other representations or warranties, nor does this certificate make any representations or warranties to any person or entity other than the named certificate holder, for whose sole benefit it is issued. Registrar Corp assumes no liability to any person or entity in connection with the foregoing. Filing of a Drug Master File does not in any way denote approval of the firm or its products by the U.S. Food and Drug Administration. Any representation that creates an impression of official approval because of filing of Drug Master File is misleading. The U.S. Food and Drug Administration does not issue a certificate of Drug Master Files. Registrar Corp is not affiliated with the U.S. Food and Drug Administration.

Registrar Corp
144 Research Drive, Hampton, Virginia, 23666, USA
Telephone: +1-757-224-0177 • Fax: +1-757-224-0179
info@registrarcorp.com • www.registrarcorp.com

David Lennarz
Executive Director
Registrar Corp
Dated: April 25, 2022

©2007-2022 Registrar Corp

Quality Control



ISO Class 7 Clean Workshops



Advanced Quality Inspection Labs



3 Level Quality Inspection

Quality Control



Camera Inspection System



Laboratory Inspection



Manual Inspection

Our Advantages

Compare with international brands

SCHOTT



Famacy Glass Can Offer



The Same Quality Level

(Similar production lines and same raw materials)



Better Prices

(Offering cost efficient proposal to match customer requirements)



More Flexible Lead Time


(30-60 days after purchase order).



Quicker Response To Customers' Requests

(We have sales representative & employees in different countries)

Overseas Market



Overseas Market





Oversea Customers

Famacy General Manager is signing the contract with the Indonesia customer



Overseas Customers



Visting the
customer in Turkey



Visting the customer
in Indonesia

Oversea Market

Oversea customers are auditing Famacy production





We Look Forward
To Establish
Business
Cooperation With
You!!